

## अनुबंध | Contract



अनुबंध क्रमांक | Contract No: GEMC-511687796166702

अनुबंध तिथि | Generated Date : 27-Mar-2024

## संगठन विवरण | Organisation Details

प्ररूप | Type : Central Government  
मंत्रालय | Ministry : Ministry of Communications  
विभाग | Department : Department of Posts  
संगठन का नाम | Organisation Name : AP Postal Circle Department of Posts  
कार्यालय क्षेत्र | Office Zone : Cpmg Hyderabad

## खरीदार विवरण | Buyer Details

पद | Designation : Supdt of Post Offices ,Medak Division,  
संपर्क नंबर | Contact No. : 08452-221386-221349  
ईमेल आईडी | Email ID : domedak.ap@indiapost.gov.in  
जीएसटीआईएन | GSTIN : 36AAAGM0260R1Z2  
पता | Address : 1st floor, above Medak Head Post Office, beside Police  
Station, Medak-502110,  
MEDAK, TELANGANA-502110, India

## वित्तीय स्वीकृति विवरण | Financial Approval Detail

आईएफडी सहमति | IFD Concurrence : No  
प्रशासनिक अनुमोदन का पदनाम |  
Designation of Administrative Approval: POSTMASTER GENERAL, HQ REGION  
वित्तीय अनुमोदन का पदनाम |  
Designation of Financial Approval : POSTMASTER GENERAL, HQ REGION

## भुगतान प्राधिकरण विवरण | Paying Authority Details

Role: PAO  
भुगतान का तरीका | Payment Mode: Offline  
पद | Designation : Postmaster  
ईमेल आईडी | Email ID : medakho@indiapost.gov.in  
जीएसटीआईएन | GSTIN : N  
पता | Address: 1st floor, above Medak Head Post Office, beside Police  
Station, Medak-502110,  
HYDERABAD, TELANGANA-502110, India

## विक्रेता विवरण | Seller Details

जेम विक्रेता आईडी | GeM Seller ID : CUJ7240011179293  
कंपनी का नाम | Company Name : RIVAAN TECHNOLOGIES  
संपर्क नंबर | Contact No. : 09573804801  
ईमेल आईडी | Email ID : rivaantechologies23@gmail.com  
पता | Address : 7-155,SAI PRABHU HOMES,BADANGPET,BADANGPET,  
Hyderabad, TELANGANA-500058, -  
एमएसएमई पंजीकरण संख्या | MSME Registration number : UDYAM-TS-09-0094069  
एमएसई सामाजिक श्रेणी | MSE Social Category : General  
एमएसई लिंग श्रेणी | MSE Gender : Male  
जीएसटीआईएन | GSTIN: 36CAFPP4028Q1Z5

\*जिसके नाम के पक्ष में GST/TAX इनवॉइस पेश किया जाएगा | GST / Tax invoice to be raised in the name of - Buyer

## वितरण निर्देश | Delivery Instructions : NA

## उत्पाद विवरण | Product Details

| #  | आइटम विवरण   Item Description   | आइटम विवरण   Ordered Quantity | इकाई   Unit | इकाई मूल्य (INR)   Unit Price (INR) | कर विभाजन (INR)   Tax Bifurcation (INR) | मूल्य (INR में सभी शुक्र और कर सहित)   Price (Inclusive of all Duties and Taxes in INR) |
|--|---|-------------------------------|-------------|-------------------------------------|---|---|
| 1  | उत्पाद का नाम   Product Name : Unbranded 1800 mm 750 mm 730 mm<br>ब्रांड   Brand : NA<br>ब्रांड प्रकार   Brand Type : Unbranded<br>कैटलॉग की स्थिति   Catalogue Status: Catalogue not verified by OEM<br>केसे बेचा जा रहा है   Selling As : Reseller not verified by OEM<br>श्रेणी का नाम और चतुर्भास   Category Name & Quadrant : High end Office Table / Desk Furniture Set / Suit (Q3)<br>मॉडल   Model: OFFICE TABLE<br>एचएसएन कोड   HSN Code: HSN not specified by seller | 20                            | pieces      | 4,994                               | NA                                      | 99,880  |
| कुल ऑर्डर मूल्य   Total Order Value (in INR) |   |                               |             |                                     |   | 99,880  |

## परेष्ठी विवरण | Consignee Detail

| क्र.सं.   S.No | परेष्ठी   Consignee  | वस्तु   Item | लॉट नंबर   Lot No. | मात्रा   Quantity | दिनांक के बाद डिलीवरी शुरू करना है   Delivery Start After | वितरण पूरा तक करना है   Delivery To Be Completed By |
|----------------|--|--------------|--------------------|-------------------|---|---|
|                | पद   Designation : BUYER-CONSIGNEE<br>ईमेल आईडी   Email ID : domedak.ap@indiapost.gov.in |              |                    |                   |   |   |

|  |   |   |   |    |             |             |
|--|---|---|---|----|-------------|-------------|
| 1  | संपर्क Contact : 08452-221386-221349<br>जीएसटीआर्टिएन  GSTIN : 36AAGM0260R1Z2<br>पता Address : 1st floor, above Medak Head Post Office, beside Police Station, Medak-502110, MEDAK, TELANGANA-502110, India | Unbranded 1800 mm<br>750 mm 730 mm  | - | 20 | 27-Mar-2024 | 11-May-2024 |
| <b>Product Specification for Unbranded 1800 mm 750 mm 730 mm</b> |   |   |   |    |             |             |
| विवरण Specification  | उप-विवरण Sub-Spec   | मूल्य Value   |   |    |             |             |
| GENERIC  | High-end furniture set consist of   | Combination of Main table with Extended Return unit and/or wooden bookcase and/or Pedestal storage unit as per details                                      |   |    |             |             |
|  | Mode of supply  | Knocked down to be assembled at consignee site by the seller  |   |    |             |             |
|  | Top, sides and bottoms (of each product) fixed up system  | By using mini fix and wooden dowel in (knock down) system for interconnecting (MDF board) and By using supporting bracket/corner for interconnecting (PLPB) |   |    |             |             |
|  | Preservation treatment  | Yes   |   |    |             |             |
|  | Warranty periods  | 1 – Year  |   |    |             |             |
| MAIN TABLE   | Design / Shape  | Semi circular   |   |    |             |             |
|  | Frame type  | Free standing   |   |    |             |             |
|  | Under structure of main table   | Gable end modesty panel   |   |    |             |             |
|  | Table top material  | MDF and venner with PU finish having scratch resistance of 2H   |   |    |             |             |
|  | Gable end material  | MDF and venner with PU finish having scratch resistance of 2H   |   |    |             |             |
|  | Modesty panel material  | N.A   |   |    |             |             |
|  | Leg material  | MDF board as per IS: 12406 with pigmented PU coating on both sides  |   |    |             |             |
|  | Number of buffer provided   | Six numbers at bottom   |   |    |             |             |
|  | Length of table top ± 20 mm   | 1800 mm   |   |    |             |             |
|  | Depth of table top ± 10 mm  | 750 mm  |   |    |             |             |
|  | Height of table top ± 10 mm   | 730 mm  |   |    |             |             |
|  | Dimension of leg ± 2 mm   | 50 m X 50 mm  |   |    |             |             |
|  | Thickness of table top ± 2 mm   | 72 mm   |   |    |             |             |
|  | Thickness of gable end ± 2 mm   | 25 mm   |   |    |             |             |
|  | Thickness of modesty panel ± 1 mm   | 36 mm   |   |    |             |             |
|  | Material of keyboard tray and right angle L-Type supporting bracket   | CRC sheet conforming to commercial quality designation CR-I grade 140 of IS 513/latest  |   |    |             |             |
|  | Keyboard adjustability  | Adjustable keyboard arm   |   |    |             |             |
|  | Average weight of telescopic channel  | 500 grams per set   |   |    |             |             |
|  | Finish of exposed edges of keyboard tray  | To be painted with black in colour with powder coating 40-50 microns thickness  |   |    |             |             |
|  | Material thickness of keyboard tray ± 1 mm  | 2 mm  |   |    |             |             |
| EXTENDED RETURN UNIT   | Number of storage unit  | 2 numbers   |   |    |             |             |
|  | Storage with shutter  | 1 number  |   |    |             |             |
|  | Number of drawers   | 1 number  |   |    |             |             |
|  | Size of small drawers ± 5 mm  | 150 mm (H) X 465 mm(W) X 470 mm(D)  |   |    |             |             |
|  | Size of medium drawers ± 5 mm   | 300 mm(H) X 465 mm(W) X 470 mm(D)   |   |    |             |             |
|  | Number of lockable castors at bottom  | 4 numbers   |   |    |             |             |
|  | Size of lockable castors ± 2 mm   | Diameter 40 mm and height 55 mm   |   |    |             |             |
|  | Provision of storage lock system  | N.A   |   |    |             |             |
|  | Material of top   | MDF and venner with PU finish having scratch resistance of 2H   |   |    |             |             |
|  | Material of modesty panel   | MDF and venner with PU finish having scratch resistance of 2H   |   |    |             |             |
|  | Material of side panel  | MDF and venner with PU finish having scratch resistance of 2H   |   |    |             |             |
|  | Thickness of top panel ± 2 mm   | 25 mm   |   |    |             |             |
|  | Thickness of other panel ± 2 mm   | 25 mm   |   |    |             |             |
|  | Thickness of drawer base ± 1 mm   | 10 mm   |   |    |             |             |
|  | Drawer/storage shutter pull up mechanism  | Groove type   |   |    |             |             |
|  | Width of unit ± 20 mm   | 1800 mm   |   |    |             |             |

|                                       |  |   |
|---------------------------------------|--|---|
| Depth of unit ± 5 mm                  | 520 mm   |   |
| Height of unit ± 5 mm                 | 550 mm   |   |
| Overall height of storage unit ± 5 mm | 480 mm   |   |
| Width of storage unit ± 5 mm          | 1200 mm  |   |
| PEDESTAL STORAGE UNIT                 | Type of unit   | Three drawers   |
|                                       | Size of drawers ± 2 mm                                     | 162 mm (H) x 640 mm (D) x 480 mm (W)  |
|                                       | Each drawers fixed with                                    | On telescopic channel of 400 mm length with average weight of 0.6 Kg per set having average thickness of 1 mm steel member of channel |
|                                       | Provision of lock system                                   | Central locking system  |
|                                       | Drawer pull up mechanism                                   | Push type   |
|                                       | Material of top panel                                      | MDF board as per IS: 12406 with pigmented PU coating on both sides  |
|                                       | Material of other panel                                    | MDF and venner with PU finish having scratch resistance of 2H   |
|                                       | Thickness of top panel ± 1 mm                              | 25 mm   |
|                                       | Thickness of other panel ± 1 mm                            | 18 mm   |
|                                       | Number of lockable castors at bottom pedestal storage unit | 4 numbers   |
|                                       | Size of lockable castors for pedestal storage unit ± 2 mm  | Diameter 30 mm and height 50 mm   |
|                                       | Width of pedestal unit ± 5 mm                              | 500 mm  |
|                                       | Depth of pedestal unit ± 5 mm                              | 640 mm  |
|                                       | Height of pedestal unit ± 5 mm                             | 550 mm  |
|                                       | Finish of pedestal storage unit                            | MDF board as per IS: 12406 with pigmented PU coating on both sides  |
| WOODEN BOOK CASE                      | Type of Bookcase   | Wall hanging  |
|                                       | Design of bookcase   | Openable doors with glass panel   |
|                                       | Total Number of shelf                                      | 4 numbers   |
|                                       | Number of small shelf                                      | 2 numbers   |
|                                       | Number of big shelf  | 2 numbers   |
|                                       | Top panel material   | MDF board as per IS 12406 with pigmented PU coating on both side  |
|                                       | Side panel material  | Three layer pre-laminated particle board (wood product) of grade -II type 2 of IS 12823/latest  |
|                                       | Shelf material   | Three layer pre-laminated particle board (wood product) of grade -II type 2 of IS 12823/latest  |
|                                       | Full Door panel material                                   | MDF board as per IS 12406 with pigmented PU coating on both side  |
|                                       | Upper door panel made up of                                | Three layer pre-laminated particle board (wood product) of grade -II type 2 of IS 12823/latest  |
|                                       | Lower door panel made up of                                | MDF board as per IS 12406 with pigmented PU coating on both side  |
|                                       | Thickness of top panel material ± 1 mm                     | 25 mm   |
|                                       | Thickness of side panel material ± 1 mm                    | 18 mm   |
|                                       | Thickness of shelf panel material ± 1 mm                   | 22 mm   |
|                                       | Thickness of door panel (full size) material ± 1 mm        | 25 mm   |
|                                       | Thickness of upper door panel made up of ± 1 mm            | 5 mm thick glass  |
|                                       | Thickness of lower panel made up of ± 1 mm                 | 25 mm   |
|                                       | Material for buffer  | Polyvinyl   |
|                                       | Width of book case ± 10 mm                                 | 900 mm  |
|                                       | Depth of book case ± 5 mm                                  | 480 mm  |
|                                       | Height of book case ± 20 mm                                | 2040 mm   |
|                                       | Size of medium shelf                                       | 2 numbers   |
|                                       | Finish of Book case  | MDF board as per IS: 12406 with pigmented PU coating on both sides  |
|                                       | Test reports to be furnished to buyer on demand            | No  |
|                                       | Product having BIFMA certification                         | No  |

|               |   |    |
|---------------|---|----|
| CERTIFICATION | OEM of offered product is ISO 9001:2015 certified             | No |
|               | OEM of offered product is ISO 14001:2015 certified            | No |
|               | OEM of offered product is ISO 18001:2007/45001:2018 certified | No |

**टिप्पणी| Note:** Seller has given an undertaking that it has made arrangements for getting the stores from an authorized distributor / dealer / channel partner of the OEM of the offered product. At the time of delivery of goods, Seller will provide necessary chain documents (in the form of GST Invoice) to prove that the supplied goods are genuine and are being sourced from an authorized distributor / dealer / channel partner of the OEM. In case of any complaint about genuineness of the supplied products, Seller shall be responsible for providing genuine replacement supplies.

#### ईपीबीजी विवरण | ePBG Detail

NA

#### नियम और शर्तें| Terms and Conditions

##### 1. General Terms and Conditions-

- 1.1 This contract is governed by the [General Terms and Conditions](#), conditions stipulated to this Product/Service as provided in the Marketplace.
- 1.2 This Contract between the Seller and the Buyer, is for the supply of the Goods and/ or Services, detailed in the schedule above, in accordance with the General Terms and Conditions (GTC) unless otherwise superseded by Goods / Services specific Special Terms and Conditions (STC) and/ or BID/Reverse Auction Additional Terms and Conditions (ATC), as applicable

नोट: यह सिस्टम जनरेटेड फाइल है। कोई हस्ताक्षर की आवश्यकता नहीं है। इस दस्तावेज़ का प्रिंट आउट भुगतान/लेनदेन उद्देश्य के लिए मान्य नहीं है।

Note: This is system generated file. No signature is required. Print out of this document is not valid for payment/ transaction purpose.