

अनुबंध | Contract



अनुबंध क्रमांक | Contract No: GEMC-511687761770851

अनुबंध तिथि | Generated Date : 27-Mar-2024

बोली/आरए/पीबीपी संख्या | Bid/RA/PBP No.: [GEM/2024/B/4751594](#)

संगठन विवरण Organisation Details		खरीदार विवरण Buyer Details				
प्ररूप Type :	Central Government	पद Designation :	TGT Maths			
मंत्रालय Ministry :	Ministry of Education	संपर्क नंबर Contact No. :	-			
विभाग Department :	Department of School Education and Literacy	ईमेल आईडी Email ID :	buyer-2347@kvs.gov.in			
संगठन का नाम Organisation Name :	KENDRIYA VIDYALAYA SANGATHAN	जीएसटीआईएन GSTIN :	-			
कार्यालय क्षेत्र Office Zone:	Kendriya Vidyalaya Badopal Fatehabad	पता Address :	Kendriya Vidyalaya Fatehabad, Chinder Mor Near Balaji Dharamkanta Badopal, V.P.O Badopal. Pincode 125048, FATEHABAD, HARYANA-125048, India			
वित्तीय स्वीकृति विवरण Financial Approval Detail		भुगतान प्राप्तिकरण विवरण Paying Authority Details				
आईएफडी सहमति IFD Concurrence :	No	Role:	PAO			
प्रशासनिक अनुमोदन का पदनाम	CHAIRMAN, VMC, KV FATEHABAD	भुगतान का तरीका	Offline			
Designation of Administrative Approval:		Payment Mode:				
वित्तीय अनुमोदन का पदनाम	CHAIRMAN, VMC, KV FATEHABAD	पद Designation :	SSA			
Designation of Financial Approval :		ईमेल आईडी Email ID :	p.authority-2347@kvs.gov.in			
		जीएसटीआईएन GSTIN :	-			
		पता Address:	Kendriya Vidyalaya Fatehabad, Chinder Mor Near Balaji Dharamkanta Badopal, V.P.O Badopal. Pincode 125048, Fatehabad, HARYANA-125048, India			
विक्रेता विवरण Seller Details						
जेम विक्रेता आईडी GeM Seller ID :	0A8A180000114630					
कंपनी का नाम Company Name :	MITTAL SONS					
संपर्क नंबर Contact No. :	09356210501					
ईमेल आईडी Email ID :	mittalsons501@yahoo.com					
पता Address :	MITTAL SONS,5020,SIRKI BAZAAR, Bathinda, PUNJAB-151001, -					
एमएसएमई सत्यापिति MSME verified :	Yes					
एमएसएमई पंजीकरण संख्या MSME Registration number :	UDYAM-PB-03-0006538					
एमएसई सामाजिक श्रेणी MSE Social Category :	General					
एमएसई लिंग श्रेणी MSE Gender :	Male					
जीएसटीआईएन GSTIN:	03AAYPK7642Q2ZR					
*जिसके नाम के पक्ष में GST/TAX इनवॉइस पेश किया जाएगा GST / Tax invoice to be raised in the name of - Buyer						
वितरण निर्देश Delivery Instructions : NA						
उत्पाद विवरण Product Details						
#	आइटम विवरण Item Description	आइटम विवरण Ordered Quantity	इकाई Unit	इकाई मूल्य (INR) Unit Price (INR)	कर विभाजन (INR) Tax Bifurcation (INR)	मूल्य (INR में सभी शुल्क और कर सहित) Price (Inclusive of all Duties and Taxes in INR)
1	उत्पाद का नाम Product Name : PEWI Steel Clothes 18 - Locker type ब्रांड Brand : PEWI ब्रांड प्रकार Brand Type : Registered Brand कैटलॉग की स्थिति Catalogue Status: Catalogue not verified by OEM कैसे बेचा जा रहा है Selling As : Reseller not verified by OEM श्रेणी का नाम और चतुर्भासा Category Name & Quadrant : Steel Clothes Lockers (Version 2) as per IS 3314 (Q3) मॉडल Model: PEWI/CL-46 एचएसएन कोड HSN Code: 9403	1	pieces	23,600	NA	23,600
2	उत्पाद का नाम Product Name : mittal sons Revolving Chair with Knee tilt Synchronic mechanism ब्रांड Brand : mittal sons ब्रांड प्रकार Brand Type : Registered Brand कैटलॉग की स्थिति Catalogue Status: OEM verified catalogue कैसे बेचा जा रहा है Selling As : OEM श्रेणी का नाम और चतुर्भासा Category Name & Quadrant : Revolving Chair (V3) (Q2) मॉडल Model: Revolving chair MS-553 एचएसएन कोड HSN Code: 9403	1	pieces	11,800	NA	11,800
	उत्पाद का नाम Product Name : mittal sons Executive Table with Both side pedestal unit ब्रांड Brand : mittal sons ब्रांड प्रकार Brand Type : Registered Brand कैटलॉग की स्थिति Catalogue Status: OEM verified catalogue					

3	कैसे बेचा जा रहा है Selling As : OEM श्रेणी का नाम और चतुर्भास Category Name & Quadrant : Executive Table (V2) (Q3) मॉडल Model: Executive table MS-785 एचएसएन कोड HSN Code: 9403	1	pieces	23,600	NA	23,600
4	उत्पाद का नाम Product Name : mittal sons Almirah Steel shelving cabinets ब्रांड Brand : mittal sons ब्रांड प्रकार Brand Type : Registered Brand कैटलॉग की स्थिति Catalogue Status: OEM verified catalogue कैसे बेचा जा रहा है Selling As : OEM श्रेणी का नाम और चतुर्भास Category Name & Quadrant : Almirah Steel (V2) (Q3) मॉडल Model: Steel Almirah MS-222 एचएसएन कोड HSN Code: 9403	2	pieces	10,620	NA	21,240
5	उत्पाद का नाम Product Name : Unbranded Rectangular CENTRE TABLE with Medium Density Fiberboard Top of 1194mmX584mm ब्रांड Brand : NA ब्रांड प्रकार Brand Type : Unbranded कैटलॉग की स्थिति Catalogue Status: Catalogue not verified by OEM कैसे बेचा जा रहा है Selling As : Reseller not verified by OEM श्रेणी का नाम और चतुर्भास Category Name & Quadrant : Centre Table (Q3) मॉडल Model: centre table 01 एचएसएन कोड HSN Code: 9403	1	pieces	7,080	NA	7,080
6	उत्पाद का नाम Product Name : mittal sons Non-Revolving and Non-Tilting chair with Armrest ब्रांड Brand : mittal sons ब्रांड प्रकार Brand Type : Registered Brand कैटलॉग की स्थिति Catalogue Status: OEM verified catalogue कैसे बेचा जा रहा है Selling As : OEM श्रेणी का नाम और चतुर्भास Category Name & Quadrant : Chair Office (V2) (Q3) मॉडल Model: Office chair MS-157 एचएसएन कोड HSN Code: 9403	10	pieces	2,950	NA	29,500
7	उत्पाद का नाम Product Name : Angular 3 seaters Meeting Table ब्रांड Brand : Angular ब्रांड प्रकार Brand Type : Registered Brand कैटलॉग की स्थिति Catalogue Status: Catalogue not verified by OEM कैसे बेचा जा रहा है Selling As : Reseller not verified by OEM श्रेणी का नाम और चतुर्भास Category Name & Quadrant : Meeting Table (V2) (Q3) मॉडल Model: ANG_MT_A2069 एचएसएन कोड HSN Code: 9403	5	pieces	6,490	NA	32,450

कुल ऑर्डर मूल्य | Total Order Value (in INR)

149,270

परेष्टी विवरण| Consignee Detail

क्र.सं. S.No	परेष्टी Consignee	वस्तु Item	लॉट नंबर Lot No.	मात्रा Quantity	दिनांक के बाद डिलीवरी शुरू करना है Delivery Start After	वितरण पूरा कब तक करना है Delivery To Be Completed By
1	पद Designation : - ईमेल आईडी Email ID : buyer-2347@kvs.gov.in संपर्क Contact : - जीएसटीआईएन GSTIN : - पता Address : Kendriya Vidyalaya Fatehabad, Chinder Mor Near Balaji Dharamkanta Badopal, V.P.O Badopal. Pincode 125048, FATEHABAD, HARYANA-125048, India	PEWI Steel Clothes 18 - Locker type	-	1	27-Mar-2024	11-Apr-2024
		mittal sons Revolving Chair with Knee tilt Synchronic mechanism	-	1	27-Mar-2024	11-May-2024
		mittal sons Executive Table with Both side pedestal unit	-	1	27-Mar-2024	11-May-2024
		mittal sons Almirah Steel shelving cabinets	-	2	27-Mar-2024	11-Apr-2024
		Unbranded Rectangular CENTRE TABLE with Medium Density Fiberboard Top of 1194mmX584mm	-	1	27-Mar-2024	11-May-2024
		mittal sons Non-Revolving and Non-Tilting chair with Armrest	-	10	27-Mar-2024	11-Apr-2024
		Angular 3 seaters Meeting Table	-	5	27-Mar-2024	11-Apr-2024

Product Specification for PEWI Steel Clothes 18 - Locker type

विवरण Specification	उप-विवरण Sub-Spec	मूल्य Value
---------------------	-------------------	-------------

GENERAL REQUIREMENT	Technical Specification of the Steel Clothes Lockers	Conforming to BIS specification IS:3314-1984(with latest amendment)
	Type of Steel Clothes Lockers	18 - Locker type
	Lock type	5-lever lock conforming to IS 729(latest)
	Locking arrangement (with duplicate Key)	Fitted with a hasp and staple arrangement (for 12 and 18 - locker type)
	Provision of Name plate/Card holders in each door	Yes
	Assembly type	Screwing,Bolting,Welding
	Installation	Free standing
	Steel Cloth Locker with Pedestal	Yes
	Pedestal fitted with	3 mm Teflon bush
	Pedestal height (± 5 mm)	125 mm
	Corners	Not rounded
	The specification has been seen and understood	Yes
MATERIAL	Steel sheet material (Hint: For component manufacturing)	Hot rolled carbon steel sheet conforming to HR0 grade of IS 1079:2017 (with latest amendment)
	Minimum thickness of steel sheet for sides	0.8 mm
	Minimum thickness of steel sheet for back	0.8 mm
	Minimum thickness of steel sheet For top	0.8 mm
	Minimum thickness of steel sheet For bottom	0.8 mm
	Minimum thickness of steel sheet for partition	0.8 mm
	Minimum thickness of steel sheet for shelves	0.8 mm
	Minimum thickness of steel sheet for doors	0.8 mm
	Minimum thickness of steel sheet for pedestal	0.8 mm
	Hinges	Plain butt type made from M.S sheet of minimum 1.6 mm thick
	Handle of each door made up of	Anodized Aluminium
	Handle fixed to door by	Machine screws
	Coated hooks made up of	No coated hooks
	Hanging rod made up of	No Hanging rod
	Material of number plates	NA
	Material of name tag holder	Polish Aluminium
DIMENSION	Overall height of cloth lockers (excluding pedestal height) ± 5 mm	1855 mm
	Overall width of cloth lockers	910 mm
	Overall depth of cloth lockers	480 mm
	Size (W x H) of Name plate/Card holder	51 x 20 (mm)
COLOUR AND FINISH	Finish	Finish coat with enamels conforming to IS 151(latest)
	Colour of finish	Steel Gray
	Numbering Sequence on doors	Horizontally (starting from left side)
TESTING AND CERTIFICATION	Availability of test report from NABL /ILAC accredited or Central Government Lab to prove conformity of products to the specification	No
	Test Report Number and Date	NA
	Name and Address of the Lab	NA
	Test reports to be furnished to buyer on demand, if claimed to be available	No

टिप्पणी | Note: Seller has given an undertaking that it has made arrangements for getting the stores from an authorized distributor / dealer / channel partner of the OEM of the offered product. At the time of delivery of goods, Seller will provide necessary chain documents (in the form of GST Invoice) to prove that the supplied goods are genuine and are being sourced from an authorized distributor / dealer / channel partner of the OEM. In case of any complaint about genuineness of the supplied products, Seller shall be responsible for providing genuine replacement supplies.

Product Specification for mittal sons Revolving Chair with Knee tilt Synchronic mechanism

विवरण Specification	उप-विवरण Sub-Spec	मूल्य Value
GENERAL REQUIREMENT	Tilt mechanism	Knee tilt Synchronic mechanism
	Locking mechanism	Any position Locking
	Armrest type and arm movement Hint: The buyer may indicate the number of 'Up' and 'Down' arm movements at the time of bid creation	Fixed
	Seat depth adjustment	Fixed type
	Backrest type	Tilting type
	Backrest support type	Contoured Back
	Headrest type	Without headrest
	Revolving mechanism	Designed with 360 degree-revolving type and upright locking
	Height adjustments	Pneumatic
	Additional requirement I	NA
	Additional requirement II	NA
	Additional requirement III	NA
MATERIAL AND MATERIAL THICKNESS	Pedestal Base	Chrome
	Twin wheel castor material	Nylon
	Number of twin wheel castor	5 Nos.
	Minimum diameter of twin wheel castor	50 mm
	Armrest Material	PU molded over metal insert
	Seat base material	Hot pressed plywood
	Seat material	PU foam
	Minimum density of foam used in seat	30 kg per cubic meter
	Minimum thickness of PU foam used in seat	30 mm
	Seat upholstery material	Leather
	Backrest base frame material	Hot pressed plywood
	Padding at backrest	PU foam
	The minimum density of foam used in the backrest	30 kg per cubic meter
	Minimum thickness of PU foam used in backrest	30 mm
	Backrest upholstery material	Leatherette
	Upholstery material thickness /fabric substance used in seat /backrest	0.7 to 1.5 mm (for leather /leatherette)
DIMENSION	Minimum seat height from floor surface	400 mm
	Minimum Seat height adjustment	Up to 100 mm
	Minimum width of seat	500 mm
	Minimum depth of seat	450 mm
	Minimum width of backrest	450 mm
	Backrest height	High back (551 and above)
	Minimum thickness of MS Plate Joining the understructure with Seat	2 mm
	Minimum pedestal size (diameter)	650 mm
COLOUR AND FINISH	Upholstered material seat color	Black
	Upholstered material backrest color	Black
	Finish of exposed metal parts	Chrome plated
WARRANTY	Warranty period in number of years	1-Year
TESTING AND CERTIFICATION	Green Pro Certification issued by CII	No
	BIFMA membership	No
Product Specification for mittal sons Executive Table with Both side pedestal unit		
विवरण Specification	उप-विवरण Sub-Spec	मूल्य Value
	Structure /Frame of table	Gable end and modesty panel

GENERIC	Frame type	Freestanding
	Accessories /Optional requirement for table	Beam Support for Table Top
	The type of Storage provided	Both side pedestal unit
	Keyboard tray	Not provided
	Footrest	Provided
	Mode of supply	Assembled Ready To Use
MATERIAL	Tabletop Material	Prelaminated particle board(Wood Product) of grade II type II of IS 12823/Lates
	Thickness of table top material (± 1 mm)	25 mm
	Gable end material	Prelaminated particles board(wood product) of grade II type III of IS 12823/Latest
	The thickness of the gable end	25 mm
	Modesty panel material	Three Layer Prelaminated particles board(wood product) of grade II type III of IS 12823/Latest
	The thickness of the modesty panel material	25 mm
	Gable end and modesty panel plain side	N.A
	Table top edges	CP Teak Wood Lipping
	Leg Material	Teak wood
	The thickness of the Leg material	1 mm
	Beam Material	NA
	Number of buffers provided	NA
DIMENSION	Width of tabletop ± 10 mm	2100 mm
	Depth of table ± 10 mm	1200 mm
	Height of table ± 10 mm	760 mm
	Size (L x W) /diameter of leg material ± 5 mm	NA
EXTENDED RETURN UNIT	ERU unit consists of	1 drawer,2 drawers,3 drawers,4 drawers,1 storage unit with shutter,2 storage units with shutter,1 storage unit without shutter,No ERU
	ERU top material	NA
	ERU top material thickness ± 2 mm	NA
	Width of ERU unit ± 10 mm	NA
	Depth of ERU unit ± 5 mm	NA
	Height of ERU unit ± 5 mm	NA
	ERU side panel material	NA
	ERU side panel Thickness ± 2 mm	NA
	Number of lockable castors at the bottom	NA
	Size of lockable castors ± 2 mm	NA
	Type of storage lock system	NA
	Drawer /storage shutter pull-up mechanism	NA
	ERU outer Surface Finish	NA
	ERU shade	NA
DRAWER	Total Number of drawers /storage in Pedestal units	One drawer,Two drawers,Three drawers,Four drawers,One storage,Two storage,No Pedestal unit
	Complete body fascia and drawer material in Pedestal Unit	Three layers of Prelaminated particle board(Wood Product) of grade II type II of IS 12823/Latest
	Thickness of the complete body fascia & drawer material	10 mm
	Material for back panel in pedestal unit	Three layers of Prelaminated particle board(Wood Product) of grade II type II of IS 12823/Latest
	Back Panel Thickness in Pedestal Unit	9 mm
	Drawer Bottom Material	Three layers of Prelaminated particle board(Wood Product) of grade II type II of IS 12823/Latest

PEDESTAL UNIT	Drawer Bottom Material Thickness	9 mm
	Provision of Castor in Pedestal unit	Without
	Lock provided (for pedestal unit)	Individual lock
	Pedestal handle material	NA
	Pedestal outer finish	Paint
	Pedestal shade	Teak
	Width of Pedestal unit in mm (± 10 mm)	610 mm
	Depth of pedestal unit ± 10 mm	450 mm
	Height of pedestal unit ± 5 mm	255 mm
KEYBOARD TRAY	Material of keyboard tray and Right angle L-type supporting bracket	NA
	Material thickness of keyboard tray ± 1 mm	NA
	Fixing of supporting bracket	NA
	Length of telescopic channel ± 10 mm	NA
	Keyboard height ± 10 mm	NA
	Keyboard front width ± 10 mm	NA
	Keyboard depth ± 10 mm	NA
FOOTREST	Material of footrest	NA
	Material thickness of footrest ± 2 mm	NA
	Height of footrest ± 10 mm	NA
	Width of footrest ± 10 mm	NA
	Depth of footrest ± 10 mm	NA
COLOUR AND FINISH	Table top finish	Laminate in color with matt finish 0.6-0.8mm thickness of type S, F or P having index no.3.2.3 conforming to IS 2046/Latest with having balancing laminate of 0.5mm thick on another side
	Tabletop shade	Teak
	Table /ERU /Pedestal Panel Plain Side	Edge to be banded with PVC tape 2 mm thick with the help of hot melt glue
WARRANTY	Warranty period	1 Year
CERTIFICATION	Test reports to be furnished to the buyer on demand	No
	The product has BIFMA certification	No
	OEM of the offered product is ISO 9001:2015 certified	Yes
	OEM of the offered product is ISO 14001:2015 certified	No
	OEM of the offered product is ISO 45001:2018 certified	No
	The product has GREENGUARD certification	No
	The product has Green Pro certification	No

खरीदार परिभाषित अतिरिक्त विशेषता के लिए | Buyer Defined Additional Specification for mittal sons Executive Table with Both side pedestal unit

विवरण Specification	मूल्य Value
Footrest	Provided

Product Specification for mittal sons Almirah Steel shelving cabinets

विवरण Specification	उप-विवरण Sub-Spec	मूल्य Value
	Technical specification of Almirah steel	Generally conforming to BIS specification IS: 3312:2021 (with latest amendment)
	Type of Almirah steel	Almirah Steel shelving cabinets
	Construction type	Welded
	Installation	Free standing

GENERAL REQUIREMENT	Pedestal	Yes
	Pedestal fitted with	3 mm Teflon Bush
	Pedestal height (± 5 mm)	125 mm
	Locker required	No
	Door type	Hinged
	Number of door	2
	Number of hinges (for each door)	3
	Door stiffener up to full door height provided	No
	Mirror fitted	No mirror
	Number of drawers required	No Drawer
	Shelves required	Fixed
	Number of shelves	4
	Uniformly distributed load (UDL) for shelves	60 Kgs.
	Wardrobe by style	No wardrobe
	Tie Hanger	No
	Colour of finish	Ash Grey
	Steel sheet material	CRCA sheets conforming to grade CRI of IS 513(part-1):2016 (with latest amendment)
MATERIAL	Sheet rounds and flats	N.A
	Screws	Conforming to IS 1365
	Hanging rod material	No hanging rod
	Mirror frame made out of (if provided)	No mirror frame
	Tie hanger made out of	N.A
	Stiffener material	No stiffener
DIMENSION	Almirah height(excluding the height of pedestal) ± 5 mm	1855 mm
	Almirah width ± 5 mm	910 mm
	Almirah depth ± 5 mm	480 mm
	Locker inside height ± 5 mm	No locker
	Locker inside width ± 5 mm	N.A
	Locker inside depth ± 5 mm	N.A
	Drawer height	N.A
	Drawer width	N.A
	Drawer depth	N.A
	Mirror sizes	N.A
	Shelves lipped flange	N.A
	Side sheet thickness	0.8 mm
	Back sheet thickness	0.8 mm
	Top sheet thickness	0.8 mm
	Bottom sheet thickness	0.8 mm
	Shelves sheet thickness	0.8 mm
	Shelves supporting bracket thickness	1.6 mm
	Door metal stiffener thickness	N.A
	Pedestal sheet thickness	0.8 mm
	Hinges sheet thickness	1.25 mm(double folded)
	locker door sheet thickness	N.A
	Drawer sheet thickness	N.A
	Hanging rod wall thickness	N.A
	Hanging rod diameter ± 2 mm	N.A

Mirror frame sheet thickness	N.A
Mirror frame border width	N.A
Tie hanger sheet thickness	N.A
Width of stiffener	N.A
Stiffener sheet thickness	N.A
Number of glass sheet fixed	N.A
Handle size	12 cm
LOCKS AND LOCKING ARRANGEMENT	Steel Almirah lock/locker lock
	Material of lock
	Duplicate keys (for each)
	Keys material (for each lock)
	Steel Almirah locking mechanism
	Door handle material for almirah lock
	Handle material for locker
	Lockers locking mechanism
	Drawer lock
FINISH	All the mild steel parts shall be given phosphating treatment
	The process of application of phosphate coating
	Finish coat with enamels
	Powder coating
TESTING AND CERTIFICATION	Availability of Test Report from Designated AHSP / NABL / ILAC accredited or Central Government Lab to prove conformity of products to the specification
	Test Report Number and Date
	Name and Address of the Lab
	Test reports to be furnished to buyer on demand, if claimed to be available

Product Specification for Unbranded Rectangular CENTRE TABLE with Medium Density Fiberboard Top of 1194mmX584mm

विवरण Specification	उप-विवरण Sub-Spec	मूल्य Value
GENERIC	Mode of supply	Knocked down to be assembled at Consigning site by the seller
	Shape of the Centre table	Rectangular
	Style of Centre Table	Supported by set of Legs
	Design of centre table	With four legs only
	Number of storage under top	No storage
MATERIAL	Top material	Medium Density Fiberboard
	Frame material	Other wood
	Leg material	Other wood
	Material of Understructure supporting the top	Other wood
	Storage material	Medium Density Fiberboard
	Shoes/Buffers Material	Nylon
DIMENSION & THICKNESS	Dimension of Top (Length X Breadth, or Diameter) ±20mm	1194mmX584mm
	Height of centre table ±10 mm	460 millimeter
	Thickness of top material (+/- 2 mm)	18 millimeter
	Thickness of frame material (+/- 1 mm)	36 millimeter
	Width X Depth, or Diameter of leg material	45mm X 45mm
	Thickness of understructure support material	36 millimeter
MISC	connecting of leg	Adjacent side of leg
	Number of buffers/shoes	Four number at bottom
COLOUR & FINISH	Table top finish	Walnut

WARRANTY	Warranty period in number of years	1
CERTIFICATION	Test reports to be furnished to buyer on demand	YES
	Product having BIFMA certification	NO
	OEM of offered product is ISO 9001:2015 certified	YES
	OEM of offered product is ISO 14001:2015 certified	YES
	OEM of offered product is ISO 18001:2007/45001:2018 certified	YES

टिप्पणी| Note: Seller has given an undertaking that it has made arrangements for getting the stores from an authorized distributor / dealer / channel partner of the OEM of the offered product. At the time of delivery of goods, Seller will provide necessary chain documents (in the form of GST Invoice) to prove that the supplied goods are genuine and are being sourced from an authorized distributor / dealer / channel partner of the OEM. In case of any complaint about genuineness of the supplied products, Seller shall be responsible for providing genuine replacement supplies.

Product Specification for mittal sons Non-Revolving and Non-Tilting chair with Armrest

विवरण Specification	उप-विवरण Sub-Spec	मूल्य Value
GENERAL REQUIREMENT	Chair Type	Non-Revolving and Non-Tilting chair with Armrest
	Chair frame type	Cantilever
	Armrest type	Moulded armrest continuously fitted with seat bottom to backrest
	Armrest front side	Bended
	Seat type	Padded
	Backrest type	Padded
	Shoe/Studs material	N.A
FABRICATION	Seat Fitted	Over flat size in depth-wise of the frame on both sides with minimum 3 screws
	Backrest Fitted	By round head screws 3 Nos. (minimum) on each side
	Armrest Fitted	With round steel screws 3 Nos. (minimum) on each side
CHAIR FRAME	Frame Material Configuration	One piece
	Frame material	Steel tube (ERW quality) conforming to IS: 1161 (with latest Amendment)
	The shape of tubular section of frame	Round
	Section Size (Diameter/Sides) of frame	25 mm
	Frame section wall thickness	1.6 mm
ARMREST FABRICATION	The armrest material	Injection moulded Polypropylene
	Armrest Padded with	N.A
	Armrest upholstered with	PU sheet
	Armrest material thickness	15 mm
SEAT FABRICATION	Seat material	Moulded Plywood
	Seat material thickness	12 mm
	Seat padded	Yes
	Density of Polyurethane foam used in seat (± 2 Kg/Cub Meter)	45
	Seat upholstered with	Leatherette
	GSM of seat cover (± 3 GSM)	220 GSM
	Polyurethane foam thickness (for seat)	35 mm
	Color of Seat cover	Black
BACKREST FABRICATION	Backrest material	Moulded Plywood
	Backrest Material thickness	35 mm
	Backrest padded	Yes
	Density of Polyurethane foam used in Backrest (± 2 Kg/Cub Meter)	45
	Backrest upholstered with	Leatherette
	GSM of Backrest cover (± 3 GSM)	220 GSM
	Polyurethane foam thickness (for backrest)	30 mm

	Colour of Backrest cover	Black
DIMENSION	Seat Depth (± 5 mm)	480 mm
	Seat Width (± 5 mm)	460 mm
	Seat height from floor surface (± 5 mm)	435 mm
	Backrest width (± 5 mm)	470 mm
	Backrest height from seat (± 5 mm)	440 mm
	Arm Length (± 5 mm)	250 mm
	Arm Width (± 2 mm)	30 mm
COLOUR AND FINISH	Paint Type	Chrome Paint
	Polish Type	N.A
	Colour of Paint	As per Buyer's Requirement (to be indicated during bid creation)
TEST REPORT AND CERTIFICATION	Availability of Test Report from Central Govt/NABL/ILAC accredited lab to prove the conformity of product to the Specification	Yes
	Test reports to be furnished to buyer on demand	Yes
	Test Report Number and Date (Write NA if test report not available)	-
	Name and Address of the Lab(Write NA if test report not available)	-
	BIFMA certification	No
	OEM of offered product is ISO 9001:2015 certified	Yes
	OEM of offered product is ISO 14001:2015 certified	No
	OEM of offered product is ISO 45001:2018 certified	No

Product Specification for Angular 3 seaters Meeting Table

विवरण Specification	उप-विवरण Sub-Spec	मूल्य Value
GENERAL REQUIREMENT	Seating capacity (number of seating)	3 seaters
	The shape of table top	Rectangular
	Wire management	Without
	Number of the socket box	NA
	In-built sockets for LAN / INTERNET	NA
	Type of socket box	No socket box
	Wire entry system	NA
	Type of understructure	Leg type
	Mode of supply	Assembled and ready to use
	Additional requirement	NA
MATERIAL	Material of table top	Three layer prelaminated particle boards of grade II type II of IS:12823/latest
	Material of legs /Gable end	CRCA pipe with powder coated
	Material of modesty panel	NA
DIMENSION	Length/Diameter/Major axis of tabletop	1500 mm
	Width/Minor axis of tabletop (select NA in case of the round table) ±10(mm)	750 mm
	Thickness of top ±2(mm)	25 mm
	Table height in mm (± 5 mm)	750 mm
	Height of modesty panel ±5(mm)	NA
	Thickness of modesty panel (in mm) ± 5%	NA
	Thickness of Gable end	NA
	Size/Diameter of legs ($\pm 0[dot]5$ mm)	NA
	Thickness of legs material	1.2 mm
	Type of table top finish	Lamination
	The thickness of the table top finish	0.5 mm

COLOUR AND FINISH	Type of Leg(s) / gable end finish	No finish
	The thickness of the leg(s) / gable end finish	NA
	Type of modesty panel finish	No finish
	The thickness of the modesty panel finish	NA
	Colour	As per Buyer's Requirement (to be indicated during bid creation)
	Packing	Corrugated paper packing
WARRANTY	Warranty period	1 Year
CERTIFICATION	Test reports to be furnished to buyer on demand	Yes
	Product has Green Pro certification	No
	Product has GREEN GUARD certification	No
	Product has BIFMA certification	Yes
	OEM of offered product is ISO 9001:2015 certified	Yes
	OEM of offered product is ISO 14001:2015 certified	Yes
	OEM of offered product is ISO 45001:2018 certified	Yes

टिप्पणी| Note: Seller has given an undertaking that it has made arrangements for getting the stores from an authorized distributor / dealer / channel partner of the OEM of the offered product. At the time of delivery of goods, Seller will provide necessary chain documents (in the form of GST Invoice) to prove that the supplied goods are genuine and are being sourced from an authorized distributor / dealer / channel partner of the OEM. In case of any complaint about genuineness of the supplied products, Seller shall be responsible for providing genuine replacement supplies.

शुद्धिपत्र | Corrigendum

1. तक बढ़ाया गया | Extended Upto : 2024-03-23 12:00:00

ईपीबीजी विवरण | ePBG Detail

सलाहकार बैंक Advisory Bank :	NA
ईपीबीजी प्रतिशेत (%) ePBG Percentage(%):	NA

नियम और शर्तें | Terms and Conditions

1. General Terms and Conditions-

- 1.1 This contract is governed by the [General Terms and Conditions](#), conditions stipulated to this Product/Service as provided in the Marketplace.
- 1.2 This Contract between the Seller and the Buyer, is for the supply of the Goods and/ or Services, detailed in the schedule above, in accordance with the General Terms and Conditions (GTC) unless otherwise superseded by Goods / Services specific Special Terms and Conditions (STC) and/ or BID/Reverse Auction Additional Terms and Conditions (ATC), as applicable

2. Buyer Added Bid Specific Terms and Conditions-

2.1 Generic

OPTION CLAUSE: The Purchaser reserves the right to increase or decrease the quantity to be ordered up to 25 percent of bid quantity at the time of placement of contract. The purchaser also reserves the right to increase the ordered quantity by up to 25% of the contracted quantity during the currency of the contract at the contracted rates. Bidders are bound to accept the orders accordingly.

नोट: यह सिस्टम जनरेटेड फाइल है। कोई हस्ताक्षर की आवश्यकता नहीं है। इस दस्तावेज़ का प्रिंट आउट भुगतान/लेनदेन उद्देश्य के लिए मान्य नहीं है।

Note: This is system generated file. No signature is required. Print out of this document is not valid for payment/ transaction purpose.