# अनुबंध|Contract



संगठन विवरण | Organisation Details

प्ररूप|Type:

मंत्रालय|Ministry:

विभाग | Department :

कार्यालय क्षेत्र|Office Zone:

अनुबंध क्रमांक | Contract No: GEMC-511687717046031 अनुबंध तिथि | Generated Date : 28-Mar-2024

खरीदार विवरण|Buyer Details

पद|Designation: Reserve Inspector संपर्क नंबर|Contact No. : 05281-254068-ईमेल आईडी|Email ID: dccctns.mh-up@nic.in

जीएसटीआईएन|GSTIN :

SP OFFICE MAHOBA NEAR COLLECTORATE, UP, पता|Address: MAHOBA, UTTAR PRADESH-210427, India

वित्तीय स्वीकृति विवरण | Financial Approval Detail

आईएफडी सहमित|IFD Concurrence :

प्रशासनिक अनुमोदन का पदनाम| Designation of Administrative Approval:

वित्तीय अनुमोदन का पदनाम।

संगठन का नाम|Organisation Name :

Designation of Financial Approval:

SP MAHOBA

SP MAHOBA

भुगतान प्राधिकरण विवरण | Paying Authority Details PAO

भुगतान का तरीका| Offline Payment Mode: पद|Designation : Dy SP

ईमेल आईडी|Email ID : spmba-up@nic.in

जीएसटीआईएन|GSTIN :

SP OFFICE MAHOBA NEAR COLLECTORATE, UP, पता|Address: Mahoba, UTTAR PRADESH-210427, India

विक्रैता विवरण|Seller Details

जेम विक्रैता आईडी|GeM Seller ID : 8985180000519098

UTTAR PRADESH UTTAR RAKSHA EVAM PUNARVASAN KENDRA कंपनी का नाम|Company Name :

State Government

Uttar Pradesh Police

Adg Zone Office

Home Department Uttar Pradesh

संपर्क नंबर|Contact No. : 09889626589

ईमेल आईडी|Email ID : areebarehman772@gmail.com 112/95-A,BENA JHABAR, पता| Address :

Kanpur Nagar, UTTAR PRADESH-208002, -UDYAM-UP-43-0015540

एमएसएमई पंजीकरण संख्या|MSME Registration number : एमएसई सामाजिक श्रेणी|MSE Social Category :

एमएसई लिग श्रेणी|MSE Gender : Male

जीएसटीआईएन|GSTIN: 09AAATU1217H2ZL

\*जिसके नाम के पक्ष में GST/TAX इनवॉइस पेश किया जाएगा|GST / Tax invoice to be raised in the name of - Buyer

वितरण निर्देश | Delivery Instructions : NA

## उत्पाद विवरण|Product Details

#	आइटम विवरण Item Description	आइटम विवरण  Ordered Quantity	इकाई   Unit	इकाई मूल्य (INR)  Unit Price (INR)	कर विभाजन (INR)  Tax Bifurcation (INR)	मूल्य (INR में सभी शुल्क और कर सहित)  Price (Inclusive of all Duties and Taxes in INR)
1	उत्पाद का नाम  Product Name : GANESH Inflatable Tent Width: 5.65 m - Length: 7.92 m - Side height: 2.80 m - Peak height: 3.00 m - Floor space: 44.75 sqm Inflatable arches: 4 units ब्रांड  Brand : GANESH ब्रांड प्रकार  Brand Type : Registered Brand कैटलॉग की स्थिति  Catalogue Status: Catalogue not verified by OEM कैसे बेचा जा रहा है  Selling As : Reseller not verified by OEM श्रेणी का नाम और चतुर्थाश  Category Name & Quadrant : Inflatable Tent (Q3) मॉडल  Model: GMPL-IT24 एचएसएन कोड  HSN Code: HSN not specified by seller	2	pieces	72,850	NA	145,700
कुल ऑर्डर मुल्य  Total Order Value (in INR)					145,700	

## परेषिती विवरण|Consignee Detail

क्र.सं. S.No	परेषिती Consignee	वस्तु Item	लॉट नंबर  Lot No.	मात्रा Quantity	दिनांक के बाद डिलीवरी शुरू करना है  Delivery Start After	वितरण पूरा कब तक करना है  Delivery To Be Completed By
1	पद  Designation : Reserve Inspector ईमेल आईडी Email ID : dccctns.mh-up@nic.in संपर्क Contact : 05281-254068-	GANESH Inflatable Tent Width: 5.65 m - Length: 7.92 m - Side height: 2.80 m - Peak height:	-	2	28-Mar-2024	17-May-2024

जीएसटीआईएन GSTIN : -	3.00 m - Floor space:		1	l
पता Address : SP OFFICE MAHOBA NEAR COLLECTORATE, UP,	44.75 sqm Inflatable			
MAHOBA, UTTAR PRADESH-210427, India	arches: 4 units			

Product Specification for GANESH Inflatable Tent Width: 5.65 m - Length: 7.92 m - Side height: 2.80 m - Peak height: 3.00 m - Floor space: 44.75 sqm Inflatable arches: 4 units

विनिर्देश Specification	उप-विनिर्देश Sub-Spec	मूल्य Value
	Scope	Modular tent for use as rescue organizations as well as fire departments and military sector
	Tent size (outer side dimension of the tent) (Length X Width X Height at ridge X Minimum Diameter of the inflatable arc)	Width: 5.65 m - Length: 7.92 m - Side height: 2.80 m - Peak height: 3.00 m - Floor space: 44.75 sqm Inflatable arches: 4 units
	Tent structure	Two doors (one on each gable sides) with adaption device (for identical tents) - Each entrance is rollable and dividable by zippers
	Design/drawing of inflatable tent	As per requirement
	Maximum time required for complete erection of tent	Set up time - compressed air bottles: approx. 240 sec / 0.3 bar
	Each tent supplied with	12 numbers MS pegs –12 numbers Polyester rope (3.5 mtr each) – 12 numbers Aluminium pipes – electric air blower – 2 numbers foot pump – hammer – repair kit for the stability of the inflated tent during torrential rain and thunderstorm (for 24 feet length)
GENERIC	Operating manual	A detailed operating – maintenance and service manual will be provided with each tent
	Suitability stability/completeness of tent is intended for use in	In wind condition of 80 Km/hour – shelter should be stable and suitable to meet severity of these climatic condition
	Structure design (tent frame and tent skin) NOTE : ARCHES WILL BE PERMANENTLY ATTACHED TO THE TENT COVER AND FLOOR	Frame made out of PVC (high frequency welded) - Aluminium tubes are being put in the sides between the main frames for reinforcement - At floor level there are connection flaps for the pegs (spaced on the long sides of the tent canvas) - There are loops attached to all longitudinal and cross beams for hanging up lamps/drip bottles/other hanging items
	Colour	As per buyer's choice
	Operating working pressure of the tent	As per requirement
	Each inflatable arch will be equipped	With non return inflation/deflation valve
	Approval of Advance sample before Bulk Supply	No advance sample
	Tent frame material	Frame fabric made out of PVC ( 1000 gr/ sqm) and Roof cover made out of PVC(620 gr/ sqm)
MATERIAL	Tent skin material(used for the canopy)	As per requirement
	Floor fabric material	Both side PVC coated polyester fabric of minimum 550 GSM ± 50 GSM weight
	All measure item standards	As per requirement
	PP rope	12 numbers (each of length 3.5 meter)
	Aluminium pipes	8 numbers Pipe having length of 1.7 mtr to 1.8 mtr – Outer dia 31 mm minimum with 2 mm Wall thickness (for 14 feet length)
	MS peg	As per requirement
ACCESSORIES	Mosquito Net made up of	HDPE Net of best trade quality
MATERIAL	Nylon Zips and Velcro tapes	2 feet with runner &Velcro and 6 feet with runner &Velcro
	Electric air blower	1 number of 230V
	Foot pump	As per requirement
	Hammer	1 number of 1 kg self weight
	Repair kit	As per requirement
	Packing valise	As per requirement
DIMENSION	Doors dimension (minimum)	6 ft. Height x 3 ft. Width
DINIENSION	Windows dimension (minimum)	600 mm height x 550 mm width
PACKING	Packing size(approx)	140 Cm X 70 Cm X 40 Cm
	Total weight of product (including packing accessories)	225 Kg (approx)
WARRANTY AND GUARANTY	Guaranty certificate will be provided along with each tent	Yes
	Tensile strength of the arch fabric in warp direction	3000 N/5cm ((for PVC 1000 gm/square metre)

	Tensile strength of the arch fabric in weft direction	3000 N/5cm ((for PVC 1000 gm/square metre)
CERTIFICATION	Tear strength of arc fabric in warp direction	250 N (for PVC 1000 gm/square metre)
	Tear strength of arc fabric in weft direction	250 N (for PVC 1000 gm/square metre)
	Manufacturer's material test certificate to be provided	Yes

হিম্মণী Note:: Seller has given an undertaking that it has made arrangements for getting the stores from an authorized distributor / dealer / channel partner of the OEM of the offered product. At the time of delivery of goods, Seller will provide necessary chain documents (in the form of GST Invoice) to prove that the supplied goods are genuine and are being sourced from an authorized distributor / dealer / channel partner of the OEM. In case of any complaint about genuineness of the supplied products, Seller shall be responsible for providing genuine replacement supplies.

# विक्रेता विशिष्टता दस्तावेज़|Seller Specification Document:

1. <u>Applicable Drawing Document</u>	mkp.gem.gov.in/uploaded_documents/cms/tp/home_defe_publ_resc_infl/51/16/877/CategorySchema/g em_dgsnd_drawing_document/2019/9/16/24-feet_2019-09-16-15-18-28_eef00e041a77ccc34f61d855708b82df.pdf
2. <u>Applicable Specification Document</u>	mkp.gem.gov.in/uploaded_documents/cms/tp/home_defe_publ_resc_infl/51/16/877/CategorySchema/qr_spcn_document/2019/9/16/14-feet_2019-09-16-15-18-18_5c84b56135fbfef0c266a704758bc436.pdf
3. <u>Verified and Signed Tp document</u>	mkp.gem.gov.in/uploaded_documents/cms/tp/home_defe_publ_resc_infl/51/16/877/CategorySchema/t p_document/2021/1/21/applicable-drawing-document-for-insulated-inflatabl_2021-01-21-15-51-11_be89b78 67829a5e9cb61058a1e8e72b4.pdf

#### ईपीबीजी विवरण | ePBG Detail

NA

## नियम और शर्तें|Terms and Conditions

- 1. General Terms and Conditions-
- 1.1 This contract is governed by the General Terms and Conditions, conditions stipulated to this Product/Service as provided in the Marketplace.
- 1.2 This Contract between the Seller and the Buyer, is for the supply of the Goods and/ or Services, detailed in the schedule above, in accordance with the General Terms and Conditions (GTC) unless otherwise superseded by Goods / Services specific Special Terms and Conditions (STC) and/ or BID/Reverse Auction Additional Terms and Conditions (ATC), as applicable

नोट: यह सिस्टम जनरेटेड फाइल है। कोई हस्ताक्षर की आवश्यकता नहीं है। इस दस्तावेज़ का प्रिटे आउट भुगतान/लेनदेन उद्देश्य के लिए मान्य नहीं है।

Note: This is system generated file. No signature is required. Print out of this document is not valid for payment/ transaction purpose.