

## अनुबंध | Contract



अनुबंध क्रमांक | Contract No: GEMC-511687764891272

अनुबंध तिथि | Generated Date : 28-Mar-2024

## संगठन विवरण | Organisation Details

प्ररूप | Type : State Autonomous  
मंत्रालय | Ministry : -  
विभाग | Department : SKUAST Kashmir  
संगठन का नाम | Organisation Name : SKUASTKashmir  
कार्यालय क्षेत्र | Office Zone: Jammu and Kashmir

## खरीदार विवरण | Buyer Details

पद | Designation : Javid Kargil  
संपर्क नंबर | Contact No. : 9469-268103-  
ईमेल आईडी | Email ID : pao4.skuas.jk@gembuyer.in  
जीएसटीआईएन | GSTIN : -  
पता | Address : Kargil, Contact: 9469268103, KARGIL, JAMMU & KASHMIR-194103, India

## वित्तीय स्वीकृति विवरण | Financial Approval Detail

आईएफडी सहमति | IFD Concurrence : No  
प्रशासनिक अनुमोदन का पदनाम | Prof. & Head KVK Kargil-I  
Designation of Administrative Approval:  
वित्तीय अनुमोदन का पदनाम | Prof. & Head KVK Kargil-I  
Designation of Financial Approval :

## भुगतान प्राधिकरण विवरण | Paying Authority Details

Role: PAO  
भुगतान का तरीका | Offline  
Payment Mode:  
पद | Designation : Mehdi  
ईमेल आईडी | Email ID : buyer7.skuas.jk@gembuyer.in  
जीएसटीआईएन | GSTIN : -  
पता | Address: Kargil, Contact: 9469268103, Kargil, JAMMU & KASHMIR-194103, India

## विक्रेता विवरण | Seller Details

जीम विक्रेता आईडी | GeM Seller ID : F8BQ210001923754  
कंपनी का नाम | Company Name : M/S RAZA AND COMPANY  
संपर्क नंबर | Contact No. : 04691810979  
ईमेल आईडी | Email ID : razaandcompany2019@gmail.com  
पता | Address : 00, GOUND MINJI, KARGIL,  
एमएसएमई पंजीकरण संख्या | MSME Registration number : -  
जीएसटीआईएन | GSTIN: 38CPFPR6025C1ZW

\*जिसके नाम के पक्ष में GST/TAX इनवॉइस पेश किया जाएगा | GST / Tax invoice to be raised in the name of - Buyer

## वितरण निर्देश | Delivery Instructions : NA

## उत्पाद विवरण | Product Details

#	आइटम विवरण   Item Description	आइटम विवरण   Ordered Quantity	इकाई   Unit	इकाई मूल्य (INR)   Unit Price (INR)	कर विभाजन (INR)   Tax Bifurcation (INR)	मूल्य (INR में सभी शुल्क और कर सहित)   Price (Inclusive of all Duties and Taxes in INR)
1	उत्पाद का नाम   Product Name : ERCON 1 - seater modular toilet with each cubicle of size 1220mm X 915mm X 1980mm and with Twin Leech pit with inspection chamber ब्रांड   Brand : ERCON ब्रांड प्रकार   Brand Type : Registered Brand कैटलॉग की स्थिति   Catalogue Status: Catalogue not verified by OEM कैसे बेचा जा रहा है   Selling As : Reseller not verified by OEM श्रेणी का नाम और चतुर्भासा   Category Name & Quadrant : Modular Toilet (Q3) मॉडल   Model: Sep/Mod/19/C001 एचएसएन कोड   HSN Code: HSN not specified by seller	1	pieces	5,000	NA	5,000
कुल ऑर्डर मूल्य   Total Order Value (in INR)						5,000

## परेषिती विवरण | Consignee Detail

क्र.सं.   S.No	परेषिती   Consignee	वस्तु   Item	लॉट नंबर   Lot No.	मात्रा   Quantity	दिनांक के बाद डिलीवरी शुरू करना है   Delivery Start After	वितरण पूरा कब तक करना है   Delivery To Be Completed By
1	पद   Designation : Nazir Hussain ईमेल आईडी   Email ID : con7.skuas.jk@gembuyer.in संपर्क   Contact : 9469-587649- जीएसटीआईएन   GSTIN : - पता   Address : Kargil, Contact: 9469268103, KARGIL, JAMMU & KASHMIR-194103, India	ERCON 1 - seater modular toilet with each cubicle of size 1220mm X 915mm X 1980mm and with Twin Leech pit with inspection chamber	-	1	28-Mar-2024	12-Apr-2024

**Product Specification for ERCON 1 - seater modular toilet with each cubicle of size 1220mm X 915mm X 1980mm and with Twin Leech pit with inspection chamber**

विवरण Specification	उप-विवरण Sub-Spec	मूल्य Value
GENERIC	Mode of Supply	Knocked Down To Be Assembled At Consignee Site By The Seller
	Number of Compartments	1 - seater modular toilet
	Type of WC	Indian with ceramic pan
	Number of WC	1
	Number of Bathrooms	0
	Number of Urinals	0
	Water facility	By mean of overhead tank(Capacity 200Ltrs)
	Wash basin	1 No. outside the cabin with common facility
	Sewage facility	Twin Leech pit with inspection chamber
	ventilation	Full size ventilation above door plus half size ventilation on other side for cross ventilation
	Top(roof) shape	Slanting/taper
	Projection of Roof	50mm projection on all the four sides
	Installation and commissioning	To be done by seller
	Plumbing and Sanitation fitting connection	To be done by seller
	Electrical connection	To be done by seller
	Waste extraction Fitting	To be done by seller
	Leech pit provision	Yes
	Civil foundation	Required to be provide by seller
FRAME MATERIAL	Bottom frame material	No Bottom frame structure
	Side panel frame material	No side frame structure
	Top(roof) frame material	No roof frame structure
	Top(roof) support frame structure	No support structure
	Partition frame material	No partition frame structure
	Ventilation frame material	3 sides zero spangled cold rolled 120 GSM galvanised(galvano) powder coated louver panel for cross ventilation with EPS insulated panels(provision for natural light above door)
	Door frame material	Zero spangled cold rolled 120 GSM galvanised(galvano) powder coated with necessary stiffeners and aluminium accessories(2 AI handles - 1 AI tower bolt - 1 AI L-drop(steel sheet thickness - 0.6mm 275 MPA)
	Support material for Door panel fixing	No support material
	Door hinges(two numbers)	75mm size with 1.2-1.5mm thickness MS
	Tank holder frame material	1125mm X 820mm outer ring(tubular structure)-MS
	Unit understructure	NO legs base
	Stairs frame material	NO stairs
	Stairs material	No stairs material
	Door Tee material	No door Tee material
PANEL MATERIAL	Side panel material	Zero spangled cold rolled 120 GSM galvanised(galvano) powder coated 40mm thick EPS panel(EPS Density-16Kg/CuM EPS thickness-38mm and steel sheet thickness 0.6mm 275MPA)
	Top(Roof) panel material	Zero spangled cold rolled 120 GSM galvanised(galvano) powder coated 40-70mm thick taper roof EPS panel(EPS Density-16Kg/CuM EPS thickness-38mm and steel sheet thickness 0.6mm 275MPA)
	Door panel material	Zero spangled cold rolled 120 GSM galvanised(galvano) powder coated with necessary stiffeners and Aluminium accessories (2 AI handles-1 AI tower bolt-1AI L-drop and steel sheet thickness 0.6mm 275MPA)
	partition panel material	Zero spangled cold rolled 120 GSM galvanised(galvano) powder coated 40mm thick EPS panel(EPS Density-16Kg/CuM EPS thickness-38mm and steel sheet thickness 0.6mm 275MPA)
	Floor material(inside cubical)	Anti skid tile finish floor inside toilet
	size of each cubical(LWXH) ± 25mm	1220mm X 915mm X 1980mm

DIMENSION	Door size(WxH) ± 20mm	1790mm X 655mm(Steel sheet thickness - 0.6mm 275MPA)
	Ventilation size(WxH) ± 10mm	838mm X 150mm(above door) plus 838mm X 75mm(opposite side)
	Partition height ± 20mm	NO partition
	Single pan size ± 10mm	As per buyer's choice
	Stairs size ± 10mm	NO MS stairs
	Leg height ± 20mm	NO legs
MISC	Door locking bolts	Size 100mm of MS
	Tower bolt locking	Tower bolt of Aluminium size 75mm
	Overhead tank material	Made of PVC
	Wash basin material	made of SS 304
	WC material	made of Ceramic
	Towel rail/ring	NO towel rail
	Cloth hook	NO cloth hook
	P-trap material	made of PVC(75mm)
	Footrest(WC) material	made of SS 304 integrated with Indian WC and floor
	Sewage tank material	Twin Leech pit with insepction chamber
	Mirror Size	NO mirror
	Electric provision	By mean of connection from main line
	Water supply connection	UPVC pipe connection with all toilet interconnecting
	Seat cistern fitting	NO cistern
	Soap stand	SS 304 made
	Tap material	PTMT tap
	Base floor surface(inside)	To be suitably slanted towards WC for proper drainage(for Indian WC)
	Provision for vent pipe	N.A
	Raised platform for passage	Width of passage 1220mm and height of passage above ground level 225mm antiskid block finish on passage only
	Level indicator provision	N.A
CIVIL FOUNDATION DETAILS	Brick foundation size	200mm X 200mm with depth of 200mm from ground level for anchor/column locations
	Pocket to be filled	With PCC of 1:2:4 ratio after grouting of steel element of structure
	Plinth height	300mm with 125mm brick plus 1:5 mortar
	Platform size	1125mm X 1500mm
	Soling height	75mm by single brick flat
	Floor casting	75mm thick PCC of 1:2:4 ratio above brick flat soling
	Outside plinth plaster	15mm thick on brick work with CM 1:5
	Stairs dimension	Two Nos. stair of size 250mm(W) X 900mm(L) X 150mm(H)
TWIN LEECH PIT	Twin leech pit with inspection chamber	1000mm Dia and 1000mm deep
	Construction of leech pit	made out of 40-50mm thick concrete rings/brick work with sufficient holes
	Top cover	N.A
	Rings material	MS
	Dimension(inside) of one inspection chamber	375mm X 375mm X 300mm(depth)
	Base of chamber	75mm thick PCC in 1:5:10
	Finishing of chamber(inside surface)	10mm thick cement plaster in 1:4
	Pipe connection	To be between Toilet structure-inspection channel and leech pit
COLOUR & FINISH	Colour of cabin	As per buyer's choice
	Finish	With Primer and Paint
WARRANTY	Warranty period in number of years	1

CERTIFICATION	Test reports to be furnished to buyer's on demand	YES
	OEM of offered product is ISO 9001:2015 certified	YES
<p><b>टिप्पणी Note:</b> Seller has given an undertaking that it has made arrangements for getting the stores from an authorized distributor / dealer / channel partner of the OEM of the offered product. At the time of delivery of goods, Seller will provide necessary chain documents (in the form of GST Invoice) to prove that the supplied goods are genuine and are being sourced from an authorized distributor / dealer / channel partner of the OEM. In case of any complaint about genuineness of the supplied products, Seller shall be responsible for providing genuine replacement supplies.</p>		
<p><b>ईपीबीजी विवरण   ePBG Detail</b></p>		
<p><b>NA</b></p>		
<p><b>नियम और शर्तें  Terms and Conditions</b></p>		
<p><b>1. General Terms and Conditions-</b></p> <p>1.1 This contract is governed by the <a href="#">General Terms and Conditions</a>, conditions stipulated to this Product/Service as provided in the Marketplace.</p> <p>1.2 This Contract between the Seller and the Buyer, is for the supply of the Goods and/ or Services, detailed in the schedule above, in accordance with the General Terms and Conditions (GTC) unless otherwise superseded by Goods / Services specific Special Terms and Conditions (STC) and/ or BID/Reverse Auction Additional Terms and Conditions (ATC), as applicable</p>		
<p>नोट: यह सिस्टम जनरेटेड फाइल है। कोई हस्ताक्षर की आवश्यकता नहीं है। इस दस्तावेज़ का प्रिंट आउट भुगतान/लेनदेन उद्देश्य के लिए मान्य नहीं है।</p> <p>Note: This is system generated file. No signature is required. Print out of this document is not valid for payment/ transaction purpose.</p>		