

## अनुबंध | Contract



अनुबंध क्रमांक | Contract No: GEMC-511687733119013

अनुबंध तिथि | Generated Date : 28-Mar-2024

बोली/आरए/पीबीपी संख्या | Bid/RA/PBP No.: [GEM/2024/B/4790028](#)

संगठन विवरण   Organisation Details	खरीदार विवरण   Buyer Details
प्ररूप   Type : Central Autonomous मंत्रालय   Ministry : Ministry of Education विभाग   Department : Department of School Education and Literacy संगठन का नाम   Organisation Name : KENDRIYA VIDYALAYA SANGATHAN कार्यालय क्षेत्र   Office Zone: Kendriya Vidyalaya Subathu	पद   Designation : Secondary User Buyer संपर्क नंबर   Contact No. : 01792-294056- ईमेल आईडी   Email ID : buyer-1325@kvs.gov.in जीएसटीआईएन   GSTIN : - पता   Address : Kendriya Vidyalaya 14 GTC Subathu, SOLAN, HIMACHAL PRADESH-173206, India

वित्तीय स्वीकृति विवरण   Financial Approval Detail	भुगतान प्राधिकरण विवरण   Paying Authority Details
आईएफडी सहमति   IFD Concurrence : No प्रशासनिक अनुमोदन का पदनाम   Designation of Administrative Approval: PRINCIPAL वित्तीय अनुमोदन का पदनाम   Designation of Financial Approval: PRINCIPAL	Role: PAO भुगतान का तरीका   Payment Mode: Offline पद   Designation : Secondary User PAO ईमेल आईडी   Email ID : p.authority-1325@kvs.gov.in जीएसटीआईएन   GSTIN : - पता   Address: Kendriya Vidyalaya 14 GTC Subathu, Solan, HIMACHAL PRADESH-173206, India

विक्रेता विवरण   Seller Details
जेम विक्रेता आईडी   GeM Seller ID : T3NQ210002182416 कंपनी का नाम   Company Name : AEMRIC INDIA INNOVATION'S संपर्क नंबर   Contact No. : 09996119305 ईमेल आईडी   Email ID : aemricindia@yahoo.com पता   Address : Ambala Hisar Highway,,VPO :- NASIRPUR,, Ambala, HARYANA-134003, - एमआईआई स्थिति   MII Status : True एमएसएमई सत्यापित   MSME verified : No एमएसएमई पंजीकरण संख्या   MSME Registration number : UDYAM-HR-01-0004334 एमएसई सामाजिक श्रेणी   MSE Social Category : General एमएसई लिंग श्रेणी   MSE Gender : Male जीएसटीआईएन   GSTIN: 06BHVPS3201G1Z8

\*जिसके नाम के पक्ष में GST/TAX इनवॉइस पेश किया जाएगा | GST / Tax invoice to be raised in the name of - Buyer

वितरण निर्देश | Delivery Instructions : NA

उत्पाद विवरण   Product Details						
#	आइटम विवरण   Item Description	आइटम विवरण   Ordered Quantity	इकाई   Unit	इकाई मूल्य (INR)   Unit Price (INR)	कर विभाजन (INR)   Tax Bifurcation (INR)	मूल्य (INR में सभी शुल्क और कर सहित)   Price (Inclusive of all Duties and Taxes in INR)
1	उत्पाद का नाम   Product Name : Aemric Potable water purification system with inbuilt water cooler. RO +UV ब्रांड   Brand : Aemric ब्रांड प्रकार   Brand Type : Registered Brand कैटलॉग की स्थिति   Catalogue Status: OEM verified catalogue कैसे बेचा जा रहा है   Selling As : OEM verified Reseller श्रेणी का नाम और चतुर्थांश   Category Name & Quadrant : Potable Water Purification System with Inbuilt Water Cooler (Q2) मॉडल   Model: AEMRIC PURE CHILL 150 SS एचएसएन कोड   HSN Code: 8421	3	pieces	58,100	NA	174,300
कुल ऑर्डर मूल्य   Total Order Value (in INR)						174,300

परोक्षी विवरण   Consignee Detail						
क्र.सं.   S.No	परोक्षी   Consignee	वस्तु   Item	लॉट नंबर   Lot No.	मात्रा   Quantity	दिनांक के बाद डिलीवरी शुरू करना है   Delivery Start After	वितरण पूरा कब तक करना है   Delivery To Be Completed By

1	<p>पद   Designation :- ईमेल आईडी   Email ID : buyer-1325@kvs.gov.in संपर्क   Contact : 01792-294056- जीएसटीआईएन   GSTIN :- पता   Address : Kendriya Vidyalaya 14 GTC Subathu, SOLAN, HIMACHAL PRADESH-173206, India</p>	Aemric Potable water purification system with inbuilt water cooler. RO +UV	-	3	28-Mar-2024	12-Apr-2024
<b>Product Specification for Aemric Potable water purification system with inbuilt water cooler. RO +UV</b>						
<b>विनिर्देश   Specification</b>		<b>उप-विनिर्देश   Sub-Spec</b>	<b>मूल्य   Value</b>			
Standard Parameter	Certification for the product		CE			
	Certification No and Date		101081222 & 08-12-22			
	Manufacturers Quality System Certifications		YES			
	Manufacturers Environment Management System Certifications		YES			
	Manufacturers Health and Safety Management System Certifications		YES			
	Conformity to Standard for Ultraviolet system		IS 14724 (latest) for water purification system with Ultraviolet disinfection			
	Output Water Conforming standard		IS 10500 (latest)			
Performance Parameter	Type of water purification technology		RO +UV			
	Power consumptions of system (with $\pm$ 5% tolerance) (in watt)		950			
	Maximum Input Water TDS allow to the system		3000			
	Input water hardness		500 ppm or less			
	Input water pH		6.5 to 8.5			
	Input water chlorine		0.2 ppm			
	Input water iron		0.2 ppm			
	Input water turbidity		Less than 5 NTU			
	Operation mode		Fully automatic with auto cut off			
	Availability of sediment and activated carbon filter		Yes			
	Ultraviolet (UV) LAMP		Yes			
	Ultraviolet (UV) Lamp power in watts (Hint put zero in case UV is not available)		24			
	Provision of Arsenic removal		Yes			
	Provision of Fluoride removal		Yes			
	Provision of Chloride removal		Yes			
	Alkaline filter		Yes			
	Storage tank		In-built			
	Material of water Storage Tank		Stainless Steel SS 304			
	Storage tank capacity up to float valve level (in liter)		150			
	Stages of purification		7			
	No of RO Membranes provided		2			
	RO Membrane rating		150 GPD			
	RO Membrane flushing		Auto flush at every start,every stop and every one hour for 1 minutes			
	No of Particulate filter provided		1			
	Particulate Filter size		10 inch			
	Particulate Filter Porosity		5 micron			
	No of Activated Carbon filter provided		1			
	Activated Carbon filter Size		10 Inch			
	No of Antiscalant filter provided		1			
	Antiscalant- where silica is up to 10 ppm/where Mica is up to 100 ppm		Yes			
	Nano Silver leaching filtration		Yes			
	Minimum inlet pressure		0.3 KG/CM2			
	Maximum inlet pressure		3.5 KG/CM2			
	Maximum Inlet water temperature		35 degree celsius			

	Digital display	No
	Real time TDS display	No
	Real time pH Display	No
	High pressure pump	Yes
	Raw water/Chemical Raw water/Chemical Cleaning pump	No
	Recovery percentage at 27 degree centigrade	70-80
	Filtration water capacity in liter/ hour	150
	TDS removal percentage from RO Membrane	90%
	Pressure vessel Sand Filter	Yes
	Pressure vessel Carbon Filter	Yes
	Pressure Vessel Dual Media Filter	Yes
	Body of filter	ABS Food grade
	Membrane Housing	Yes
	Number of candles	3
Cooler Parameters	Type of compressor	Rotary
	Refrigerant Used	HFC-R-134/A
	Refrigeration temperature	15 to 17
	Type of Condenser	Fin type/tube type
	Evaporator material	Cooper
	Water Storage tank insulation	PUF thermal insulation
	Provision for Hot water	No
	Number of Cold Water Faucets	2
	Number of Normal Water Faucets	NA
	Number of Hot Water Faucets	Na
	Water flow rate through Faucets( in liter per hour)	50
	Cooling capacity at comfort level (17 ± 1 degree celsius) (in liter per hour)	80
	Installation Type	Floor Mounted
	Power supply	SINGLE PHASE ( 230 ± 10 % VOLT,%0 Hz)
	Maximum running current in ampere at rated condition	4.5 ± 10 %
	Warranty in years including electronic ,electric parts, replacement of filters twice a year)	1
	Warranty period without Filter , electronic and electrical parts	1
	Warranty period without Filter & inclusive of electronic and electrical parts	1
Additional Parameters	Availability of type test Test REPORT for Filtering Size of Particles	Yes
	TYPE Test certificate No and date for Filtering Size of Particles	ALPL/28012021/10-1 DATED 28-01-2021
	Name and Address of laboratory which conducted Test for Filtering Size of Particles:	ANACON LABORATORIES PVT LTD, NAGPUR, MAHARASHTRA
	Availability of Test Report on Microbial Efficacy from Govt/NABL/ilac Lab	Yes
	Test certificate No and date for Microbial Efficacy	ALPL/28012021/10-1 DATED 28-01-2021
	Name of the lab for Microbial Efficacy	ANACON LABORATORIES PVT LTD
	Availablity of type test certificate from NABL/ILAC Lab design evaluation report as per IS 14724	Yes
	Copies of certifications and reports to be given to buyer at time of supplies	Yes
	User/Technical/Maintenance manuals to be supplied in English in hard and soft copy	Yes
	Availability of toll free centres for customer support	Yes
	Installation and Commissioning inclusive in the scope of Supply*	Yes
	Availablity of NABL Accredited Laboratory Facility with OEM	Yes
	Name and Address of NABL Accredited lab with OEM , If Not available put NA	AWBI, LDH
	Inlet Pipe & Fitting from raw water scources to water purification system	suitable pipe and fitting to be provided by seller up to 20 feet
	Pipe & Fitting from Out let to purified water tank	to be arranged by seller (upto 20 feet)

Pipe and pipe fitting material	PVC
Electrical fitting and plug points	To be arranged by buyer /consignee
ISI marked Electronic and electrical parts provided	Yes
Open installation of Water pipe fitting and waste water pipe line fitting provided	Yes
Scope Civil Work if any required during installation	All Civil work shall be responsibility of buyer

ईपीबीजी विवरण | ePBG Detail

सलाहकार बैंक | Advisory Bank :

NA

ईपीबीजी प्रतिशत (%) | ePBG Percentage(%):

NA

नियम और शर्तें | Terms and Conditions

1. General Terms and Conditions-

1.1 This contract is governed by the [General Terms and Conditions](#), conditions stipulated to this Product/Service as provided in the Marketplace.

1.2 This Contract between the Seller and the Buyer, is for the supply of the Goods and/ or Services, detailed in the schedule above, in accordance with the General Terms and Conditions (GTC) unless otherwise superseded by Goods / Services specific Special Terms and Conditions (STC) and/ or BID/Reverse Auction Additional Terms and Conditions (ATC), as applicable

2. Buyer Added Bid Specific Terms and Conditions-

2.1 Generic.

OPTION CLAUSE: The Purchaser reserves the right to increase or decrease the quantity to be ordered up to 25 percent of bid quantity at the time of placement of contract. The purchaser also reserves the right to increase the ordered quantity by up to 25% of the contracted quantity during the currency of the contract at the contracted rates. Bidders are bound to accept the orders accordingly.

2.2 Generic.

Actual delivery (and Installation & Commissioning (if covered in scope of supply)) is to be done at following address

KENDRIYA VIDYALAYA  
14 GTC  
SUBATHU  
SOLAN  
HIMACHAL PRADESH 173206  
.

2.3 Generic.

Bidder financial standing: The bidder should not be under liquidation, court receivership or similar proceedings, should not be bankrupt. Bidder to upload undertaking to this effect with bid.

2.4 Generic.

Bidders shall quote only those products (Part of Service delivery) in the bid which are not obsolete in the market and has at least 7 years residual market life i.e. the offered product shall not be declared end-of-life by the OEM before this period.

2.5 Generic.

Bidders are advised to check applicable GST on their own before quoting. Buyer will not take any responsibility in this regards. GST reimbursement will be as per actuals or as per applicable rates (whichever is lower), subject to the maximum of quoted GST %.

2.6 Generic.

Installation, Commissioning, Testing, Configuration, Training (if any - which ever is applicable as per scope of supply) is to be carried out by OEM / OEM Certified resource or OEM authorised Reseller.

2.7 Scope of Supply.

Scope of supply (Bid price to include all cost components) : Supply Installation Testing Commissioning of Goods and Training of operators and providing Statutory Clearances required (if any)

2.8 Service & Support:

Availability of Service Centres: Bidder/OEM must have a Functional Service Centre in the State of each Consignee's Location in case of carry-in warranty. (Not applicable in case of goods having on-site warranty). If service center is not already there at the time of bidding, successful bidder / OEM shall have to establish one within 30 days of award of contract. Payment shall be released only after submission of documentary evidence of having Functional Service Centre.

2.9 Service & Support:

Dedicated /toll Free Telephone No. for Service Support : BIDDER/OEM must have Dedicated/toll Free Telephone No. for Service Support.

2.10 Service & Support:

Escalation Matrix For Service Support : Bidder/OEM must provide Escalation Matrix of Telephone Numbers for Service Support.

2.11 Certificates:

Bidder's offer is liable to be rejected if they don't upload any of the certificates / documents sought in the Bid document, ATC and Corrigendum if any.

2.12 Certificates:

ISO 9001: The bidder or the OEM of the offered products must have ISO 9001 certification.

2.13 Certificates:

The bidder is required to upload, along with the bid, all relevant certificates such as BIS licence, type test certificate, approval certificates and other certificates as prescribed in the Product Specification given in the bid document.

2.14 Warranty:

Warranty period of the supplied products shall be as given in specifications from the date of final acceptance of goods or after completion of installation, commissioning & testing of goods (if included in the scope of supply), at consignee location. OEM Warranty certificates must be submitted by Successful Bidder at the time of delivery of Goods. The seller should guarantee the rectification of goods in case of any break down during the guarantee period. Seller should have well established Installation, Commissioning, Training, Troubleshooting and Maintenance Service group in INDIA for attending the after sales service. Details of Service Centres near consignee destinations are to be uploaded along with the bid.

**2.15 Warranty:**

Successful bidder will have to ensure that adequate number of dedicated technical service personals / engineers are designated / deployed for attending to the Service Request in a time bound manner and for ensuring Timely Servicing / rectification of defects during warranty period, as per Service level agreement indicated in the relevant clause of the bid.

**2.16 Warranty:**

Timely Servicing / rectification of defects during warranty period: After having been notified of the defects / service requirement during warranty period, Seller has to complete the required Service / Rectification within 3 days time limit. If the Seller fails to complete service / rectification with defined time limit, a penalty of 0.5% of Unit Price of the product shall be charged as penalty for each week of delay from the seller. Seller can deposit the penalty with the Buyer directly else the Buyer shall have a right to recover all such penalty amount from the Performance Security (PBG). Cumulative Penalty cannot exceed more than 10% of the total contract value after which the Buyer shall have the right to get the service / rectification done from alternate sources at the risk and cost of the Seller besides forfeiture of PBG. Seller shall be liable to re-imburse the cost of such service / rectification to the Buyer.

नोट: यह सिस्टम जनरेटेड फाइल है। कोई हस्ताक्षर की आवश्यकता नहीं है। इस दस्तावेज़ का प्रिंट आउट भुगतान/लेनदेन उद्देश्य के लिए मान्य नहीं है।

Note: This is system generated file. No signature is required. Print out of this document is not valid for payment/ transaction purpose.