

अनुबंध | Contract



अनुबंध क्रमांक | Contract No: GEMC-511687792021551

अनुबंध तिथि | Generated Date : 28-Mar-2024

संगठन विवरण | Organisation Details

प्ररूप | Type : Central Government
मंत्रालय | Ministry : Ministry of Communications
विभाग | Department : Department of Posts
संगठन का नाम | Organisation Name : Maharashtra Postal Circle Department of Posts
कार्यालय क्षेत्र | Office Zone : Mumbai

खरीदार विवरण | Buyer Details

पद | Designation : Superintendent of Post offices
संपर्क नंबर | Contact No. : 02422-222847-
ईमेल आईडी | Email ID : doshrirampur.mh@indiapost.gov.in
जीएसटीआईएन | GSTIN : 27AAAGP0006J1ZM
पता | Address : Supdt. of Post Office, Shrirampur Division, Near ST Bus Stand, Newasa Road, Shrirampur - 413 709, AHMED NAGAR, MAHARASHTRA-413709, India

वित्तीय स्वीकृति विवरण | Financial Approval Detail

आईएफडी सहमति | IFD Concurrence : No
प्रशासनिक अनुमोदन का पदनाम | Designation of Administrative Approval : Postmaster General Pune
वित्तीय अनुमोदन का पदनाम | Designation of Financial Approval : Postmaster General Pune

भुगतान प्राधिकरण विवरण | Paying Authority Details

Role: PAO
भुगतान का तरीका | Payment Mode: Offline
पद | Designation : PM Purushottam Shankarrao Joshi
ईमेल आईडी | Email ID : shrirampurho@indiapost.gov.in
जीएसटीआईएन | GSTIN : 27AAAGP0006J1ZM
पता | Address : Supdt. of Post Office, Shrirampur Division, Near ST Bus Stand, Newasa Road, Shrirampur - 413 709, Ahmednagar, MAHARASHTRA-413709, India

विक्रेता विवरण | Seller Details

जेम विक्रेता आईडी | GeM Seller ID : 30MD240011213809
कंपनी का नाम | Company Name : Amex Technology
संपर्क नंबर | Contact No. : 09029039330
ईमेल आईडी | Email ID : in.amextechnology@gmail.com
पता | Address : Ground Floor, Shop No. 5, Abdul Jabbar Chawl, Station Road, Hariyali Village, Opp Master Place Hotel, Tagore Nagar, Vikhroli East, Vikhroli W, Mumbai, MAHARASHTRA-400083, -
एमएसएमई पंजीकरण संख्या | MSME Registration number : UDYAM-MH-18-0311116
एमएसई सामाजिक श्रेणी | MSE Social Category : General
एमएसई लिंग श्रेणी | MSE Gender : Male
जीएसटीआईएन | GSTIN : 27AAEPD1281C1ZB

*जिसके नाम के पक्ष में GST/TAX इनवॉइस पेश किया जाएगा | GST / Tax invoice to be raised in the name of - Consignee

वितरण निर्देश | Delivery Instructions : NA

उत्पाद विवरण | Product Details

#	आइटम विवरण Item Description	आइटम विवरण Ordered Quantity	इकाई Unit	इकाई मूल्य (INR) Unit Price (INR)	कर विभाजन (INR) Tax Bifurcation (INR)	मूल्य (INR में सभी शुल्क और कर सहित) Price (Inclusive of all Duties and Taxes in INR)
1	उत्पाद का नाम Product Name : Securus 3MP DOME CAMERA ब्रांड Brand : Securus ब्रांड प्रकार Brand Type : Registered Brand कैटलॉग की स्थिति Catalogue Status : OEM verified catalogue कैसे बेचा जा रहा है Selling As : OEM verified Reseller श्रेणी का नाम और चतुर्थांश Category Name & Quadrant : Camera for CCTV System (Q2) मॉडल Model : SS-NC15DXLP-CSF-M3(S) एचएसएन कोड HSN Code : HSN not specified by seller	8	pieces	3,993	NA	31,944
कुल ऑर्डर मूल्य Total Order Value (in INR)						31,944

परेषिती विवरण | Consignee Detail

क्र.सं. S.No	परेषिती Consignee	वस्तु Item	लॉट नंबर Lot No.	मात्रा Quantity	दिनांक के बाद डिलीवरी शुरू करना है Delivery Start After	वितरण पूरा कब तक करना है Delivery To Be Completed By
	पद Designation : Superintendent of Post offices ईमेल आईडी Email ID : doshrirampur.mh@indiapost.gov.in संपर्क Contact : 02422-222847-					

1	जीएसटीआईएन GSTIN : 27AAAGP0006J1ZM पता Address : Supdt. of Post Office, Shrirampur Division, Near ST Bus Stand, Newasa Road, Shrirampur - 413 709, AHMED NAGAR, MAHARASHTRA-413709, India	Securus 3MP DOME CAMERA	-	8	28-Mar-2024	12-Apr-2024
Product Specification for Securus 3MP DOME CAMERA						
विनिर्देश Specification	उप-विनिर्देश Sub-Spec	मूल्य Value				
IMAGE SENSOR	Image Sensor Type	CMOS				
	Image Sensor Size	0.357 inch				
	Camera Image Sensing capacity (Picture Mode)	3MP				
	Resolution	D1 (704 x 480 Pixel),HD (1280 x 720 Pixel),Full HD (1920 x 1080 Pixel),3MP(2304×1296)				
	Day/Night Capable	Yes				
	IR illumination Range(mtr)	20				
CAMERA TYPE	Type of Camera Housing	DOME CAMERA				
	IP Camera	Yes				
	PTZ Camera	No				
OPTICS	Lens Type	Fixed				
	Focal Length(mm)	3.6				
	Iris Control	Yes				
	Focus Mode	Auto				
VIDEO	Frame Rate (fps)	25,30				
	Video Compression	H.264,H.265,H.265+				
	Video Streaming	Dual compressed stream				
PAN / TILT / ZOOM	Panning Range	NA				
	Pan Speed (deg/sec)	NA				
	Tilt Range below horizontal (deg)	NA				
	Tilt Range above horizontal (deg)	NA				
	Tilt Speed (deg/sec)	NA				
	Optical Zoom	NA				
	Digital Zoom	16X				
AUDIO	Audio Support	Yes				
	Audio Compression	G.711				
	Audio Streaming	One-Way				
	Number of Audio Input Channel	1				
	Number of Audio Output Channel	NA				
	External Microphone Support	No				
ALARM	Alarm Support	No				
	Number of Alarm Digital Input	NA				
	Number of Alarm Relay Output	NA				
	Pre/Post Alarm Buffer	No				
SECURITY	Multi Level User ID/Password	Yes				
	IP Address Filtering	Yes				
	Encrypted Data Transmission	HTTPS (SSL/TSL)				
PERFORMANCE	Minimum Illumination for Capturing Color Image	0.002 lux				
	Electronic Shutter Speed(sec)	1/25 to 1/50000				
	WDR (Wide Dynamic Range)	120 dB				
	SNR (Signal to Noise Ratio)	40-50				
	Auto Exposure	Auto Level Control,Electronic Level Control				
	White Balance (Indoor/Out door/Manual Selectable)	Yes				

FEATURES	Auto Gain Control (On/Off selectable)	Yes
	Back Light Compensation	Yes
	Remote Administration (Remote configuration and status using web based tool)	Yes
	Remote System Update Over Network	Yes
	PC Client (PC application client with a channel recording feature support)	Yes
	Web Client (Viewer through HTTP system configuration)	Yes
	On Screen Display in English	Yes
	ONVIF Support	Yes
	Presets	0
	Group Touring	0
	Privacy Zones	4
NETWORK AND INTERFACE	Supported Protocols	UDP,SNMP,IGMP,DHCP,RTP,RSTP,HTTP,SMTP,FTP,ICMP,HTTPS,DNS,DDNS,RTSP,RTCP,NTP,UPnP,QoS,TCP/IP
	IP Support	Static,Dynamic
	Signal Processing	Digital Signal Process
	IPv6 ready	No
	Wireless	No
	Simultaneous Connections	8
STORAGE	On Board SD Card Support	No
	SD Card Memory(GB)	NA
HOUSING	Installation Type	Indoor,Outdoor
	Material of the Housing construction	Plastic
	Protection	IP67
	Vandal Resistant Housing	No
	If Yes, IK rating	NA
	Mounting bracket	Ceiling Mounted
	Weight	500 gram
	Dimensions (mm x mm x mm)	90mm x 108mm
POWER SUPPLY	Power Input	12 V DC,PoE
	Power Consumption	8.5 Watt
	Suitable Adapter Shall be Supplied to Make the Equipment Work on 230 V (+/- 10 %), 50 Hz	Yes
OPERATING CONDITIONS	Operating Temperature Range	-10 to +50 deg C
	Relative Humidity Non Condensing (%)	90
WARRANTY / SERVICES	Warranty	2 year
	Time for Replacement of Defective Product During Warranty Period	72 hour
	Supply of Compatible drivers and software included	No
	Availability of facility & infrastructure for verification of all parameters, features, and capability with Seller	Yes
	Availability of facility to test signal to noise ratio of camera at 0-01 lux	Yes
	Conformity to Dry Heat test at 55 degree C for 16 hours as per IS :9000 latest	Yes
	Conformity to Damp heat at 40 degree C - 95% RH (cyclic test): two cycles of 16+8 hours as per IS: 9000 latest	Yes

ENVIRONMENTAL / CERTIFICATION	Conformity to Cold test at -10 / -20 degree C for 4 hours as per IS: 9000 latest, as applicable	Yes
	BIS Registration for safety general requirements as per IS 13252 (Part 1):latest	Yes
	Availability of Type Test Report from Central Govt /NABL/ILAC accredited lab to prove conformity to specification	No
	Test Report Number and Date	NA
	Name and Address of Test Lab	NA
	Certification	FCC,CE
ईपीबीजी विवरण ePBG Detail		
NA		
नियम और शर्तें Terms and Conditions		
1. General Terms and Conditions-		
1.1 This contract is governed by the General Terms and Conditions , conditions stipulated to this Product/Service as provided in the Marketplace.		
1.2 This Contract between the Seller and the Buyer, is for the supply of the Goods and/ or Services, detailed in the schedule above, in accordance with the General Terms and Conditions (GTC) unless otherwise superseded by Goods / Services specific Special Terms and Conditions (STC) and/ or BID/Reverse Auction Additional Terms and Conditions (ATC), as applicable		
नोट: यह सिस्टम जनरेटेड फाइल है। कोई हस्ताक्षर की आवश्यकता नहीं है। इस दस्तावेज़ का प्रिंट आउट भुगतान/लेनदेन उद्देश्य के लिए मान्य नहीं है।		
Note: This is system generated file. No signature is required. Print out of this document is not valid for payment/ transaction purpose.		