

1	ईमेल आईडी Email ID : ee4ld2snidup.lu-up@up.gov.in संपर्क Contact : - जीएसटीआईएन GSTIN : - पता Address : EXECUTIVE ENGINEER LUCKNOW DIVISION 2 SHARDA CANAL LUCKNOW, LUCKNOW, UTTAR PRADESH-226001, India	Unbranded Executive Table with One side pedestal unit and E.R.U	-	8	29-Mar-2024	13-May-2024
---	---	---	---	---	-------------	-------------

Product Specification for Unbranded Executive Table with One side pedestal unit and E.R.U

विनिर्देश Specification	उप-विनिर्देश Sub-Spec	मूल्य Value
GENERIC	Structure /Frame of table	Top supported by storage unit(pedestal / ERU or both)
	Frame type	Freestanding
	Accessories /Optional requirement for table	Beam Support for Table Top
	The type of Storage provided	One side pedestal unit and E.R.U
	Keyboard tray	Provided
	Footrest	Provided
	Mode of supply	Knocked Down To Be Assembled At Consignee Site By The Seller
MATERIAL	Tabletop Material	Prelaminated MDF board
	Thickness of table top material (± 1 mm)	25 mm
	Gable end material	Prelaminated particles board(wood product) of grade II type III of IS 12823/Latest
	The thickness of the gable end	25 mm
	Modesty panel material	Three Layer Prelaminated particles board(wood product) of grade II type III of IS 12823/Latest
	The thickness of the modesty panel material	25 mm
	Gable end and modesty panel plain side	Edge to be banded with PVC tape 2 mm thick with the help of hot melt glue
	Table top edges	Edge to be banded with PVC tape 2 mm thick with the help of hot melt glue
	Leg Material	NA
	The thickness of the Leg material	NA
	Beam Material	NA
Number of buffers provided	4 Numbers at the bottom	
DIMENSION	Width of tabletop ±10 mm	1800 mm
	Depth of table ±10 mm	1650 mm
	Height of table ±10 mm	750 mm
	Size (L x W) /diameter of leg material ± 5 mm	NA
EXTENDED RETURN UNIT	ERU unit consists of	1 drawer,2 storage units with shutter
	ERU top material	MDF with Table matching high-grade membrane profile
	ERU top material thickness ± 2 mm	19 mm
	Width of ERU unit ± 10 mm	900 mm
	Depth of ERU unit ± 5 mm	450 mm
	Height of ERU unit ± 5 mm	725mm
	ERU side panel material	2 MDF batons with natural veneer
	ERU side panel Thickness ± 2 mm	18 mm
	Number of lockable castors at the bottom	NA
	Size of lockable castors ± 2 mm	NA
	Type of storage lock system	Central locking system
	Drawer /storage shutter pull-up mechanism	Chrome plated handle
	ERU outer Surface Finish	Laminate in color with swede finish 0.6-0.8 mm thickness of type S, F or P having index no.3.2.3 conforming to IS 2046/Latest with having balancing laminate of 0.5 mm thick on another side
ERU shade	Natural shade	

PEDESTAL UNIT	Total Number of drawers /storage in Pedestal units	Three drawers
	Complete body fascia and drawer material in Pedestal Unit	Three layers of Prelaminated particle board(Wood Product) of grade II type II of IS 12823/Latest
	Thickness of the complete body fascia & drawer material	19 mm
	Material for back panel in pedestal unit	Three layers of Prelaminated particle board(Wood Product) of grade II type II of IS 12823/Latest
	Back Panel Thickness in Pedestal Unit	18 mm
	Drawer Bottom Material	Three layers of Prelaminated particle board(Wood Product) of grade II type II of IS 12823/Latest
	Drawer Bottom Material Thickness	18 mm
	Provision of Castor in Pedestal unit	Without
	Lock provided (for pedestal unit)	Central lock
	Pedestal handle material	Chrome plated
	Pedestal outer finish	Laminate in color with matt finish 0.6 - 0.8 mm thickness of type S, F or P having index no.3.2.3 conforming to IS 2046/Latest with having balancing laminate of 0.5 mm thick on another side
	Pedestal shade	Natural shade
	Width of Pedestal unit in mm (±10 mm)	850 mm
	Depth of pedestal unit ±10mm	400 mm
	Height of pedestal unit ±5mm	550 mm
KEYBOARD TRAY	Material of keyboard tray and Right angle L-type supporting bracket	Three layer Prelaminated particles board(wood product) of grade II type II of IS 12823/Latest
	Material thickness of keyboard tray ±1mm	19 mm
	Fixing of supporting bracket	With telescopic
	Length of telescopic channel ± 10 mm	200 mm
	Keyboard height±10mm	100 mm
	Keyboard front width±10mm	500 mm
	Keyboard depth±10mm	350 mm
FOOTREST	Material of footrest	Flat single-layer Prelaminated MDF board conforming to having designation PLMDF-22 of IS 14587/Latest
	Material thickness of footrest ±2mm	38 mm
	Height of footrest ±10mm	125 mm,75 mm
	Width of footrest ±10mm	600 mm
	Depth of footrest ±10mm	350 mm
COLOUR AND FINISH	Table top finish	Laminate in color with swede finish 0.6-0.8mm thickness of type S, F or P having index no.3.2.3 conforming to IS 2046/Latest with having balancing laminate of 0.5mm thick on another side
	Tabletop shade	Natural Shade
	Table /ERU /Pedestal Panel Plain Side	Edge to be banded with PVC tape 2 mm thick with the help of hot melt glue
WARRANTY	Warranty period	1 Year
CERTIFICATION	Test reports to be furnished to the buyer on demand	No
	The product has BIFMA certification	Yes
	OEM of the offered product is ISO 9001:2015 certified	Yes
	OEM of the offered product is ISO 14001:2015 certified	Yes
	OEM of the offered product is ISO 45001:2018 certified	Yes
	The product has GREENGUARD certification	Yes
	The product has Green Pro certification	Yes

टिप्पणी | Note:: Seller has given an undertaking that it has made arrangements for getting the stores from an authorized distributor / dealer / channel partner of the OEM of the offered product. At the time of delivery of goods, Seller will provide necessary chain documents (in the form of GST Invoice) to prove that the supplied goods are genuine and are

being sourced from an authorized distributor / dealer / channel partner of the OEM. In case of any complaint about genuineness of the supplied products, Seller shall be responsible for providing genuine replacement supplies.

ईपीबीजी विवरण | ePBG Detail

NA

नियम और शर्तें | Terms and Conditions

1. General Terms and Conditions-

1.1 This contract is governed by the [General Terms and Conditions](#), conditions stipulated to this Product/Service as provided in the Marketplace.

1.2 This Contract between the Seller and the Buyer, is for the supply of the Goods and/ or Services, detailed in the schedule above, in accordance with the General Terms and Conditions (GTC) unless otherwise superseded by Goods / Services specific Special Terms and Conditions (STC) and/ or BID/Reverse Auction Additional Terms and Conditions (ATC), as applicable

नोट: यह सिस्टम जनरेटेड फाइल है। कोई हस्ताक्षर की आवश्यकता नहीं है। इस दस्तावेज़ का प्रिंट आउट भुगतान/लेनदेन उद्देश्य के लिए मान्य नहीं है।

Note: This is system generated file. No signature is required. Print out of this document is not valid for payment/ transaction purpose.