

अनुबंध | Contract



अनुबंध क्रमांक | Contract No: GEMC-511687763367824

अनुबंध तिथि | Generated Date : 29-Mar-2024

संगठन विवरण Organisation Details	खरीदार विवरण Buyer Details
प्ररूप Type : State Government	पद Designation : Assistant Engineer
मंत्रालय Ministry : -	संपर्क नंबर Contact No. : 011-23221618-
विभाग Department : Public Works Department Delhi	ईमेल आईडी Email ID : buycon53.pimscpwd.dl@gembuyer.in
संगठन का नाम Organisation Personnel Information and Management System Central Public Name : Works Department	जीएसटीआईएन GSTIN : -
कार्यालय क्षेत्र Office Zone: Healt Maintenance Zone	पता Address : LN HOSPITAL COMPLEX,, CENTRAL DELHI, DELHI-110002, India

वित्तीय स्वीकृति विवरण Financial Approval Detail	भुगतान प्राधिकरण विवरण Paying Authority Details
आईएफडी सहमति IFD Concurrence : No	Role: PAO
प्रशासनिक अनुमोदन का पदनाम Designation of Administrative Approval: EE(E)PWD/HMED(C)	भुगतान का तरीका Payment Mode: Offline
वित्तीय अनुमोदन का पदनाम Designation of Financial Approval: EE(E)PWD/HMED(C)	पद Designation : Executive Engineer
	ईमेल आईडी Email ID : eeepwdb244.delhi@gov.in
	जीएसटीआईएन GSTIN : N
	पता Address: LN HOSPITAL COMPLEX,, NEW DELHI, DELHI-110002, India

विक्रेता विवरण Seller Details
जेम विक्रेता आईडी GeM Seller ID : ZQ94210003134176
कंपनी का नाम Company Name : NEELAM ELEVATOR CARE
संपर्क नंबर Contact No. : 08700805191
ईमेल आईडी Email ID : neelamelevator@gmail.com
पता Address : 8434, Pahar Ganj, Arya Nagar, Pahar Ganj, Village/Town:- Arya Nagar,, City:- New Delhi, NEW DELHI, DELHI-110055, India
एमएसएमई पंजीकरण संख्या MSME Registration number : UDYAM-DL-03-0007901
एमएसई सामाजिक श्रेणी MSE Social Category : General
एमएसई लिंग श्रेणी MSE Gender : Male
जीएसटीआईएन GSTIN: 07AYSPS0121N1ZZ

*जिसके नाम के पक्ष में GST/TAX इनवॉइस पेश किया जाएगा | GST / Tax invoice to be raised in the name of - Consignee

वितरण निर्देश | Delivery Instructions : NA

#	आइटम विवरण Item Description	आइटम विवरण Ordered Quantity	इकाई Unit	इकाई मूल्य (INR) Unit Price (INR)	कर विभाजन (INR) Tax Bifurcation (INR)	मूल्य (INR में सभी शुल्क और कर सहित) Price (Inclusive of all Duties and Taxes in INR)
1	उत्पाद का नाम Product Name : POLYCAB Cool Day Light PVC Square LED surface ceiling Light ब्रांड Brand : POLYCAB ब्रांड प्रकार Brand Type : Registered Brand कैटलॉग की स्थिति Catalogue Status: OEM verified catalogue कैसे बेचा जा रहा है Selling As : OEM verified Reseller श्रेणी का नाम और चतुर्थांश Category Name & Quadrant : LED Surface Ceiling Light as per IS 10322 (Q3) मॉडल Model: 2X2 36W LED PANEL RECESSED TYPE (POLYCAB) एचएसएन कोड HSN Code: HSN not specified by seller	10	pieces	3,800	NA	38,000
कुल ऑर्डर मूल्य Total Order Value (in INR)						38,000

परेषिती विवरण Consignee Detail						
क्र.सं. S.No	परेषिती Consignee	वस्तु Item	लॉट नंबर Lot No.	मात्रा Quantity	दिनांक के बाद डिलीवरी शुरू करना है Delivery Start After	वितरण पूरा कब तक करना है Delivery To Be Completed By
1	पद Designation : BUYER-CONSIGNEE ईमेल आईडी Email ID : dubey.yogesh@gov.in संपर्क Contact : - जीएसटीआईएन GSTIN : N	POLYCAB Cool Day Light PVC Square LED surface	-	10	29-Mar-2024	13-Apr-2024

Product Specification for POLY CAB Cool Day Light PVC Square LED surface ceiling Light

विनिर्देश Specification	उप-विनिर्देश Sub-Spec	मूल्य Value
Certification and Standard	Luminaire Class (as per Cl. 2.1 Section 2 of IS: 10322 (Part-1))	Class I
	Types of LED Modules as per the IS: 16103(Part-2)/2012	Type 3
	Photo biological safety of LEDs used shall be as per IS:16108/2012 (exempt group)	Yes
	Certification if any else write NA	NA
	DC or AC supplied electronic control gear for LED Module shall comply IS:15885 (Part 2/Sec.13)	Yes
	Conformity to Indian Standard	IS:10322-5-2(2012)
Technical parameters	Type of fixture	Square
	Material	PVC
	Color temperature (+/-10%)	6500k
	Wattage	35.971 Watt
Constructional	All fasteners must be of nickel/chrome plated	Yes
	The luminaire body must be corrosion resistant epoxy powder coated / anodizing	Yes
	Mounting type	Surface
	Diffuser material	Poly carbonate (UV stabilized)
	Mounting Fixture	SS Spring Clip
	Ingress Protection (IP Rating) as per IS:10322 (Part 1) latest	IP66
Warranty for free replacement	1 year	
Electrical Efficiency Management	The total circuit power shall not be more than 110 percent of the value declared by the manufacturer (as per Cl 8 of IS:16104:2012 lates)	Yes
	Total Harmonics Distortion	?15%
	Frequency	50 Hertz
	AC Power Factor	? 0.95
	Operating Voltage	220 Volt
	Driver	Powered by an integral electronic driver (SMPS based constant current Supply)
Optical Management	Color Rendering Index(CRI)	?80
	Light Color	Cool Day Light
	Reflector type	Diffuser
	System lumen output	2125 lumen
	System Luminous flux efficacy (lm/W)	100
	Beam Angle	?120
	Working life for LED	50000 hour
Thermal Management	Fixture / Luminaire should be die-cast aluminum /CRCA/Extruded aluminum	Yes
	Junction temperature / soldering temperature	< 85 deg C
	Humidity Range (RH%)	85 percent
	Operating temperature range in degree Celsius	-10 to 50
Protection	Reverse Polarity	Yes
	Over load protection	Yes
	High voltage test (1.5 KV for one minute between supply terminals and body of the unit)	Yes
	The luminaire shall be protected against surges and transients of >/=2.5 KV	Yes
	Short circuit Protection	Yes
	Insulation resistance between earth and current carrying part	>100 M ohm
Marking	Each LED luminaire shall have the manufacturers name, model number, serial number, date of manufacture/PO No. (month-year), and lot number as identification mark inside each unit and the outside of each packaging box	Yes
	The operation characteristics such as rated voltage and rated power in watts shall be marked inside each LED luminaire unit	Yes

	Manufactures Name & brand shall available on the body of the Luminaire	Engraved
Reports and Certifications	Seller has to furnish Type test report to the buyer on demand	Yes
	LM 80 & TM21 (Ref. IS:16105:2012) Report and Photo biological report for LED report from Central Government Lab /NABL/ILAC accredited lab. Reports shall be furnish to the buyer on demand	Yes
	LED Make	POLYCAB
	LM 79 (Photometry) (Ref.IS:16106:2012) report from Central Government LAB /NABL/ILAC accredited lab. Reports shall be furnish to the buyer on demand (LM-79 report shall have total lumen output, power, PF, Current in Amps, CRI & CCT etc.,)	Yes
	DC or AC supplied electronic control gear for LED Module shall comply as per IS:15885 (Part 2/Sec.13)	Yes
	Availability of test Report from Central Government Lab /NABL/ILAC accredited lab to Indian Standard IS:10322/part 5/sec-2/2012 and IS 16107 (Part 2/Sec 1) : 2012	Yes

ईपीबीजी विवरण | ePBG Detail

NA

नियम और शर्तें | Terms and Conditions

1. General Terms and Conditions-

1.1 This contract is governed by the [General Terms and Conditions](#), conditions stipulated to this Product/Service as provided in the Marketplace.

1.2 This Contract between the Seller and the Buyer, is for the supply of the Goods and/ or Services, detailed in the schedule above, in accordance with the General Terms and Conditions (GTC) unless otherwise superseded by Goods / Services specific Special Terms and Conditions (STC) and/ or BID/Reverse Auction Additional Terms and Conditions (ATC), as applicable

नोट: यह सिस्टम जनरेटेड फाइल है। कोई हस्ताक्षर की आवश्यकता नहीं है। इस दस्तावेज़ का प्रिंट आउट भुगतान/लेनदेन उद्देश्य के लिए मान्य नहीं है।

Note: This is system generated file. No signature is required. Print out of this document is not valid for payment/ transaction purpose.