

अनुबंध | Contract



अनुबंध क्रमांक | Contract No: GEMC-511687754077165

अनुबंध तिथि | Generated Date : 30-Mar-2024

संगठन विवरण Organisation Details		खरीदार विवरण Buyer Details				
प्ररूप Type :	State Government	पद Designation :	BUYERCONS	संपर्क नंबर Contact No. :	0000-0000000-	ईमेल आईडी Email ID :
मंत्रालय Ministry :	-	पद Designation :	BUYERCONS	ईमेल आईडी Email ID :	buycon26.dhe.ua@gembuyer.in	जीएसटीआईएन GSTIN :
विभाग Department :	Higher Education Department Uttarakhand	पद Designation :	BUYERCONS	पता Address :	LOwer lakhwar colony, Dakpathar, dehradun, DEHRADUN, UTTARAKHAND-248125, India	जीएसटीआईएन GSTIN :
संगठन का नाम Organisation Name :	Directorate of Higher Education	पद Designation :	BUYERCONS	पता Address :	LOwer lakhwar colony, Dakpathar, dehradun, Dehradun, UTTARAKHAND-248125, India	जीएसटीआईएन GSTIN :
कार्यालय क्षेत्र Office Zone:	DEHRADUN	पद Designation :	BUYERCONS	पता Address :	LOwer lakhwar colony, Dakpathar, dehradun, Dehradun, UTTARAKHAND-248125, India	जीएसटीआईएन GSTIN :
वित्तीय स्वीकृति विवरण Financial Approval Detail		भुगतान प्राधिकरण विवरण Paying Authority Details				
आईएफडी सहमति IFD Concurrence :	No	Role:	PAO	भुगतान का तरीका	Offline	पद Designation :
प्रशासनिक अनुमोदन का पदनाम	PRINCIPAL	Payment Mode:	DDODAK	ईमेल आईडी Email ID :	ddo22.dhe.ua@gembuyer.in	पद Designation :
Designation of Administrative Approval:	PRINCIPAL	पता Address:	NEAR SHIV MANDIR,FATEHPUR HERBERTPUR, Dehradun, UTTARAKHAND-248142, -	जीएसटीआईएन GSTIN :	-	पता Address:
वित्तीय अनुमोदन का पदनाम	PRINCIPAL	पद Designation :	DDODAK	ईमेल आईडी Email ID :	ddo22.dhe.ua@gembuyer.in	पद Designation :
Designation of Financial Approval :	PRINCIPAL	पता Address:	NEAR SHIV MANDIR,FATEHPUR HERBERTPUR, Dehradun, UTTARAKHAND-248142, -	जीएसटीआईएन GSTIN :	-	पता Address:
विक्रेता विवरण Seller Details						
जीम विक्रेता आईडी GeM Seller ID :	B3PX240010889095	जीम विक्रेता आईडी GeM Seller ID :	B3PX240010889095	कंपनी का नाम Company Name :	V-THREE ALLIANCE INDIA	कंपनी का नाम Company Name :
संपर्क नंबर Contact No. :	08126708768	संपर्क नंबर Contact No. :	08126708768	ईमेल आईडी Email ID :	vthrealliance509@gmail.com	ईमेल आईडी Email ID :
ईमेल आईडी Email ID :	vthrealliance509@gmail.com	ईमेल आईडी Email ID :	vthrealliance509@gmail.com	पता Address :	NEAR SHIV MANDIR,FATEHPUR HERBERTPUR, Dehradun, UTTARAKHAND-248142, -	पता Address :
पता Address :	Dehradun, UTTARAKHAND-248142, -	पता Address :	Dehradun, UTTARAKHAND-248142, -	एम्सएमई पंजीकरण संख्या MSME Registration number :	-	एम्सएमई पंजीकरण संख्या MSME Registration number :
जीएसटीआईएन GSTIN:	05AAxFV7947A1Z0	जीएसटीआईएन GSTIN:	05AAxFV7947A1Z0	जीएसटीआईएन GSTIN:	-	जीएसटीआईएन GSTIN:
*जिसके नाम के पक्ष में GST/TAX इनवॉइस पेश किया जाएगा GST / Tax invoice to be raised in the name of - Buyer						
वितरण निर्देश Delivery Instructions : NA						
उत्पाद विवरण Product Details						
#	आइटम विवरण Item Description	आइटम विवरण Ordered Quantity	इकाई Unit	इकाई मूल्य (INR) Unit Price (INR)	कर विभाजन (INR) Tax Bifurcation (INR)	मूल्य (INR में सभी शुल्क और कर सहित) Price (Inclusive of all Duties and Taxes in INR)
1	उत्पाद का नाम Product Name : LABWAN Bench Type Water Quality Meter / Analyzer Measuring Multi Parameter Water Quality Analyzer 1 year Year Warranty ब्रांड Brand : LABWAN ब्रांड प्रकार Brand Type : Registered Brand कैटलॉग की स्थिति Catalogue Status: Catalogue not verified by OEM कैसे बेचा जा रहा है Selling As : Reseller not verified by OEM श्रेणी का नाम और चतुर्भासा Category Name & Quadrant : Water Quality Meters / Analyzers (Q3) मॉडल Model: LWQM-300 एचएसएन कोड HSN Code: HSN not specified by seller	1	pieces	39,900	NA	39,900
कुल औंडर मूल्य Total Order Value (in INR)						39,900
परेष्ठी विवरण Consignee Detail						
क्र.सं. S.No	परेष्ठी Consignee	वस्तु Item	लॉट नंबर Lot No.	मात्रा Quantity	दिनांक के बाद डिलीवरी शुरू करना है Delivery Start After	वितरण पूरा कब तक करना है Delivery To Be Completed By
1	पद Designation : BUYERCONS ईमेल आईडी Email ID : buycon26.dhe.ua@gembuyer.in संपर्क Contact : 0000-0000000- जीएसटीआईएन GSTIN : - पता Address : LOwer lakhwar colony, Dakpathar, dehradun, DEHRADUN, UTTARAKHAND-248125, India	LABWAN Bench Type Water Quality Meter / Analyzer Measuring Multi Parameter Water Quality Analyzer 1 year Year Warranty	-	1	30-Mar-2024	14-Apr-2024

**Product Specification for LABWAN Bench Type Water Quality Meter / Analyzer Measuring Multi Parameter Water Quality Analyzer 1 year
Year Warranty**

विवरण Specification	उप-विवरण Sub-Spec	मूल्य Value
TYPE / NOMENCLATURE / PROTECTION	Type of Meter / Analyzer	Bench Type
	Functional nomenclature	Multi Parameter Water Quality Analyzer
	Ingress Protection (Main Unit)	NA
	Calibration	Automatic
MEASURED WATER QUALITY PARAMETERS	Dissolved Oxygen (DO)	No
	DO % Stauration	No
	Conductivity	Yes
	Resistivity	No
	Salinity	No
	Total Dissolved Solids (TDS)	Yes
	pH	Yes
	Oxidation Reduction Potential (ORP)	No
	Ammonium	No
	Nitrate	No
	Chloride	No
	Turbidity	No
	Depth	No
	Temperature	Yes
	Atmospheric Pressure	No
MEASUREMENT OF DISSOLVED OXYGEN (DO) / DO % Saturation	Dissolved Oxygen (DO) measurement Principle	NA
	Sensor / Probe/ Electrode Type	NA
	Measurement Range for DO Content (in ppm or mg/l)	0-20
	Resolution (in ppm or mg/l)	NA
	DO Accuracy (+/-)	0 percent
	Measurement Range for DO % Saturation (in %)	NA
	Resolution (in %)	NA
	DO % Accuracy (+/-)	0 percent
MEASUREMENT OF CONDUCTIVITY (EC)	Conductivity measurement principle	Conductive (contacting)
	Sensor/ Probe/Electrode Type	2 Cell Electrode
	Material of Electrode	NA
	Measurement Range (in μ S/cm)	0-1500
	Resolution (in mho or μ S/cm)	0.01
	EC Accuracy (+/-)	0.5 percent
MEASUREMENT OF RESISTIVITY	Resitivity measurement principle	NA
	Lowest Measurement Value for Resistivity (in ohm-cm)	NA
	Highest Measurement Value for Temperature (°C)	NA
	Resolution (in ohm-cm)	NA
	Resistivity Accuracy(+/-)	0 percent
MEASUREMENT OF SALINITY	Salinity measurement principle	Conductivity Conversion
	Measurement Range (in parts per thousand or g/l or PSU)	0-100
	Resolution (in g/l)	0.01
	Salinity Accuracy (+/-)	0.5 percent
MEASUREMENT OF TOTAL DISSOLVED SOLIDS	TDS measurement principle	Conductivity Conversion
	TDS Measurement Range (in parts per thousand or g/l)	0-800

(TDS)	Resolution (in g/l)	0.01
	TDS Accuracy (+/-)	0.5 percent
MEASUREMENT OF pH	pH measurement principle	Electro chemical
	Sensor / Probe / Electrode Type	Glass Electrode
	Number of Sensors / Electrodes	Single Electrode
	pH Measurement Range	0-14
	Resolution (in pH number)	0.01
	pH Accuracy (+/-)	0.5 percent
MEASUREMENT OF OXIDATION REDUCTION POTENTIAL (ORP)	ORP measurement principle	NA
	Sensor / Probe/ Electrode Type	NA
	Number of Sensors /Electrodes	NA
	Lowest Measurement Value for ORP (in mV)	NA
	Highest Measurement Value for ORP (in mV)	NA
	Resolution (in ± mV)	NA
	ORP Accuracy (+/-)	0 percent
MEASUREMENT OF AMMONIUM	Sensor / Probe/ Electrode Type	NA
	Measurement Range (in ppm or mg/l)	NA
	Resolution (in ppm or mg/l)	NA
	Ammonium Accuracy (+/-)	0 percent
MEASUREMENT OF NITRATE	Sensor / Probe/ Electrode Type	NA
	Measurement Range (in ppm or mg/l)	NA
	Resolution (in ppm or mg/l)	NA
	Nitrate Accuracy (+/-)	0 percent
MEASUREMENT OF CHLORIDE	Sensor/Probe/Electrode Type	NA
	Measurement Range (in ppm or mg/l)	NA
	Resolution (in ppm or mg/l)	NA
	Chloride Accuracy (+/-)	0 percent
MEASUREMENT OF TURBIDITY	Turbidity measurement principle	NA
	Light Source	NA
	Measurement of scattered light	NA
	Lowest Measurement Value for Turbidity (in FNU or NTU)	NA
	Highest Measurement Value for Turbidity (in FNU or NTU)	10
	Resolution (in FNU or FTU)	NA
	Turbidity Accuracy(+/-)	0 percent
MEASUREMENT OF TEMPERATURE	Sensor/Probe Type	Semi Conductor Based Thermister
	Lowest Measurement Value for Temperature (°C)	0
	Highest Measurement Value for Temperature (°C)	95
	Resolution (°C)	0.005
	Temperature Accuracy(+/-)	0.005 percent
MEASUREMENT OF PRESSURE	Sensor /Probe Type	NA
	Lowest Measurement Value for Pressure (in mmHg)	200
	Highest Measurement Value for Pressure (in mmHg)	NA
	Resolution (in mmHg)	NA
	Pressure Accuracy (+/-)	0 percent
MEASUREMENT OF DEPTH	Measurement Method	NA
	Depth Measurement Range (in meters)	0-10
	Length of Cable connecting probe (inclusive in the scope of supply)	0 meter
	Temperature correction	Automatic

COMPENSATION / CORRECTION	Salinity Correction	Automatic
	Barometric Pressure correction	NA
DISPLAY / STORAGE	Type of Display	LCD with Backlight
	Display Digit Size	30 millimeter
	Number of Digits in Display	32
	Number of parameters displayed simultaneously	3
	Memory (in Data Sets)	1000
	Internal memory (GB)	1
	In-built GPS	No
	Date /time Stamp in Entries	Yes
	Connectivity interface	USB
POWER SOURCE	Power Source	Mains (230 ±10 Volts / 50 Hz AC)
	Battery Size, if Non Rechargeable Battery	NA
	Battery Chemistry, if Rechargeable Battery	NA
	Voltage of each Battery	0 Volt
	Number of Batteries required for operation	0
	Number of Batteries Inclusive in the Scope of Supply	0
	Battery Capacity (mAh)	0
	Battery Life	0 hour
	Suitable Adapter to be supplied to make the equipment Work on 230 V ± 10 %, 50 Hz	Yes
GENERIC	Armour housing of Sensor / Probe	Glass
	Probe / Sensor / Electrode supplied with equipment	Yes
	Number of electrodes supplied	1
	Weight	2 gram
	Dimensions (mm x mm x mm)	20*20*20
	Carry Case included in the scope of supply	No
	Any other features	NA
OPERATING CONDITIONS	List of Items and Quantity of each item included in the offer	NA
	Minimum Operating Temperature	0 degree Celsius
	Maximum Operating Temperature	55 degree Celsius
WARRANTY	Operating Humidity, Rh at 40 deg C	85 percent
	Warranty on Equipment	1 year
	Warranty on Probe / Electrode	0 month
CERTIFICATION	Warranty on Cables for Connecting Probe	0 year
	Availability of Test Reports from Central Govt / NABL approved / ILAC accredited Lab to prove conformity to the specification	Yes
	If Yes, Test Report to be furnished to the Buyer on demand	NA
	Test Report No and Date	NA
	Name of the Lab and Address	NA

टिप्पणी | Note: Seller has given an undertaking that it has made arrangements for getting the stores from an authorized distributor / dealer / channel partner of the OEM of the offered product. At the time of delivery of goods, Seller will provide necessary chain documents (in the form of GST Invoice) to prove that the supplied goods are genuine and are being sourced from an authorized distributor / dealer / channel partner of the OEM. In case of any complaint about genuineness of the supplied products, Seller shall be responsible for providing genuine replacement supplies.

इंपीबीजी विवरण | ePBG Detail

NA

नियम और शर्तें | Terms and Conditions

1. General Terms and Conditions-

1.1 This contract is governed by the [General Terms and Conditions](#), conditions stipulated to this Product/Service as provided in the Marketplace.

1.2 This Contract between the Seller and the Buyer, is for the supply of the Goods and/ or Services, detailed in the schedule above, in accordance with the General Terms and Conditions (GTC) unless otherwise superseded by Goods / Services specific Special Terms and Conditions (STC) and/ or BID/Reverse Auction Additional Terms and Conditions (ATC), as applicable

नोट: यह सिस्टम जनरेटेड फाइल है। कोई हस्ताक्षर की आवश्यकता नहीं है। इस दस्तावेज़ का प्रिंटे आउट भुगतान/लेनदेन उद्देश्य के लिए मान्य नहीं है।

Note: This is system generated file. No signature is required. Print out of this document is not valid for payment/ transaction purpose.