अनुबंध|Contract



अनुबंध क्रमांक | Contract No: GEMC-511687717722947

अनुबंध तिथि | Generated Date: 30-Mar-2024

संगठन विवरण|Organisation Details

प्ररूप|Type: State Government

मंत्रालय|Ministry:

Agriculture and Farmers Empowerment Department विभाग | Department :

Odisha

संगठन का नाम|Organisation Name Odisha University of Agriculture and Technology (OUAT)

VICE CHANCELLOR, OUAT

VICE CHANCELLOR, OUAT

कार्यालय क्षेत्र|Office Zone: Directorate of PME OUAT BBSR 751003

खरीदार विवरण|Buyer Details

OIC AICRP on GOAT IMPROVEMENT GANJAM UNIT पद|Designation:

संपर्क नंबर|Contact No.: 674-2397732-ईमेल आईडी|Email ID: chinamov.1983@gov.in

जीएसटीआईएन|GSTIN:

AICRP on GOAT IMPROVEMENT GANJAM UNIT, DEPT OF ANIMAL BREEDING AND GENETICS, COLLEGE OF VETERINARY SCIENCE AND ANIMAL HUSBANDRY, OUAT,

पता|Address: BHUBANESWAR-03, DIST-KHURDA, ODISHA MOB NO:-

9437695630,

भुगतान प्राधिकरण विवरण | Paying Authority Details

KHORDA, ODISHA-751003, India

वित्तीय स्वीकृति विवरण|Financial Approval Detail

आईएफडी सहमति|IFD Concurrence :

प्रशासनिक अनुमोदन का पदनाम|

Designation of Administrative Approval:

वित्तीय अनमोदन का पदनाम।

Designation of Financial Approval:

PAO भगतान का तरीका।

Offline Payment Mode:

पद | Designation : Co PI AICRP on GOAT IMPROVEMENT GANJAM UNIT

ईमेल आईडी|Email ID: dilip.1971@gov.in

जीएसटीआईएन|GSTIN : AICRP on GOAT IMPROVEMENT GANIAM UNIT, DEPT OF

> ANIMAL BREEDING AND GENETICS, COLLEGE OF VETERINARY SCIENCE AND ANIMAL HUSBANDRY, OUAT,

पता|Address: BHUBANESWAR-03, DIST-KHURDA, ODISHA MOB NO:-

9437695630,

Khurda (khordha), ODISHA-751003, India

विक्रैता विवरण|Seller Details

जेम विक्रैता आईडी। GeM Seller ID: 7SOA230007778024

कंपनी का नाम|Company Name : MOHAPATRA SCIENTIFIC PRIVATE LIMITED

संपर्क नंबर|Contact No. : 06742360684

ईमेल आईडी|Email ID : msplgem2021@gmail.com

F2G-30, INDRADHANU MARKET, MOHAPATRA SCIENTIFIC PRIVATE LIMITED, IRC VILLAGE, NAYAPALLI, पता| Address : Khurda (khordha), ODISHA-751015, -

एमएसएमई पंजीकरण संख्या|MSME Registration number : UDYAM-OD-19-0050933

एमएसई सामाजिक श्रेणी|MSE Social Category : General एमएसई लिंग श्रेणी|MSE Gender : Male

21AAPCM1333E1ZX जीएसटीआईएन|GSTIN:

*जिसके नाम के पक्ष में GST/TAX इनवॉइस पेश किया जाएगा|GST / Tax invoice to be raised in the name of - Buyer

वितरण निर्देश | Delivery Instructions : NA

उत्पाद विवरण | Product Details

# आइटम विवरण Item Description	आइटम विवरण Ordered Quantity	इकाई Unit	इकाई मूल्य (INR) Unit Price (INR)	कर विभाजन (INR) Tax Bifurcation (INR)	मूल्य (INR में सभी शुल्क और कर सहित) Price (Inclusive of all Duties and Taxes in INR)
उद्याद का नाम Product Name : REMI Refrigerated Centrifuge with LCD display ब्रांड Brand : REMI ब्रांड प्रकार Brand Type : Registered Brand कैटलॉग की स्थिति Catalogue Status: OEM verified catalogue कैसे बेचा जा रहा है Selling As : OEM verified Reseller श्रेणी का नाम और चतुर्थाश Category Name & Quadrant : Refrigerated Centrifuge For General And Research Purpose (Q3) मॉडल Model: CM-12 Plus with RM-1215M एचएसएन कोड HSN Code: HSN not specified by seller	1	pieces	133,330	NA	133,330
ल ऑर्डर मूल्य Total Order Value (in INR)					

परेषिती विवरण|Consignee Detail

क्र.सं. S.No		परेषिती Consignee	वस्तु Item	लॉट नंबर Lot No.	मात्रा Quantity	करना है Delivery Start After	Delivery To Be Completed By	
1	ईमेल आईडी E संपर्क Contac जीएसटीआईएन पता Address ANIMAL BRI AND ANIMA ODISHA MC	tition: OIC AICRP on GOAT IMPROVEMENT GANJAM UNIT mail ID: chinamoy.1983@gov.in tt: 674-2397732- (GSTIN: - s: AICRP on GOAT IMPROVEMENT GANJAM UNIT, DEPT OF EEDING AND GENETICS, COLLEGE OF VETERINARY SCIENCE L HUSBANDRY, OUAT, BHUBANESWAR-03, DIST-KHURDA, 19 NO:- 9437695630, DISHA-751003, India	REMI Refrigerated Centrifuge with LCD display		1	30-Mar-2024	14-Apr-2024	
Product 5	Specificati	on for REMI Refrigerated Centrifuge with LCD	display					
विनिर्देश Spe	ecification	उप-विनिर्देश Sub-Spec	मूल्य Value					
Standards		Conformity to standards	EN/UL/IEC 61010-1					
Staridards		Certificate date and number	ECIC/IVD-03/21 Dated: 4	JAN 2021				
		Purpose	To Centrifuge different k room Temperature	kinds of sample	es in different Test	ing Labs and resea	rch Labs at	
		Centrifuge design	Bench Top					
		Weight including Rotor in kgs	62					
		Maximum RPM with no load	12000 to 15000 or above	12000 to 15000 or above				
		"Number of steps of RPM Variation available in the settings (correspondingly RCF also varies)"	100	100				
		RPM setting accuracy	plus minus 5%					
		Type of Motor	Brushless(without carbo	Brushless(without carbons)				
		Accessories	Spanner to tight or loose Nut of Rotor on Motor shaft head puller, spare rotor nuts ,fuse-2, Instruction Manual Book ,installation CD					
		Type of lid lock	Electronic lid locking wit	h automatic lid	l opening at end o	f run		
		Maximum Noise level whemn working at 1 meter distance in db	60					
		Ambient operating Temperature range in Degree centigrade Celsius and humidity range	0 to 50 and Relative humidity 15 to 90%					
		Rotor imbalance diagnostics and automatic stop if required	Yes					
		No of acceleration and deceleration profiles in built for rotor speed while automatic braking	Acceleration and Deceleration Profile-9/10					
		Maximum timer set point	60 minutes					
		Parameters to be displayed by the digital display	RPM,RCF,Set time,Run time,Rotor running indication ,imbalancing if any					
		Display Type	LCD					
Performance	e	Speed controller	Microprocessor controlled pre programmed speed controller which can control RPM as well as RCF					
Parameters		Speed Control tolerance in case of set speed (Plus minus RPM) in percentage	2					
		Temperature controller	Micro processor based P to control the Temperate	-	-	r cum Indicator, (V	ith LCD Display	
		Configuration of Rotor supplied with centrifuge machine	Angle rotor					
		Rotor Feature with reference to Autoclavability	Autoclavable Rotor @12	1 Degree Celsii	us			
		Type of Tubes which can be used with centrifuge machine	Polypropylene Centrifug	e tubes and Gl	lass centrifuge tub	es		
		Size of rotor supplied with centrifuge in ml	"24x1.5ml(for angle roto	or) RPM 16000"				
		Maximum RCF	16600					
		Power supply	220V-240V 50Hz					
		Power consumption in watts	900					
		Length of the Centrifuge in mm	585					
		Width of the Centrifuge in mm	480					
		Height of of the Centrifuge in mm	530					
		Length of Power cord in meters	3					

	Refrigerant should be CFC free	Yes -10 deg C to +40 deg C, +/- 2 deg C				
	Temperature of refrigerator in degree Celsius					
	Cooling arrangement	Through suitable compressor, radiator, Cooling fan and its Cooling Kit				
	Temperature control accuracy	± 2°C				
Warranty period for equipment & Rotor (on site and comprehensive warranty) in years		1				
	Maximum Noise level when working at 1 meter distance in db	60				
	Assembly Material for manufacture of Centrifuge	Die cast Aluminum, Aluminum sheet, Stainless Steel, CRC Steel,Plastic and Rubber				
	"Lid Material of Centrifuge "	CRC Steel finish with powder coating or stove painting or ABS Plastic of injection moulding				
	Body material of Centrifuge	C.R.C Steel Finish with Powder Coating/ Stove Painting.				
Material Parameters	Front Panel of centrifuge	CRC Steel finish with powder coating or stove painting or ABS Plastic of injection moulding				
	Centrifuge Bowl material in Centrifuge	Double walled with PUF Insulation to avoid loss of Cooling. Inner Chamber made of 304 Quality Stainless Steel Moulded				
	Material of Rotor	Aluminium				
	Condensed Water Drainage System	Yes				
	The Equipment shall be installed and demonstrated before Acceptance	Yes				
	Servo Controller Voltage Stabilizer supplied with Item	No				
Additional Parameters	Servo stabilizer ratings in KVA	Not supplied				
	Warranty of stabilizer in years	NA(If no stabilizer provided)				
	Auto cut off	Yes				
	Timer provided	Yes				
	Certifications of Manufacturer	ISO 9001:2015				
Reports	ISO Certificate date and number	IN34247A Dated: 26 NOV 2019				
,	Copies of all certifications and reports to be provided to buyer on demand at time of supplies	Yes				

ईपीबीजी विवरण | ePBG Detail

NA

नियम और शर्तें|Terms and Conditions

1. Special terms and conditions- Version:3 effective from 11-11-2022

1.1

- All Provisions of Drugs and Cosmetics Act, 1940 and Rules made there under as amended till date will always be applicable. This will include all notifications issued by Central Drugs Standard Control Organisation (CDSCO), Ministry of Health & Family Welfare (MoHFW) and Department of Pharmaceuticals (DOP), Ministry of Chemicals & Fertilizers time to time in this regard.
- The sellers are registered on GeM based on self-declaration of valid Drug License, product certification, test reports etc. However, buyers must check and validate the details at their end for all applicable licenses and certifications e.g., validity and authenticity/genuineness of drug license, product certification, manufacturer certification/licenses, test reports etc.
- 3. The price offered by the seller shall not, in any case exceed the DPCO controlled price, if any, fixed by the Central/State Government, the Maximum Retail Price (MRP) and the selling price. The seller must reduce the prices if there is any reduction in DPCO ceiling price, if any.
- 4. Comprehensive warranty: Comprehensive warranty shall include preventive maintenance including calibration as per technical/ service /operational manual of the manufacturer, service charges and spares. During the warranty period commencing from date of the successful completion of warranty period, Service personnel shall visit each consignee site as recommended in the manufacturer's technical/ service /operational manual, at least once in six months. warranty shall not be including the consumables. Further there will be 98% uptime warranty during warranty period on 24 (hrs) X 7 (days) X 365 (days) basis, with penalty, to extend warranty period by double the downtime period.
- 5. Service centres: Details of Service outlets in India to render services for equipment to be furnished to buyer/consignees with complete address, telephone numbers, e mails etc at time of making the supplies. It shall be the responsibility of seller to ensure that authorized service centres are available to cater to the areas where supplies are made within reasonable distance from where the service calls can be handled. Details of toll-free numbers for service call and online registration of service requests also to be provided buyer/consignee at the time of supplies.
- 6. Source of supply: It shall be responsibility of seller to provide Documents regarding source of equipments such as copy of Performa invoice or any other documents to establish that the products supplied are manufactured by OEM indicated and sourced from them.
- 7. Packing and Marking: Medical equipments being very delicate and sensitive packing for the goods should be strong and durable enough to withstand transit including transhipment (if any), rough handling, open storage etc. without any damage, deterioration etc. .The size, weights and volumes of the packing cases, remoteness of the final destination of the goods, availability or otherwise of transport and handling facilities at all points during transit up to final destination,. Quality of packing, the manner of marking within & outside the packages and provision of accompanying documentation shall take into consideration the type of

- medical equipments being supplied. The accessories shall be suitably labelled and packed. Each of the package shall be marked on three sides with indelible paint of proper quality: indicating contract number and date, brief description of goods including quantity, Packing list reference number, country of origin of goods and any other relevant details.
- 8. Spare Parts: Seller shall provide materials, information etc. pertaining to spare parts manufactured and supplied by the OEM. It shall be ensured that the required spares are available for purchase at least for 10 years from date of supplies. In case due to any reasons the production of the spare parts is discontinued sufficient advance notice should be given to the buyer/consignee before such discontinuation to provide adequate time to purchase the required spare parts etc. Further, OEM and their service centres/dealers shall carry sufficient inventories to assure ex-stock supply of consumables and spares for the equipments so that the same are available.

 OEM or reseller shall always accord most favoured client status to the buyer/consignee and shall give the most competitive price for spares and consumables of its machines/equipments supplied.
- 9. Installation, Training, Manuals: Seller shall be responsible to carry out Installation & commissioning, Supervision and Demonstration of the goods. They shall provide required jigs and tools for assembly, minor civil works for the completion of the installation and Training of Consignee's representatives for operating and maintaining the equipment and supplying required number of operation & maintenance manual for the goods. In case the category parameters are specifying any requirements regarding the installations, training and manuals the same shall also be applicable.
- 10. Electrical safety checking: Sellers are required to make sure that they furnish the list of equipments for carrying out routine and preventive maintenance to buyer/consignee. They should make sure to periodically check the electrical safety aspects as per BIS Safety Standards or equivalent. In case they do not have required equipment for such testing should ensure that the equipments checked for electrical safety compliance through labs with facilities for such checking during every preventive maintenance call.
- 11. Software: All software updates should be provided free of cost during warranty period.
- 12. Any other Terms and Conditions which is not included or at variance with the conditions specified in STC/GTC, may be added by the buyer through Additional Terms and Conditions in the bid to ensure items are procured from authentic/validated source with appropriate and applicable quality. The above terms and conditions are in reverse order of precedence i.e. ATC shall supersede specific STC which shall supersede General Terms and Conditions ("GTC"), whenever there are any conflicting provisions.

2. General Terms and Conditions-

- 2.1 This contract is governed by the General Terms and Conditions, conditions stipulated to this Product/Service as provided in the Marketplace.
- 2.2 This Contract between the Seller and the Buyer, is for the supply of the Goods and/ or Services, detailed in the schedule above, in accordance with the General Terms and Conditions (GTC) unless otherwise superseded by Goods / Services specific Special Terms and Conditions (STC) and/ or BID/Reverse Auction Additional Terms and Conditions (ATC), as applicable

नोट: यह सिस्टम जनरेटेड फाइल है। कोई हस्ताक्षर की आवश्यकता नहीं है। इस दस्तावेज़ का प्रिट आउट भुगतान/लेनदेन उद्देश्य के लिए मान्य नहीं है।

Note: This is system generated file. No signature is required. Print out of this document is not valid for payment/ transaction purpose.