

अनुबंध | Contract



अनुबंध क्रमांक | Contract No: GEMC-511687751970599

अनुबंध तिथि | Generated Date : 30-Mar-2024

संगठन विवरण | Organisation Details

प्ररूप | Type : Central Government
मंत्रालय | Ministry : Ministry of Education
विभाग | Department : Department of School Education and Literacy
संगठन का नाम | Organisation Name : Navodaya Vidyalaya Samiti
कार्यालय क्षेत्र | Office Zone : NIZAMABAD

खरीदार विवरण | Buyer Details

पद | Designation : VICE PRINCIPAL
संपर्क नंबर | Contact No. : -
ईमेल आईडी | Email ID : vp.nizamabad@navodaya.nic.in
जीएसटीआईएन | GSTIN : -
पता | Address : JAWAHAR NAVODAYA VIDYALAYA, NIZAMSAGAR VILL AND
MANDAL NIZAMABAD DIST, TELNAGANA STATE-503302,
NIZAMABAD, TELANGANA-503302, India

वित्तीय स्वीकृति विवरण | Financial Approval Detail

आईएफडी सहमति | IFD Concurrence : No
प्रशासनिक अनुमोदन का पदनाम | PRINCIPAL JNV NIZAMSAGAR
Designation of Administrative Approval:
वित्तीय अनुमोदन का पदनाम | PRINCIPAL JNV NIZAMSAGAR
Designation of Financial Approval :

भुगतान प्राधिकरण विवरण | Paying Authority Details

Role: PAO
भुगतान का तरीका | Payment Mode: Offline
पद | Designation : OFFICE SUPERINTENDENT
ईमेल आईडी | Email ID : os.nizamabad@navodaya.nic.in
जीएसटीआईएन | GSTIN : -
पता | Address : JAWAHAR NAVODAYA VIDYALAYA, NIZAMSAGAR VILL AND
MANDAL NIZAMABAD DIST, TELNAGANA STATE-503302,
Nizamabad, TELANGANA-503302, India

विक्रेता विवरण | Seller Details

जेम विक्रेता आईडी | GeM Seller ID : 649F180000416977
कंपनी का नाम | Company Name : OBEL SYSTEMS PRIVATE LIMITED
संपर्क नंबर | Contact No. : 08008099009
ईमेल आईडी | Email ID : mahesh@obelindia.com
पता | Address : 7,GROUND FLOOR, JAYA MANSION,S.D. ROAD,
SECUNDERABAD, Telangana-500003, -
एमएसएमई पंजीकरण संख्या | MSME Registration number : UDYAM-TS-02-0016975
एमएसई सामाजिक श्रेणी | MSE Social Category : OBC
एमएसई लिंग श्रेणी | MSE Gender : Male
जीएसटीआईएन | GSTIN: 36AAACO3677J1Z5

*जिसके नाम के पक्ष में GST/TAX इनवॉइस पेश किया जाएगा | GST / Tax invoice to be raised in the name of - Buyer

वितरण निर्देश | Delivery Instructions : NA

उत्पाद विवरण | Product Details

#	आइटम विवरण Item Description	आइटम विवरण Ordered Quantity	इकाई Unit	इकाई मूल्य (INR) Unit Price (INR)	कर विभाजन (INR) Tax Bifurcation (INR)	मूल्य (INR में सभी शुक्र और कर सहित) Price (Inclusive of all Duties and Taxes in INR)
1	उत्पाद का नाम Product Name : D-Link 2MP BULLET CAMERA ब्रांड Brand : D-Link ब्रांड प्रकार Brand Type : Registered Brand कैटलॉग की स्थिति Catalogue Status: OEM verified catalogue केसे बेचा जा रहा है Selling As : OEM verified Reseller श्रेणी का नाम और चतुर्भांग Category Name & Quadrant : Camera for CCTV System (Q2) मॉडल Model: DCS-F5712-L1 एचएसएन कोड HSN Code: HSN not specified by seller	6	pieces	2,800	NA	16,800
कुल और मूल्य Total Order Value (in INR)						16,800

परेषिती विवरण | Consignee Detail

क्र.सं. S.No	परेषिती Consignee	वस्तु Item	लॉट नंबर Lot No.	मात्रा Quantity	दिनांक के बाद डिलीवरी शुरू करना है Delivery Start After	वितरण पूरा कब तक करना है Delivery To Be Completed By
	पद Designation : STORE KEEPER ईमेल आईडी Email ID : sk.nizamabad@navodaya.nic.in संपर्क Contact : -					

1	जीएसटीआईएन GSTIN :- पता Address : JAWAHAR NAVODAYA VIDYALAYA, NIZAMSAGAR VILL AND MANDAL NIZAMABAD DIST, TELNAGANA STATE-503302, NIZAMABAD, TELANGANA-503302, India	D-Link 2MP BULLET CAMERA	-	6	30-Mar-2024	14-Apr-2024
Product Specification for D-Link 2MP BULLET CAMERA						
विवरण Specification		उप-विवरण Sub-Spec	मूल्य Value			
IMAGE SENSOR	Image Sensor Type		CMOS			
	Image Sensor Size		0.34 inch			
	Camera Image Sensing capacity (Picture Mode)		2MP			
	Resolution		D1 (704 x 480 Pixel),HD (1280 x 720 Pixel),Full HD (1920 x 1080 Pixel),720P (1280 x 720),D1,CIF,704 x 576,640 x 480			
	Day/Night Capable		Yes			
	IR illumination Range(mtr)		30			
CAMERA TYPE	Type of Camera Housing		BULLET CAMERA			
	IP Camera		Yes			
	PTZ Camera		No			
OPTICS	Lens Type		Fixed			
	Focal Length(mm)		3.6			
	Iris Control		Fixed iris			
	Focus Mode		Auto			
VIDEO	Frame Rate (fps)		25			
	Video Compression		H.264,H.265			
	Video Streaming		Dual compressed stream			
PAN / TILT / ZOOM	Panning Range		NA			
	Pan Speed (deg/sec)		NA			
	Tilt Range below horizontal (deg)		NA			
	Tilt Range above horizontal (deg)		NA			
	Tilt Speed (deg/sec)		NA			
	Optical Zoom		NA			
Digital Zoom		16X				
AUDIO	Audio Support		Yes			
	Audio Compression		G.711			
	Audio Streaming		One-Way			
	Number of Audio Input Channel		NA			
	Number of Audio Output Channel		NA			
	External Microphone Support		No			
ALARM	Alarm Support		No			
	Number of Alarm Digital Input		NA			
	Number of Alarm Relay Output		NA			
	Pre/Post Alarm Buffer		No			
SECURITY	Multi Level User ID/Password		Yes			
	IP Address Filtering		Yes			
	Encrypted Data Transmission		HTTPS (SSL/TSL)			
PERFORMANCE	Minimum Illumination for Capturing Color Image		0.01 lux			
	Electronic Shutter Speed(sec)		1/50 to 1/10000			
	WDR (Wide Dynamic Range)		DWDR			
	SNR (Signal to Noise Ratio)		50-60			
	Auto Exposure		Auto Level Control			
	White Balance (Indoor/Out door/Manual Selectable)		Yes			
	Auto Gain Control (On/Off selectable)		Yes			

FEATURES	Back Light Compensation	Yes
	Remote Administration (Remote configuration and status using web based tool)	Yes
	Remote System Update Over Network	Yes
	PC Client (PC application client with a channel recording feature support)	Yes
	Web Client (Viewer through HTTP system configuration)	Yes
	On Screen Display in English	Yes
	ONVIF Support	(Profile S)
	Presets	0
	Group Touring	0
	Privacy Zones	4
NETWORK AND INTERFACE	Supported Protocols	UDP,DHCP,RTP,HTTP,SMTP,FTP,HTTPS,DNS,DDNS,RTSP,NTP,UPnP,TCP/IP,IPv4,IPv6
	IP Support	Static,Dynamic
	Signal Processing	Digital Signal Process
	IPv6 ready	No
	Wireless	No
	Simultaneous Connections	8
STORAGE	On Board SD Card Support	No
	SD Card Memory(GB)	NA
HOUSING	Installation Type	Indoor,Outdoor
	Material of the Housing construction	Plastic
	Protection	IP 66
	Vandal Resistant Housing	No
	If Yes, IK rating	NA
	Mounting bracket	Wall Mounted
	Weight	200 gram
POWER SUPPLY	Dimensions (mm x mm x mm)	166mm*67mm*66mm
	Power Input	12 V DC,PoE
	Power Consumption	12 Watt
	Suitable Adapter Shall be Supplied to Make the Equipment Work on 230 V (+/- 10 %), 50 Hz	NA
OPERATING CONDITIONS	Operating Temperature Range	- 30 to +65 deg C
	Relative Humidity Non Condensing (%)	95
WARRANTY / SERVICES	Warranty	2 year
	Time for Replacement of Defective Product During Warranty Period	72 hour
	Supply of Compatible drivers and software included	No
ENVIRONMENTAL / CERTIFICATION	Availability of facility & infrastructure for verification of all parameters, features, and capability with Seller	No
	Availability of facility to test signal to noise ratio of camera at 0-01 lux	No
	Conformity to Dry Heat test at 55 degree C for 16 hours as per IS :9000 latest	No
	Conformity to Damp heat at 40 degree C - 95% RH (cyclic test): two cycles of 16+8 hours as per IS: 9000 latest	No
	Conformity to Cold test at -10 / -20 degree C for 4 hours as per IS: 9000 latest, as applicable	No
	BIS Registration for safety general requirements as per IS 13252 (Part 1):latest	Yes
	Availability of Type Test Report from Central Govt /NABL/ILAC accredited lab to prove conformity to specification	No
	Test Report Number and Date	MTL/2K23/0078

Name and Address of Test Lab	Matrix
Certification	BIS

ईपीबीजी विवरण | ePBG Detail

NA

नियम और शर्तें| Terms and Conditions

1. General Terms and Conditions-

1.1 This contract is governed by the [General Terms and Conditions](#), conditions stipulated to this Product/Service as provided in the Marketplace.

1.2 This Contract between the Seller and the Buyer, is for the supply of the Goods and/ or Services, detailed in the schedule above, in accordance with the General Terms and Conditions (GTC) unless otherwise superseded by Goods / Services specific Special Terms and Conditions (STC) and/ or BID/Reverse Auction Additional Terms and Conditions (ATC), as applicable

नोट: यह सिस्टम जनरेटेड फाइल है। कोई हस्ताक्षर की आवश्यकता नहीं है। इस दस्तावेज़ का प्रिंट आउट भुगतान/लेनदेन उद्देश्य के लिए मान्य नहीं है।

Note: This is system generated file. No signature is required. Print out of this document is not valid for payment/ transaction purpose.