

अनुबंध | Contract



अनुबंध क्रमांक | Contract No: GEMC-511687799379393

अनुबंध तिथि | Generated Date : 31-Mar-2024

संगठन विवरण Organisation Details	खरीदार विवरण Buyer Details
प्ररूप Type : State Government मंत्रालय Ministry : - विभाग Department : Vocational Education and Skill Development Department Uttar Pradesh संगठन का नाम Organisation Name : Directorate of Training And employment, Lucknow कार्यालय क्षेत्र Office Zone: Hardoi	पद Designation : Store Keeper संपर्क नंबर Contact No. : - ईमेल आईडी Email ID : bycon1.iti.biligram@gembuyer.in जीएसटीआईएन GSTIN : - पता Address : Govt ITI Bilgram Hardoi, HARDOI, UTTAR PRADESH-241301, India

वित्तीय स्वीकृति विवरण Financial Approval Detail	भुगतान प्राधिकरण विवरण Paying Authority Details
आईएफडी सहमति IFD Concurrence : No प्रशासनिक अनुमोदन का पदनाम Designation of Administrative Approval: PRINCIPAL वित्तीय अनुमोदन का पदनाम Designation of Financial Approval : accountant	Role: PAO भुगतान का तरीका Payment Mode: Offline पद Designation : sunil kumar verma ईमेल आईडी Email ID : s.verma85006@gov.in जीएसटीआईएन GSTIN : - पता Address: Lucknow Chungi Hardoi, Hardoi, UTTAR PRADESH-241001, India

विक्रेता विवरण Seller Details
जेम विक्रेता आईडी GeM Seller ID : YE96210003696890 कंपनी का नाम Company Name : M/S JS ENTERPRISES संपर्क नंबर Contact No. : 07599367316 ईमेल आईडी Email ID : saxenasaurabh777@gmail.com पता Address : H NO 10,Saurabh Saxena,Ramnath Colony,CIVIL LINES, Rampur, UTTAR PRADESH-244901, - एमएसएमई पंजीकरण संख्या MSME Registration number : UDYAM-UP-63-0018346 एमएसई सामाजिक श्रेणी MSE Social Category : General एमएसई लिंग श्रेणी MSE Gender : Male जीएसटीआईएन GSTIN: 09FLDPS6702J1ZO

*जिसके नाम के पक्ष में GST/TAX इनवाइस पेश किया जाएगा | GST / Tax invoice to be raised in the name of - Consignee

वितरण निर्देश | Delivery Instructions : NA

उत्पाद विवरण Product Details						
#	आइटम विवरण Item Description	आइटम विवरण Ordered Quantity	इकाई Unit	इकाई मूल्य (INR) Unit Price (INR)	कर विभाजन (INR) Tax Bifurcation (INR)	मूल्य (INR में सभी शुल्क और कर सहित) Price (Inclusive of all Duties and Taxes in INR)
1	उत्पाद का नाम Product Name : Unbranded Polycrystalline Off-Grid Solar Photovoltaic (PV) power plant, Capacity 1 kVA ब्रांड Brand : NA ब्रांड प्रकार Brand Type : Unbranded कैटलॉग की स्थिति Catalogue Status : Catalogue not verified by OEM कैसे बेचा जा रहा है Selling As : Reseller not verified by OEM श्रेणी का नाम और चतुर्थांश Category Name & Quadrant : Off - Grid Solar Photovoltaic (PV) Power Plant (Q3) मॉडल Model: 0.7 kVA Solar Off Grid Power Plant एचएसएन कोड HSN Code: HSN not specified by seller	1	pieces	99,970	NA	99,970
कुल ऑर्डर मूल्य Total Order Value (in INR)						99,970

परोक्षी विवरण Consignee Detail						
क्र.सं. S.No	परोक्षी Consignee	वस्तु Item	लॉट नंबर Lot No.	मात्रा Quantity	दिलोक के बाद डिलीवरी शुरू करना है Delivery Start After	वितरण पूरा कब तक करना है Delivery To Be Completed By
	पद Designation : Store Keeper ईमेल आईडी Email ID : bycon1.iti.biligram@gembuyer.in	Unbranded				

1	संपर्क Contact : - जीएसटीआईएन GSTIN : - पता Address : Govt ITI Bilgram Hardoi, HARDOI, UTTAR PRADESH-241301, India	Polycrystalline Off-Grid Solar Photovoltaic (PV) power plant, Capacity 1 kVA	-	1	31-Mar-2024	15-Apr-2024
---	---	---	---	---	-------------	-------------

Product Specification for Unbranded Polycrystalline Off-Grid Solar Photovoltaic (PV) power plant, Capacity 1 kVA

विनिर्देश Specification	उप-विनिर्देश Sub-Spec	मूल्य Value
PV Module	Module glass air withstand capacity (km/hrs)	>=200km/hr
	Type of Solar Module	Polycrystalline
	Additional features	PID Resistance Technology,Multi-Layer EVA Encapsulation
	Rated power of each PV module used	335W
	Module conformity to specification	IEC 61215 Ed2,IEC 61701,IEC 61730 -1,IEC 61730-2
	Module linear power output degrading warranty	25 year
	Zero negative power tolerance	Yes
	Module frame material	anodised aluminium alloy frame
	Junction box Protection class	IP67
	open circuit voltage	42 Volt
	Marking on PV module	Name of manufacturer,month & year of manufacturing,Peak Power,Im,Vm,Fill factor,Serial no.,Model number
	Module efficiency	>=15%
	Module product warranty	25 year
	Power Conditioning Unit (PCU)	Power factor for lead
Charger technology		MPPT
Warranty of PCU		24 month
Electrical protections		Under/over voltage protection at input & output of battery,Reverse polarity protection for array & battery,Output overload protection,Short circuit protection,Over temperature protection
Output phase		Single
Charging stages		Boost,Absorption,Float
Output waveform type		Pure Sine Wave
Rated Output Voltage (AC)		230 Volt
Rated Power (kVA)		1.5
Conformity to specification		IEC 61683,IEC 60068,IEC 60529
Controller		32 bit DSP controller
Automatic changeover between solar & AC mains provided		Yes
Efficiency at STP for linear loading		>=90%
Protection class		IP20
Rated Frequency		50 Hertz
Input Phase		Single
Maximum operating ambient temperature		50 degree Celsius
Switching device		IGBT
Nominal battery DC system voltage	12 Volt	
Display parameter	Array voltage,Array current,Array power,Battery voltage,Battery current,Grid Voltage,Output. Day kWh,Date,Time	
Power factor for lag	>=0.9	
Module Mounting Structure	Material of all nuts, bolts & factners etc	Stainless steel
	Adjacent Module air gap	30 millimeter
	Mounting structure wind withstand ability	>=150km/hr
	Weather proof Junction box provided for connections	Yes
	Module tilt angle	15 degree
	Type	Galvanised module mounting structures(MMS)

	Thickness(micron)	>=80
Generic	Component	Balance of System (BOS) Items/Components,Module Mounting Structure,Battery Rack/Trolley,Electrical Connections,DC MCB/DC Distribution Box,AC DISTRIBUTION BOARD (ACDB),Earthing & Lightning Protection
	Additional features to be specified	NA
	capacity of power plant (kVA)	1
Battery specifications	Suitable battery stand/size with roller provided	Yes
	Acid level indicator provided	Yes
	Battery voltage	12 Volt
	Battery warranty	2 year
	No of battery	1
	Battery type	Lithium Ferro phosphate (Lifepo4)
	Battery capacity (Ah)	100
	Carrying handle	Yes
	Terminal cover provided	Yes
BOS items	Switches/Circuit breaker/connector with SPD as per	IEC 529,SPD as per IEC 61643-11/12,IEC 60947,IS 60947
	PVC insulated cable for working voltage and UV protected for outer installation as per	TUV,IEC 60228,IS 694,IS 1554
	Protection class of Junction box/enclosure box	IP 55,IP 65
	Earthing & Lighting protection as per	IEC- 62561-7
Certifications and Standards	ISO certification number and date	QCAS-SIPL-21-015481
	Copies of reports and certifications to be furnished to buyer on demand at time of supplies	Yes
	Manufacturer should be ISO certified	Yes
<p>टिप्पणी Note:: Seller has given an undertaking that it has made arrangements for getting the stores from an authorized distributor / dealer / channel partner of the OEM of the offered product. At the time of delivery of goods, Seller will provide necessary chain documents (in the form of GST Invoice) to prove that the supplied goods are genuine and are being sourced from an authorized distributor / dealer / channel partner of the OEM. In case of any complaint about genuineness of the supplied products, Seller shall be responsible for providing genuine replacement supplies.</p>		
<p>ईपीबीजी विवरण ePBG Detail</p>		
<p>NA</p>		
<p>नियम और शर्तें Terms and Conditions</p>		
<p>1. General Terms and Conditions-</p> <p>1.1 This contract is governed by the General Terms and Conditions, conditions stipulated to this Product/Service as provided in the Marketplace.</p> <p>1.2 This Contract between the Seller and the Buyer, is for the supply of the Goods and/ or Services, detailed in the schedule above, in accordance with the General Terms and Conditions (GTC) unless otherwise superseded by Goods / Services specific Special Terms and Conditions (STC) and/ or BID/Reverse Auction Additional Terms and Conditions (ATC), as applicable</p>		
<p>नोट: यह सिस्टम जनरेटेड फाइल है। कोई हस्ताक्षर की आवश्यकता नहीं है। इस दस्तावेज़ का प्रिंट आउट भुगतान/लेनदेन उद्देश्य के लिए मान्य नहीं है।</p> <p>Note: This is system generated file. No signature is required. Print out of this document is not valid for payment/ transaction purpose.</p>		