

## अनुबंध | Contract



अनुबंध क्रमांक | Contract No: GEMC-511687757304587

अनुबंध तिथि | Generated Date : 01-Apr-2024

बोली/आरए/पीबीपी संख्या | Bid/RA/PBP No.: [GEM/2023/B/4143035](#)

संगठन विवरण   Organisation Details	खरीदार विवरण   Buyer Details
प्रकार   Type : Central Autonomous मंत्रालय   Ministry : Ministry of Health and Family Welfare विभाग   Department : Department of Health and Family Welfare संगठन का नाम   Organisation Name : All India Institute of Medical Sciences (AIIMS) कार्यालय क्षेत्र   Office Zone: Jodhpur	पद   Designation : Assistant Engineer संपर्क नंबर   Contact No. : 0291-2740741- ईमेल आईडी   Email ID : buycon72.aiimsa.rj@gembuyer.in जीएसटीआईएन   GSTIN : - पता   Address : AIIMS Basani Industrial Area, Phase II Jodhpur, JODHPUR, RAJASTHAN-342005, India

वित्तीय स्वीकृति विवरण   Financial Approval Detail	भुगतान प्राधिकरण विवरण   Paying Authority Details
आईएफडी सहमति   IFD Concurrence : No प्रशासनिक अनुमोदन का पदनाम   Designation of Administrative Approval: Executive Director वित्तीय अनुमोदन का पदनाम   Designation of Financial Approval: Executive Director	Role: PAO भुगतान का तरीका   Payment Mode: Offline पद   Designation : Accounts Officer ईमेल आईडी   Email ID : pao22.aiims.jodhpur@gembuyer.in जीएसटीआईएन   GSTIN : - पता   Address: AIIMS Basani Industrial Area, Phase II Jodhpur, JODHPUR CITY, RAJASTHAN-342005, India

विक्रेता विवरण   Seller Details
जेम विक्रेता आईडी   GeM Seller ID : D85E18000092338 कंपनी का नाम   Company Name : KANADIA FYR FYTER PRIVATE LIMITED संपर्क नंबर   Contact No. : 09925907299 ईमेल आईडी   Email ID : MARKETING2@KANEXFIRE.COM पता   Address : 7,PARAS INDUSTRIAL ESTATE,NR. GARIBSHAPIR,SIHOR, Bhavnagar, GUJARAT-364240, - एमआईआई स्थिति   MII Status : True एमएसएमई सत्यापित   MSME verified : Yes एमएसएमई पंजीकरण संख्या   MSME Registration number : UDYAM-GJ-05-0000619 एमएसएमई सामाजिक श्रेणी   MSE Social Category : General एमएसएमई लिंग श्रेणी   MSE Gender : Male जीएसटीआईएन   GSTIN: 24AACCK4417C1Z3

\*जिसके नाम के पक्ष में GST/TAX इनवॉइस पेश किया जाएगा | GST / Tax invoice to be raised in the name of - Buyer

वितरण निर्देश | Delivery Instructions : As per GeM Bid document

#	आइटम विवरण   Item Description	आइटम विवरण   Ordered Quantity	इकाई   Unit	इकाई मूल्य (INR)   Unit Price (INR)	कर विभाजन (INR)   Tax Bifurcation (INR)	मूल्य (INR में सभी शुल्क और कर सहित)   Price (Inclusive of all Duties and Taxes in INR)
1	उत्पाद का नाम   Product Name : KANEX Portable Fire Extinguishers as per IS 15683 (2018) Low Pressure Extinguisher (Service Pressure $\leq$ 19 bar) Powder Based (as per IS 4308 ) Class -A ब्रांड   Brand : KANEX ब्रांड प्रकार   Brand Type : Registered Brand कैटलॉग की स्थिति   Catalogue Status: OEM verified catalogue कैसे बेचा जा रहा है   Selling As : OEM श्रेणी का नाम और चतुर्थांश   Category Name & Quadrant : Portable Fire Extinguishers (V2) as per IS 15683:2018 (Q2) मॉडल   Model: : KFAQ-6-90% एचएसएन कोड   HSN Code: 84241000	500	pieces	2,773	NA	1,386,500
कुल ऑर्डर मूल्य   Total Order Value (in INR)						1,386,500

परोक्षी विवरण   Consignee Detail						
क्र.सं.   S.No	परोक्षी   Consignee	वस्तु   Item	लॉट नंबर   Lot No.	मात्रा   Quantity	दिनांक के बाद डिलीवरी शुरू करना है   Delivery Start After	वितरण पूरा कब तक करना है   Delivery To Be Completed By

1	पद   Designation : - ईमेल आईडी   Email ID : buycon72.aiimsa.rj@gembuyer.in संपर्क   Contact : 0291-2740741- जीएसटीआईएन   GSTIN : - पता   Address : AIIMS Basani Industrial Area, Phase II Jodhpur, JODHPUR, RAJASTHAN-342005, India	KANEX Portable Fire Extinguishers as per IS 15683 (2018) Low Pressure Extinguisher (Service Pressure $\leq$ 19 bar) Powder Based (as per IS 4308 ) Class -A	-	500	01-Apr-2024	16-Apr-2024
---	--	---	---	-----	-------------	-------------

**Product Specification for KANEX Portable Fire Extinguishers as per IS 15683 (2018) Low Pressure Extinguisher (Service Pressure  $\leq$ 19 bar) Powder Based (as per IS 4308 ) Class -A**

विनिर्देश   Specification	उप-विनिर्देश   Sub-Spec	मूल्य   Value
Generic	Conformity to Standard	IS: 15683: 2018 (Latest amendments)
	Type	Stored Pressure
	Extinguishing Media	Powder Based (as per IS 4308 )
	Expellant Medium	N2 Based (Stored Pressure)
Constructional Material	Type of Extinguisher	Low Pressure Extinguisher (Service Pressure $\leq$ 19 bar)
	Material Specification for the body of High Pressure Extinguisher	NA
	Material Specification for the body of Low Pressure Extinguisher	Welded low carbon steel cylinders (as per Clause 9.2.5 of IS 15683)
Construction	Foam Based Extinguishing Media	NA
	Powder Based Extinguishing Media	ABC
	Type of Clean Agent for Clean Agent Based Fire Extinguisher (as per CL 5-1-3)	NA
	Name of Clean Agent as per (CL 5-1-3)	NA
	Foam Based Fire Extinguisher Capacity in Liters	NA
	Powder Based Fire Extinguisher Capacity in Kg	6
	Carbon Dioxide Based Fire Extinguisher Capacity in Kg	NA
	Water Based Fire Extinguisher Capacity in Liters	NA
	Clean Agents Fire Extinguisher Capacity in Kg	NA
	Water Mist Fire Extinguisher Capacity in Liters	NA
	Weight of Filled Portable Fire Extinguisher	8.9 kilogram
	Features of Fire Extinguisher	Carrying Handle (Mandatory If Extinguisher having mass $\geq$ 1.5Kg or Cylinder diameter,Safety Devices (Mandatory for High Pressure Extinguisher),Rechargeable,Hose Assemblies (Mandatory If mass or volume of Extinguishing medium > 3 Kg or Litres)
	Marking	As per clause 10.2 of IS 15683 (latest)
	Colour Coding Band (As per CL 10-1)	Blue (Powder)
	Pressure Gauge Range for Low-Pressure Extinguishers	15 bar
Class of fire for which Fire Extinguisher is suitable	Class -A	
Performance	Operating Temperature ( $^{\circ}$ C)	-30 $^{\circ}$ C to +60 $^{\circ}$ C
	Test Pressure for all Fire extinguisher except CO2	35 bar
	Burst Pressure for all Fire extinguisher except CO2	55 bar
	Minimum Effective discharge time for Fire Extinguisher	8 second
	Fire Rating of different class of fires	144B
	Discharge Range of Class-A and Class-B Fire Extinguisher (As per table 1 of CL 7-2-2) (Hint : $\geq$ 2 in case applicable on Class-A or Class A & B both / $\geq$ 1 in case applicable on Class-B only)	5 meter
Certification	BIS Marking	Yes
	CM/L No With Validity Period	3802657 31.03.2024
	Availability of Test Report from Central Govt/NABL/ILAC accredited lab to prove conformity to specification	Availability of Test Report from NABL accredited Laboratory
	Test Report No	1417
	Test Report Date	24.05.2019
	Name of the lab	AFTRL

	Address of the lab	MANGOLPURI, DELHI
	Agreed to furnish all the test reports and certificates to buyer on demand	Yes
ज्यादा का बीआईएस लाइसेंस   BIS license of the product: 3802657		
<b>खरीदार परिभाषित अतिरिक्त विशिष्टता के लिए   Buyer Defined Additional Specification for KANEX Portable Fire Extinguishers as per IS 15683 (2018) Low Pressure Extinguisher (Service Pressure <math>\leq</math>19 bar) Powder Based (as per IS 4308 ) Class -A</b>		
<b>विनिर्देश   Specification</b>	<b>मूल्य   Value</b>	
Type of Fire Extinguisher:	ABC Powder type Fire Extinguisher capable of fighting class A,B,C & Electrical fires having minimum MAP 90% powder concentration	
Product includes following:	1) CE marked forged brass valve having pressure relief device & NRV for pressure gauge port; 2) Squeeze lever discharge valve fitted with pressure gauge; 3) 30 cm long high pressure discharge hose; 4) Discharge nozzle; 5) Suitable suspension bracket; 6) OEM test reports & datasheet of the supplied material.	
IS Standards	IS:14609 (Latest amendments) IS:15683 (Latest amendments) IS:13849 (Latest amendments) IS:14308 (Latest amendments) and all other relevant standards as applicable	
Warranty	Standard 01 year on-site / carry-in warranty.	
MAKE:	MINIMAX/KANEX/CEASEFIRE/TYCO	
<b>ईपीबीजी विवरण   ePBG Detail</b>		
सलाहकार बैंक   Advisory Bank :	Bank Of Baroda	
ईपीबीजी प्रतिशत (%)   ePBG Percentage(%):	3.00	
बोली लगाने वाले को बोली के नियमों और शर्तों के अनुसार लागू ईपीबीजी प्रस्तुत करना होगा   The bidder shall furnish ePBG as applicable as per bid's terms and conditions		
<b>नियम और शर्तें   Terms and Conditions</b>		
<b>1. General Terms and Conditions-</b>		
1.1 This contract is governed by the <a href="#">General Terms and Conditions</a> , conditions stipulated to this Product/Service as provided in the Marketplace.		
1.2 This Contract between the Seller and the Buyer, is for the supply of the Goods and/ or Services, detailed in the schedule above, in accordance with the General Terms and Conditions (GTC) unless otherwise superseded by Goods / Services specific Special Terms and Conditions (STC) and/ or BID/Reverse Auction Additional Terms and Conditions (ATC), as applicable		
<b>2. Buyer Added Bid Specific Terms and Conditions-</b>		
2.1 If the agency is registered under MSME or NSIC, then EMD exemption certificate needs to be enclosed.		
<b>2.2 Generic</b>		
Data Sheet of the product(s) offered in the bid, are to be uploaded along with the bid documents. Buyers can match and verify the Data Sheet with the product specifications offered. In case of any unexplained mismatch of technical parameters, the bid is liable for rejection.		
<b>2.3 Generic</b>		
Bidders are advised to check applicable GST on their own before quoting. Buyer will not take any responsibility in this regards. GST reimbursement will be as per actuals or as per applicable rates (whichever is lower), subject to the maximum of quoted GST %.		
<b>2.4 Generic</b>		
While generating invoice in GeM portal, the seller must upload scanned copy of GST invoice and the screenshot of GST portal confirming payment of GST.		
<b>2.5 Certificates:</b>		
Bidder's offer is liable to be rejected if they don't upload any of the certificates / documents sought in the Bid document, ATC and Corrigendum if any.		
<b>2.6 Certificates:</b>		
The bidder is required to upload, along with the bid, all relevant certificates such as BIS licence, type test certificate, approval certificates and other certificates as prescribed in the Product Specification given in the bid document.		
<b>2.7 Warranty:</b>		
Timely Servicing / rectification of defects during warranty period: After having been notified of the defects / service requirement during warranty period, Seller has to complete the required Service / Rectification within 7 days time limit. If the Seller fails to complete service / rectification with defined time limit, a penalty of 0.5% of Unit Price of the product shall be charged as penalty for each week of delay from the seller. Seller can deposit the penalty with the Buyer directly else the Buyer shall have a right to recover all such penalty amount from the Performance Security (PBG).Cumulative Penalty cannot exceed more than 10% of the total contract value after which the Buyer shall have the right to get the service / rectification done from alternate sources at the risk and cost of the Seller besides forfeiture of PBG. Seller shall be liable to re-imburse the cost of such service / rectification to the Buyer.		
<b>2.8 Buyer Added Bid Specific ATC:</b>		
Buyer uploaded ATC document <a href="#">Click here to view the file</a> .		
नोट: यह सिस्टम जनरेटेड फाइल है। कोई हस्ताक्षर की आवश्यकता नहीं है। इस दस्तावेज़ का प्रिंट आउट भुगतान/लेनदेन उद्देश्य के लिए मान्य नहीं है।		

Note: This is system generated file. No signature is required. Print out of this document is not valid for payment/ transaction purpose.