

अनुबंध | Contract



अनुबंध क्रमांक | Contract No: GEMC-511687714631576

अनुबंध तिथि | Generated Date : 02-Apr-2024

बोली/आरए/पीबीपी संख्या | Bid/RA/PBP No.: [GEM/2024/B/4753494](#)

अनुसूची नाम | Schedule Name: Schedule 2, Schedule 1, Schedule 7, Schedule 3, Schedule 4, Schedule 9, Schedule 5, Schedule 6, Schedule 8

संगठन विवरण Organisation Details	खरीदार विवरण Buyer Details
प्ररूप Type : State Government	पद Designation : PRINCIPAL
मंत्रालय Ministry : -	संपर्क नंबर Contact No. : -
विभाग Department : Skill Development and Entrepreneurship Department	ईमेल आईडी Email ID : iti.patur@dvet.gov.in
संगठन का नाम Organisation Name : Director of Vocational Education and Training	जीएसटीआईएन GSTIN : -
कार्यालय क्षेत्र Office Zone: DVET Head Office	पता Address : Patur, Near MIDC, Patur 444501, AKOLA, MAHARASHTRA-444501, India

वित्तीय स्वीकृति विवरण Financial Approval Detail	भुगतान प्राधिकरण विवरण Paying Authority Details
आईएफडी सहमति IFD Concurrence : No	Role: BUYER
प्रशासनिक अनुमोदन का पदनाम Designation of Administrative Approval: Principal/Secretary	भुगतान का तरीका Payment Mode: Offline
वित्तीय अनुमोदन का पदनाम Designation of Financial Approval: Principal/Secretary	पद Designation : PRINCIPAL
	ईमेल आईडी Email ID : iti.patur@dvet.gov.in
	जीएसटीआईएन GSTIN : -
	पता Address: Patur, Near MIDC, Patur 444501, Akola, MAHARASHTRA-444501, India

विक्रेता विवरण Seller Details	
जेम विक्रेता आईडी GeM Seller ID :	21DA180000109031
कंपनी का नाम Company Name :	Shree Ganesh Trading Corporation
संपर्क नंबर Contact No. :	09822222533
ईमेल आईडी Email ID :	shreeganeshtrading06@yahoo.com
पता Address :	Chandak house, Adarsha Colony, Behind Matrubhumi press, Akola, Akola, MAHARASHTRA-444001, -
एमएसएमई पंजीकरण संख्या MSME Registration number :	-
जीएसटीआईएन GSTIN:	27AEEPC3947G1ZN

*जिसके नाम के पक्ष में GST/TAX इनवॉइस पेश किया जाएगा | GST / Tax invoice to be raised in the name of - Consignee

वितरण निर्देश | Delivery Instructions : According to the specification required

उत्पाद विवरण Product Details						
#	आइटम विवरण Item Description	आइटम विवरण Ordered Quantity	इकाई Unit	इकाई मूल्य (INR) Unit Price (INR)	कर विभाजन (INR) Tax Bifurcation (INR)	मूल्य (INR में सभी शुल्क और कर सहित) Price (Inclusive of all Duties and Taxes in INR)
1	<p>उत्पाद का नाम Product Name : Unbranded 2 Pole Squirrel Cage Induction Motor, Foot Mounted 0.415 kv Voltage</p> <p>ब्रांड Brand : NA</p> <p>ब्रांड प्रकार Brand Type : Unbranded</p> <p>कैटलॉग की स्थिति Catalogue Status: Catalogue not verified by OEM</p> <p>कैसे बेचा जा रहा है Selling As : Reseller not verified by OEM</p> <p>श्रेणी का नाम और चतुर्थांश Category Name & Quadrant : Squirrel Cage Induction Motor, Foot Mounted as per IS:325 (Q3)</p> <p>मॉडल Model: "AC Squirrel Cage Motor with star delta starter an</p> <p>एचएसएन कोड HSN Code: HSN not specified by seller</p>	1	pieces	38,700	NA	38,700
2	<p>उत्पाद का नाम Product Name : Unbranded Copper IE2 Foot Mounting Induction Motor</p> <p>ब्रांड Brand : NA</p> <p>ब्रांड प्रकार Brand Type : Unbranded</p> <p>कैटलॉग की स्थिति Catalogue Status: Catalogue not verified by OEM</p> <p>कैसे बेचा जा रहा है Selling As : Reseller not verified by OEM</p> <p>श्रेणी का नाम और चतुर्थांश Category Name & Quadrant : Induction Motor as per IS 12615, IS 325 (Q3)</p> <p>मॉडल Model: AC SERIES TYPE MOTOR</p> <p>एचएसएन कोड HSN Code: HSN not specified by seller</p>	1	pieces	39,500	NA	39,500
3	<p>उत्पाद का नाम Product Name : BHARAT BIJLEE Copper IE3 Flange Mounting Induction Motor</p> <p>ब्रांड Brand : BHARAT BIJLEE</p> <p>ब्रांड प्रकार Brand Type : Registered Brand</p> <p>कैटलॉग की स्थिति Catalogue Status: Catalogue not verified by OEM</p> <p>कैसे बेचा जा रहा है Selling As : Reseller not verified by OEM</p>	1	pieces	27,400	NA	27,400

	श्रेणी का नाम और चतुर्थांश Category Name & Quadrant : Induction Motor as per IS 12615, IS 325 (Q3) मॉडल Model: IE3 3 HP 1400 RPM 100L Flange Mounted एचएसएन कोड HSN Code: HSN not specified by seller					
4	उत्पाद का नाम Product Name : Unbranded Copper IE3 Foot Mounting Induction Motor ब्रांड Brand : NA ब्रांड प्रकार Brand Type : Unbranded कैटलॉग की स्थिति Catalogue Status: Catalogue not verified by OEM कैसे बेचा जा रहा है Selling As : Reseller not verified by OEM श्रेणी का नाम और चतुर्थांश Category Name & Quadrant : Induction Motor as per IS 12615, IS 325 (Q3) मॉडल Model: AC induction motor three phase IE3 Foot Mounting Induction Motor एचएसएन कोड HSN Code: HSN not specified by seller	1	pieces	153,800	NA	153,800
5	उत्पाद का नाम Product Name : Unbranded Copper IE2 Foot Mounting Induction Motor ब्रांड Brand : NA ब्रांड प्रकार Brand Type : Unbranded कैटलॉग की स्थिति Catalogue Status: Catalogue not verified by OEM कैसे बेचा जा रहा है Selling As : Reseller not verified by OEM श्रेणी का नाम और चतुर्थांश Category Name & Quadrant : Induction Motor as per IS 12615, IS 325 (Q3) मॉडल Model: 3HP 2 Pole Induction Motor एचएसएन कोड HSN Code: HSN not specified by seller	1	pieces	58,100	NA	58,100
6	उत्पाद का नाम Product Name : LABSKILL Copper IE3 Flange Mounting Induction Motor ब्रांड Brand : LABSKILL ब्रांड प्रकार Brand Type : Registered Brand कैटलॉग की स्थिति Catalogue Status: Catalogue not verified by OEM कैसे बेचा जा रहा है Selling As : Reseller not verified by OEM श्रेणी का नाम और चतुर्थांश Category Name & Quadrant : Induction Motor as per IS 12615, IS 325 (Q3) मॉडल Model: AC phase-wound slipring motor Stater 5Hp, एचएसएन कोड HSN Code: HSN not specified by seller	1	pieces	8,500	NA	8,500
7	उत्पाद का नाम Product Name : NEW BHARAT Copper IE3 Flange Mounting Induction Motor ब्रांड Brand : NEW BHARAT ब्रांड प्रकार Brand Type : Registered Brand कैटलॉग की स्थिति Catalogue Status: Catalogue not verified by OEM कैसे बेचा जा रहा है Selling As : Reseller not verified by OEM श्रेणी का नाम और चतुर्थांश Category Name & Quadrant : Induction Motor as per IS 12615, IS 325 (Q3) मॉडल Model: NBE/100/6PL एचएसएन कोड HSN Code: HSN not specified by seller	1	pieces	18,300	NA	18,300
8	उत्पाद का नाम Product Name : KRB Copper NA Foot Mounting Induction Motor ब्रांड Brand : KRB ब्रांड प्रकार Brand Type : Registered Brand कैटलॉग की स्थिति Catalogue Status: Catalogue not verified by OEM कैसे बेचा जा रहा है Selling As : Reseller not verified by OEM श्रेणी का नाम और चतुर्थांश Category Name & Quadrant : Induction Motor as per IS 12615, IS 325 (Q3) मॉडल Model: KRB DC305A एचएसएन कोड HSN Code: HSN not specified by seller	1	pieces	48,500	NA	48,500
9	उत्पाद का नाम Product Name : Unbranded Copper IE2 Foot Mounting Induction Motor ब्रांड Brand : NA ब्रांड प्रकार Brand Type : Unbranded कैटलॉग की स्थिति Catalogue Status: Catalogue not verified by OEM कैसे बेचा जा रहा है Selling As : Reseller not verified by OEM श्रेणी का नाम और चतुर्थांश Category Name & Quadrant : Induction Motor as per IS 12615, IS 325 (Q3) मॉडल Model: INDUCTION MOTOR 1000 RPM एचएसएन कोड HSN Code: HSN not specified by seller	1	pieces	18,600	NA	18,600
कुल ऑर्डर मूल्य Total Order Value (in INR)						411,400

परोक्षी विवरण | Consignee Detail

क्र.सं. S.No	परोक्षी Consignee	वस्तु Item	लॉट नंबर Lot No.	मात्रा Quantity	दिनांक के बाद डिलीवरी शुरू करना है Delivery Start After	वितरण पूरा कब तक करना है Delivery To Be Completed By
		Unbranded 2 Pole Squirrel Cage Induction Motor, Foot Mounted 0.415 kv Voltage	-	1	02-Apr-2024	17-Apr-2024
		Unbranded Copper IE2 Foot Mounting Induction Motor	-	1	02-Apr-2024	17-Apr-2024
		BHARAT BIJLEE Copper IE3 Flange Mounting Induction Motor	-	1	02-Apr-2024	17-Apr-2024
		Unbranded Copper IE3 Foot Mounting	-	1	02-Apr-2024	17-Apr-2024

1	<p>पद Designation :- ईमेल आईडी Email ID : iti.patur@dvet.gov.in संपर्क Contact :- जीएसटीआईएन GSTIN :- पता Address : Patur, Near MIDC, Patur 444501, AKOLA, MAHARASHTRA-444501, India</p>	Induction Motor				
		Unbranded Copper IE2 Foot Mounting Induction Motor	-	1	02-Apr-2024	17-Apr-2024
		LABSKILL Copper IE3 Flange Mounting Induction Motor	-	1	02-Apr-2024	17-Apr-2024
		NEW BHARAT Copper IE3 Flange Mounting Induction Motor	-	1	02-Apr-2024	17-Apr-2024
		KRB Copper NA Foot Mounting Induction Motor	-	1	02-Apr-2024	17-Apr-2024
		Unbranded Copper IE2 Foot Mounting Induction Motor	-	1	02-Apr-2024	17-Apr-2024

Product Specification for Unbranded 2 Pole Squirrel Cage Induction Motor, Foot Mounted 0.415 kv Voltage

विनिर्देश Specification	उप-विनिर्देश Sub-Spec	मूल्य Value
GENERIC	Conformity of the specification	IS:325:1996 latest
	Product ISI Marked	No
	BIS License number (CM/L Number) - Must declare (If NON ISI marked write NA)	NA
	No. of phase (in Nos.)	3
	Rated voltages (in KV)	0.415
	Tolerance of rated voltage	+/-6%
	Rated frequency (in Hz)	50 +/-3%
	No.of pole (in Nos.)	2
	Minimum rated output (in kW)	0.25
	Type of duty	S2-Short time duty
	Speed at rated out put (in rpm)	1500
	Insulation class	H
	Type of cooling	IC41
	Degree of protection for motor enclosure (as per IS/IEC:60034-5:2000 latest)	IP21
CONSTRUCTION	Type of construction	Horizontal shaft
	Designations of construction and mounting arrangements	B10
	Frame Material	Cast Iron
	Direction rotation	Clock wise
	Material of terminal box	Aluminium
	Terminal box position	Top
	Starting method	Direct on line
	Limits of vibration severity Grade	N (normal)
	Limits of Noise Level (in dB (A))	50
	Efficiency at rated output (in %)	>/=92
	Power factor at rated output (in %)	>/=80
	Altitude (in m)	Less than 1000 m
	Earthing of Motors in accordance with	IS:3043:1987 latest
DIMENSIONS	Frame Number (Ref. IS : 1231- 1974)	112 M
	Diameter of shaft extension, Nominal (in mm)	9
SERVICE CONDITION	Maximum ambient tempeprature (in deg. C)	50
	Minimum ambient tempeprature (in deg. C)	5
	Maximum relative humidity (in %)	100
	Environment	Moderate
	Test report for vibrationseverity of motor	No

Availability of Optional type test reports	Test report for for noise levels of motor	No
	Test for degree of protection by enclosure	No
	Test report for Temperature rise test at limiting values of voltage and frequency variation	No
	Test report for Over speed test	No
	Test report for insulation system	No
CERTIFICATIONS	Agreed to furnish Routine test report to the buyer / consignee on demand at the time of supply	Yes. Report as per Cl. 22.3.2 of IS:325:1996 latest
	Availability of Type test report from Central Government/NABL/ILAC accredited laoratory to prove conformity to the specification	Yes
	Test report number - Must declare	GM/2020/118
	Report date - Must declare	21-02-2020
	Name of lab - Must declare	GUJARAT METAL AND EQ
	Address of lab - Must declare	RAJKOT
	Agreed to furnish all the test rports and certificates to the buyer/consignee on demand	Yes

टिप्पणी | Note: Seller has given an undertaking that it has made arrangements for getting the stores from an authorized distributor / dealer / channel partner of the OEM of the offered product. At the time of delivery of goods, Seller will provide necessary chain documents (in the form of GST Invoice) to prove that the supplied goods are genuine and are being sourced from an authorized distributor / dealer / channel partner of the OEM. In case of any complaint about genuineness of the supplied products, Seller shall be responsible for providing genuine replacement supplies.

Product Specification for Unbranded Copper IE2 Foot Mounting Induction Motor

विनिर्देश Specification	उप-विनिर्देश Sub-Spec	मूल्य Value
Certification and standards	Conformity to Indian standard	IS12615:2011
	Certification	CE
	Conformity to Design standard	IEC 60034
General Specification	Case Design	NA
	Frequency	50 Hertz (+/- 5%)
	Frame Size	80 millimeter
	Winding	Copper
	Body Material	Cast Iron
	Weight	18 kilogram
	Protection Class	IP23
	Rated Voltage	220 Volts (+/- 10%)
	Mounting	Foot Mounting
	Enclosure	TEFC
	Phase	Single Phase
	Pole	2
	Rated Power Capacity	1 horsepower
	Speed in RPM	1440
	Rated Power	0.75 kiloWatt
Insulation Class	F Class	
Efficiency Class	IE2	
Max Operating Temperature	85 degree Celsius	
Dimensions	Height	150 millimeter
	Shaft Diameter	19 millimeter
	Width	150 millimeter
	Length	300 millimeter
Warranty	Warranty	3 year

टिप्पणी | Note: Seller has given an undertaking that it has made arrangements for getting the stores from an authorized distributor / dealer / channel partner of the OEM of the offered product. At the time of delivery of goods, Seller will provide necessary chain documents (in the form of GST Invoice) to prove that the supplied goods are genuine and are

being sourced from an authorized distributor / dealer / channel partner of the OEM. In case of any complaint about genuineness of the supplied products, Seller shall be responsible for providing genuine replacement supplies.

Product Specification for BHARAT BIJLEE Copper IE3 Flange Mounting Induction Motor

विनिर्देश Specification	उप-विनिर्देश Sub-Spec	मूल्य Value
Certification and standards	Conformity to Indian standard	IS 12615-2018
	Certification	CE,BIS,NABL,CPRI,ERDA TYPE TESTED
	Conformity to Design standard	IEC 60034,IEC 60072,IEC 60034-1
General Specification	Case Design	Squirrel Cage
	Frequency	50 Hertz (+/- 5%)
	Frame Size	100 millimeter
	Winding	Copper
	Body Material	Cast Iron
	Weight	24 kilogram
	Protection Class	IP55
	Rated Voltage	415 Volts (+/- 10%)
	Mounting	Flange Mounting
	Enclosure	TEFC
	Phase	Three Phase
	Pole	4
	Rated Power Capacity	3 horsepower
	Speed in RPM	1400
	Rated Power	2.2 kiloWatt
Insulation Class	F Class	
Efficiency Class	IE3	
Max Operating Temperature	50 degree Celsius	
Dimensions	Height	257 millimeter
	Shaft Diameter	28 millimeter
	Width	190 millimeter
	Length	366 millimeter
Warranty	Warranty	1 year

टिप्पणी | Note:: Seller has given an undertaking that it has made arrangements for getting the stores from an authorized distributor / dealer / channel partner of the OEM of the offered product. At the time of delivery of goods, Seller will provide necessary chain documents (in the form of GST Invoice) to prove that the supplied goods are genuine and are being sourced from an authorized distributor / dealer / channel partner of the OEM. In case of any complaint about genuineness of the supplied products, Seller shall be responsible for providing genuine replacement supplies.

Product Specification for Unbranded Copper IE3 Foot Mounting Induction Motor

विनिर्देश Specification	उप-विनिर्देश Sub-Spec	मूल्य Value
Certification and standards	Conformity to Indian standard	IS 325: 1996 or latest
	Certification	CE,BIS
	Conformity to Design standard	IEC 60034,IEC 60072,IEC 60034-1
	Case Design	Squirrel Cage
	Frequency	50 HZ
	Frame Size	90 millimeter
	Winding	Copper
	Body Material	Cast Iron
	Weight	35 kilogram
	Protection Class	IP21
	Rated Voltage	415 Volts (+/- 10%)

General Specification	Mounting	Foot Mounting
	Enclosure	Others
	Phase	Three Phase
	Pole	4
	Rated Power Capacity	2 horsepower
	Speed in RPM	1440
	Rated Power	1.5 kiloWatt
	Insulation Class	Type B
	Efficiency Class	IE3
	Max Operating Temperature	50 degree Celsius
	Dimensions	Height
Shaft Diameter		19 millimeter
Width		280 millimeter
Length		380 millimeter
Warranty	Warranty	1 year

टिप्पणी | Note: Seller has given an undertaking that it has made arrangements for getting the stores from an authorized distributor / dealer / channel partner of the OEM of the offered product. At the time of delivery of goods, Seller will provide necessary chain documents (in the form of GST Invoice) to prove that the supplied goods are genuine and are being sourced from an authorized distributor / dealer / channel partner of the OEM. In case of any complaint about genuineness of the supplied products, Seller shall be responsible for providing genuine replacement supplies.

Product Specification for Unbranded Copper IE2 Foot Mounting Induction Motor

विनिर्देश Specification	उप-विनिर्देश Sub-Spec	मूल्य Value
Certification and standards	Conformity to Indian standard	IS12615:2011
	Certification	CE,BIS,NA
	Conformity to Design standard	IEC 60034,IEC 60072
General Specification	Case Design	Squirrel Cage
	Frequency	50 Hertz (+/- 5%)
	Frame Size	90 millimeter
	Winding	Copper
	Body Material	Cast Iron
	Weight	17 kilogram
	Protection Class	IP23,IP44,IP21,IP55
	Rated Voltage	415 Volts (+/- 10%)
	Mounting	Foot Mounting
	Enclosure	TEFC
	Phase	Three Phase
	Pole	2
	Rated Power Capacity	3 horsepower
	Speed in RPM	2880
	Rated Power	2.2 kiloWatt
	Insulation Class	F Class
	Efficiency Class	IE2
Max Operating Temperature	50 degree Celsius	
Dimensions	Height	230 millimeter
	Shaft Diameter	24 millimeter
	Width	168 millimeter
	Length	327 millimeter
Warranty	Warranty	1 year

टिप्पणी | Note:: Seller has given an undertaking that it has made arrangements for getting the stores from an authorized distributor / dealer / channel partner of the OEM of the offered product. At the time of delivery of goods, Seller will provide necessary chain documents (in the form of GST Invoice) to prove that the supplied goods are genuine and are being sourced from an authorized distributor / dealer / channel partner of the OEM. In case of any complaint about genuineness of the supplied products, Seller shall be responsible for providing genuine replacement supplies.

Product Specification for LABSKILL Copper IE3 Flange Mounting Induction Motor

विनिर्देश Specification	उप-विनिर्देश Sub-Spec	मूल्य Value
Certification and standards	Conformity to Indian standard	IS 325: 1996 or latest
	Certification	BIS, NABL
	Conformity to Design standard	IEC 60034, IEC 60072, IEC 60034-1
General Specification	Case Design	Squirrel Cage
	Frequency	50 Hertz (+/- 5%)
	Frame Size	180 millimeter
	Winding	Copper
	Body Material	Cast Iron
	Weight	184 kilogram
	Protection Class	IP55
	Rated Voltage	415 Volts (+/- 10%)
	Mounting	Flange Mounting
	Enclosure	TEFC
	Phase	Three Phase
	Pole	4
	Rated Power Capacity	30 horsepower
	Speed in RPM	1500
	Rated Power	22 kiloWatt
Insulation Class	F Class	
Efficiency Class	IE3	
Max Operating Temperature	70 degree Celsius	
Dimensions	Height	430 millimeter
	Shaft Diameter	48 millimeter
	Width	560 millimeter
	Length	715 millimeter
Warranty	Warranty	1 year

टिप्पणी | Note:: Seller has given an undertaking that it has made arrangements for getting the stores from an authorized distributor / dealer / channel partner of the OEM of the offered product. At the time of delivery of goods, Seller will provide necessary chain documents (in the form of GST Invoice) to prove that the supplied goods are genuine and are being sourced from an authorized distributor / dealer / channel partner of the OEM. In case of any complaint about genuineness of the supplied products, Seller shall be responsible for providing genuine replacement supplies.

Product Specification for NEW BHARAT Copper IE3 Flange Mounting Induction Motor

विनिर्देश Specification	उप-विनिर्देश Sub-Spec	मूल्य Value
Certification and standards	Conformity to Indian standard	IS12615:2011
	Certification	CE, BIS
	Conformity to Design standard	IEC 60034, IEC 60072
	Case Design	Squirrel Cage
	Frequency	50 Hertz (+/- 5%)
	Frame Size	315 millimeter
	Winding	Copper
	Body Material	Cast Iron
	Weight	932 kilogram
	Protection Class	IP55

General Specification	Rated Voltage	415 Volts (+/- 10%)
	Mounting	Flange Mounting
	Enclosure	TEFC
	Phase	Three Phase
	Pole	6
	Rated Power Capacity	100 horsepower
	Speed in RPM	1000
	Rated Power	75 kiloWatt
	Insulation Class	F Class
	Efficiency Class	IE3
	Max Operating Temperature	50 degree Celsius
Dimensions	Height	740 millimeter
	Shaft Diameter	90 millimeter
	Width	800 millimeter
	Length	1230 millimeter
Warranty	Warranty	1 year

टिप्पणी | Note: Seller has given an undertaking that it has made arrangements for getting the stores from an authorized distributor / dealer / channel partner of the OEM of the offered product. At the time of delivery of goods, Seller will provide necessary chain documents (in the form of GST Invoice) to prove that the supplied goods are genuine and are being sourced from an authorized distributor / dealer / channel partner of the OEM. In case of any complaint about genuineness of the supplied products, Seller shall be responsible for providing genuine replacement supplies.

Product Specification for KRB Copper NA Foot Mounting Induction Motor

विनिर्देश Specification	उप-विनिर्देश Sub-Spec	मूल्य Value
Certification and standards	Conformity to Indian standard	IS12615:2011
	Certification	NA
	Conformity to Design standard	IEC 60072
General Specification	Case Design	Squirrel Cage
	Frequency	50 Hertz (+/- 5%)
	Frame Size	160 millimeter
	Winding	Copper
	Body Material	Cast Iron
	Weight	40 kilogram
	Protection Class	IP44
	Rated Voltage	220 Volts (+/- 10%)
	Mounting	Foot Mounting
	Enclosure	CACW
	Phase	Single Phase
	Pole	2
	Rated Power Capacity	1 horsepower
	Speed in RPM	2880
	Rated Power	1.5 kiloWatt
	Insulation Class	Type B
	Efficiency Class	NA
Max Operating Temperature	65 degree Celsius	
Dimensions	Height	300 millimeter
	Shaft Diameter	24 millimeter
	Width	350 millimeter
	Length	450 millimeter
Warranty	Warranty	1 year

टिप्पणी | Note:: Seller has given an undertaking that it has made arrangements for getting the stores from an authorized distributor / dealer / channel partner of the OEM of the offered product. At the time of delivery of goods, Seller will provide necessary chain documents (in the form of GST Invoice) to prove that the supplied goods are genuine and are being sourced from an authorized distributor / dealer / channel partner of the OEM. In case of any complaint about genuineness of the supplied products, Seller shall be responsible for providing genuine replacement supplies.

Product Specification for Unbranded Copper IE2 Foot Mounting Induction Motor

विनिर्देश Specification	उप-विनिर्देश Sub-Spec	मूल्य Value
Certification and standards	Conformity to Indian standard	IS12615:2011
	Certification	CE,BIS,NA
	Conformity to Design standard	IEC 60034
General Specification	Case Design	Squirrel Cage
	Frequency	50 Hertz (+/- 5%)
	Frame Size	160 millimeter
	Winding	Copper
	Body Material	Cast Iron
	Weight	97 kilogram
	Protection Class	IP23,IP44,IP21,IP55
	Rated Voltage	415 Volts (+/- 10%)
	Mounting	Foot Mounting
	Enclosure	TEFC
	Phase	Three Phase
	Pole	6
	Rated Power Capacity	10 horsepower
	Speed in RPM	1000
	Rated Power	7.5 kiloWatt
Insulation Class	F Class	
Efficiency Class	IE2	
Max Operating Temperature	50 degree Celsius	
Dimensions	Height	383 millimeter
	Shaft Diameter	42 millimeter
	Width	310 millimeter
	Length	585 millimeter
Warranty	Warranty	1 year

टिप्पणी | Note:: Seller has given an undertaking that it has made arrangements for getting the stores from an authorized distributor / dealer / channel partner of the OEM of the offered product. At the time of delivery of goods, Seller will provide necessary chain documents (in the form of GST Invoice) to prove that the supplied goods are genuine and are being sourced from an authorized distributor / dealer / channel partner of the OEM. In case of any complaint about genuineness of the supplied products, Seller shall be responsible for providing genuine replacement supplies.

ईपीबीजी विवरण | ePBG Detail

सलाहकार बैंक Advisory Bank :	NA
ईपीबीजी प्रतिशत (%) ePBG Percentage(%):	NA

नियम और शर्तें | Terms and Conditions

1. General Terms and Conditions-

- 1.1 This contract is governed by the [General Terms and Conditions](#), conditions stipulated to this Product/Service as provided in the Marketplace.
- 1.2 This Contract between the Seller and the Buyer, is for the supply of the Goods and/ or Services, detailed in the schedule above, in accordance with the General Terms and Conditions (GTC) unless otherwise superseded by Goods / Services specific Special Terms and Conditions (STC) and/ or BID/Reverse Auction Additional Terms and Conditions (ATC), as applicable

2. Buyer Added Bid Specific Terms and Conditions-

2.1 Generic

OPTION CLAUSE: The Purchaser reserves the right to increase or decrease the quantity to be ordered up to 25 percent of bid quantity at the time of placement of contract. The purchaser also reserves the right to increase the ordered quantity by up to 25% of the contracted quantity during the currency of the contract at the contracted rates. Bidders are bound to accept the orders accordingly.

2.2 Generic

Bidder financial standing: The bidder should not be under liquidation, court receivership or similar proceedings, should not be bankrupt. Bidder to upload undertaking to this effect with bid.

2.3 Generic

Installation, Commissioning, Testing, Configuration, Training (if any - which ever is applicable as per scope of supply) is to be carried out by OEM / OEM Certified resource or OEM authorised Reseller.

2.4 Generic

IT equipment shall be IPv6 ready from day one.

2.5 Generic

Malicious Code Certificate:

The seller should upload following certificate in the bid:-

(a) This is to certify that the Hardware and the Software being offered, as part of the contract, does not contain Embedded Malicious code that would activate procedures to :-

- (i) Inhibit the desires and designed function of the equipment.
- (ii) Cause physical damage to the user or equipment during the exploitation.
- (iii) Tap information resident or transient in the equipment/network.

(b) The firm will be considered to be in breach of the procurement contract, in case physical damage, loss of information or infringements related to copyright and Intellectual Property Right (IPRs) are caused due to activation of any such malicious code in embedded software.

2.6 Generic

Manufacturer Authorization: Wherever Authorised Distributors/service providers are submitting the bid, Authorisation Form /Certificate with OEM/Original Service Provider details such as name, designation, address, e-mail Id and Phone No. required to be furnished along with the bid

2.7 Turnover:

Bidder Turn Over Criteria: The minimum average annual financial turnover of the bidder during the last three years, ending on 31st March of the previous financial year, should be as indicated in the bid document. Documentary evidence in the form of certified Audited Balance Sheets of relevant periods or a certificate from the Chartered Accountant / Cost Accountant indicating the turnover details for the relevant period shall be uploaded with the bid. In case the date of constitution / incorporation of the bidder is less than 3 year old, the average turnover in respect of the completed financial years after the date of constitution shall be taken into account for this criteria.

2.8 Turnover:

OEM Turn Over Criteria: The minimum average annual financial turnover of the OEM of the offered product during the last three years, ending on 31st March of the previous financial year, should be as indicated in the bid document. Documentary evidence in the form of certified Audited Balance Sheets of relevant periods or a certificate from the Chartered Accountant / Cost Accountant indicating the turnover details for the relevant period shall be uploaded with the bid. In case the date of constitution / incorporation of the OEM is less than 3 year old, the average turnover in respect of the completed financial years after the date of constitution shall be taken into account for this criteria. In case of bunch bids, the OEM of CATEGORY RELATED TO primary product having highest bid value should meet this criterion.

2.9 Service & Support:

Availability of Service Centres: Bidder/OEM must have a Functional Service Centre in the State of each Consignee's Location in case of carry-in warranty. (Not applicable in case of goods having on-site warranty). If service center is not already there at the time of bidding, successful bidder / OEM shall have to establish one within 30 days of award of contract. Payment shall be released only after submission of documentary evidence of having Functional Service Centre.

2.10 Service & Support:

Dedicated /toll Free Telephone No. for Service Support : BIDDER/OEM must have Dedicated/toll Free Telephone No. for Service Support.

2.11 Service & Support:

Escalation Matrix For Service Support : Bidder/OEM must provide Escalation Matrix of Telephone Numbers for Service Support.

2.12 Warranty:

Warranty period of the supplied products shall be 1 years from the date of final acceptance of goods or after completion of installation, commissioning & testing of goods (if included in the scope of supply), at consignee location. OEM Warranty certificates must be submitted by Successful Bidder at the time of delivery of Goods. The seller should guarantee the rectification of goods in case of any break down during the guarantee period. Seller should have well established Installation, Commissioning, Training, Troubleshooting and Maintenance Service group in INDIA for attending the after sales service. Details of Service Centres near consignee destinations are to be uploaded along with the bid.

2.13 Buyer Added Bid Specific ATC:

Buyer Added text based ATC clauses

- 1) shop act certificate/ incorporation certificate
- 2) pan card,
- 3) GST certificate,
- 4) experience,.
- 5) OEM Authorization
- 6) Toll free number of buyer /OEM
- 7) ITR (Incometax return),
- 8) Balance Sheet ,
- 9) MSME certificate,
- 10) Non blacklisting certificate,
- 11) ATC certificate,
- 12) CA certificate

13) All queries shall be entertained through mail " mail id " and no visits at our office should not be entertained .

14)The product quoted should have compliances sheet as per our requirement of specification All document duly attested and token based authenticated, if bidder fails to provide any document or product compliances hence it will attract to rejection.

नोट: यह सिस्टम जनरेटेड फाइल है। कोई हस्ताक्षर की आवश्यकता नहीं है। इस दस्तावेज़ का प्रिंट आउट भुगतान/लेनदेन उद्देश्य के लिए मान्य नहीं है।

Note: This is system generated file. No signature is required. Print out of this document is not valid for payment/ transaction purpose.