अनुबंध|Contract



अनुबंध क्रमांक|Contract No: GEMC-511687765959626

अनुबंध तिथि| Generated Date: 03-Apr-2024

बोली/आरए/पीबीपी संख्या|Bid/RA/PBP No.: <u>GEM/2024/B/4591095</u>

संगठन विवरण|Organisation Details

प्ररूप|Type : State PSU

मंत्रालय|Ministry:

विभाग|Department : Energy Department Maharashtra

. संगठन का नाम | Organisation Name : N/A

कार्यालय क्षेत्र | Office Zone: Mahagenco

खरीदार विवरण|Buyer Details

पद|Designation : Dy. Executive Engineer

संपर्क नंबर|Contact No.: 07109-263850-

ईमेल आईडी|Email ID : buycon5.nciipc.ngp@gembuyer.in

जीएसटीआईएन|GSTIN: 27AAECM2935R1ZV

O/o. Chief Engineer, Maharashtra State Power Generation

पता|Address : Co. Limited Koradi Training Centre, Koradi, NAGPUR, MAHARASHTRA-441111, India

वित्तीय स्वीकृति विवरण|Financial Approval Detail

आईएफडी सहमति IFD Concurrence : No

प्रशासनिक अनुमोदन का पदनाम|

Designation of Administrative Chief Engineer (Trg), MSPGCL, KTC, Koradi

Approval:

वित्तीय अनुमोदन का पदनाम| General Manager(F&A), MSPGCL, KTPS, Korad

Designation of Financial Approval :

भुगतान प्राधिकरण विवरण|Paying Authority Details

Role: PAO भुगतान का तरीका|

Payment Mode:

Offline

पद|Designation: Manager (F&A)

ईमेल आईडी|Email ID : pao4.nciipc.ngp@gembuyer.in

जीएसटीआईएन|GSTIN: N

Office of the Chief Engineer, KTPS, Koradi Dist. Nagpur-

पता|Address: 441111,

NAGPUR RURAL, MAHARASHTRA-441111, India

विक्रैता विवरण|Seller Details

जेम विक्रैता आईडी|GeM Seller ID : 84QN210002916464 कंपनी का नाम|Company Name : SKY SOLUTIONS संपर्क नंबर|Contact No. : 09637059885

ईमेल आईडी|Email ID : skysolutions.ind@gmail.com

पता| Address : PLOT NO.1,SAI KRIPA,KUSHI NAGAR,NARI ROAD,JARIPATKA,

Nagpur, MAHARASHTRA-440014, -

एमएसएमई सत्यापित|MSME verified : Yes

एमएसएमई पंजीकरण संख्या|MSME Registration number : UDYAM-MH-20-0031655

एमएसई सामाजिक श्रेणी|MSE Social Category : General एमएसई लिंग श्रेणी|MSE Gender : Male

जीएसटीआईएन|GSTIN: 27AVQPV1552P1ZL

*जिसके नाम के पक्ष में GST/TAX इनवॉइस पेश किया जाएगा|GST / Tax invoice to be raised in the name of - Consignee

वितरण निर्देश | Delivery Instructions : NA

उत्पाद विवरण|Product Details

#	‡ आइटम विवरण Item Description	आइटम विवरण Ordered Quantity	इकाई Unit	इकाई मूल्य (INR) Unit Price (INR)	कर विभाजन (INR) Tax Bifurcation (INR)	मूल्य (INR में सभी शुल्क और कर सहिते) Price (Inclusive of all Duties and Taxes in INR)	
1	उत्पाद का नाम Product Name : LG Split Air Conditioner, Wall Mount Type 1.5 Ton 5 Star ब्रांड Brand : LG split Air Conditioner, Wall Mount Type 1.5 Ton 5 Star ब्रांड Brand Type : Registered Brand कैटलॉग की स्थित Catalogue Status: OEM verified catalogue कैसे बेचा जा रहा है Selling As : OEM verified Reseller श्रेणी का नाम और चतुर्थाश Category Name & Quadrant : Split Air Conditioner Including Green AC, Wall Mount Type (Q2) मॉडल Model: LG Split Air conditioner 1.5 Ton 5 Star एचएसएन कोड HSN Code: HSN not specified by seller	5	pieces	60,930	NA	304,650	
वु	कुल ऑर्डर मूल्य Total Order Value (in INR)						

परेषिती विवरण|Consignee Detail

क्र.सं. S.No	परेषिती Consignee	वस्तु Item	लॉट नंबर Lot No.	मात्रा Quantity	दिनांक के बाद डिलीवरी शुरू करना है Delivery Start After	वितरण पूरा कब तक करना है Delivery To Be Completed By

1 s s s s s s s s s s s s s s s s s s s	द Designation : - मेल आईडी Email ID : buycon5.nci पर्क Contact : 07109-263850- ोएसटीआईएन GSTIN : 27AAECM29 ता Address : O/o. Chief Enginee eneration Co. Limited Koradi Tr AGPUR, MAHARASHTRA-44111	935R1ZV er, Maharashtra State Power raining Centre, Koradi,	Wall Moun	r Conditioner, t Type 1.5 Ton Star	-	5	03-Apr-2024	18-May-2024		
Product Sp	ecification for LG Split A	Air Conditioner, Wall Mount	Type 1.5 Ton	5 Star						
विनिर्देश Spec	ification उप-विनिर्देश Sub-S	pec		मूल्य Value						
	Description of stores			Split Air Cond	itioner Includii	ng Green AC, Wal	l Mount Type			
	Split Air Conditioner	Split Air Conditioner conforming to			IS 1391 (Part 2)					
STANDARDS	Availability of BIS/IS	Availability of BIS/ISI Mark Certification for Split AC Wall mount type		Yes						
	BEE star rating plan	BEE star rating plan			As per Gazette Notification No. S.O. 3897 (E) dated. 29th October 2019 and as per BEE Notification dated 19th April 2022					
	Air Conditioner Com	Air Conditioner Compliance								
	Technology of air co	Technology of air conditioner			/ariable Speed					
	_	Nominal Marketing capacity as per BEE Star Rating Label (hint: 1 Ton = 3000 Kcal/Hr, Tolerance +/- 10%) (in Ton)								
	Capacity Value shou	Rated cooling capacity (in Watts) as per IS:1391 (Part 2) (Cooling Capacity Value should match with respect to their Nominal Marketing Capacity in Tonnage)		3501 ≤ 5200						
GENERIC	procuring shall ensu	BEE Star rating of the product (Central Ministries/Depts while procuring shall ensure that the items carry 5 star(under normal conditions where annual usages is expected to be >1000 hrs),3 Star(where usage is Limited)or higher Star Rating of BEE)			5					
	ISEER (Wh/Wh) value	ISEER (Wh/Wh) values for compliance of Green AC			For Non Green AC as per Gazette Notification No. S.O. 3897 (E) dated. 29th October 2019 and as per BEE Notification dated 19th April 2022					
	Rated voltage (in Vo	Rated voltage (in Volts)		230 V, 1 Phase, 50 Hz, AC						
	Tolerance Value for	Tolerance Value for Rated Voltage		As per IS 1391 (Part 2)						
	Eco-friendly Refrigerant		Yes							
REFRIGERANT	Refrigerant designa	ition		R 32						
		Refrigerant Global warming potential (GWP)		675 (for R32)						
	Refrigerant Ozone Depletion Potential is Zero		Yes							
	Classification by fun	Classification by function		Cooling only (Cooling and dehumidification during cooling mode)						
		Heating capacity (in Watts) (Heating Capacity Value should match with respect to their Nominal Marketing Capacity in Tonnage)		Not applicable for Cooling only (Cooling and dehumidification during cooling mode)						
CONSTRUCTIO	N Unit type			Single split (Single Indoor and Single outdoor)						
	Marking on the Spli	t AC		As per IS 1391 (Part 2)						
	Additional requirem	nent		Not Applicable	Not Applicable					
	Compressor Type			Dual/Twin Rotary Type						
	Material of Evapora	tor		Copper						
MATERIAL	Material of Condens	ser		Copper						
	Material of Air Filter	Material of Air Filter (on indoor unit)		Synthetic Fiber						
	Reusable air filter			Yes						
	AC Modes	AC Modes		Turbo Mode,Dehumidification Mode,Auto Clean Mode,Self Diagnosis Mode,Quiet Mode,Convertible for energy consumption,Swing,Timer						
GENERAL FEAT	Remote Control Fea	Features		Timer,Swing,Fan speed control,On/OFF						
GENERAL PLA	Additional Features			Sleep mode,Auto Off,Auto Restart,Indoor Temperature Indicator,Active Carbor Filter,Dust Filter,Auto Air Swing,Works Even at 52 degree C ambient,PM 0.3 Filter,Cathachin Filter,4 way Auto Air Swing,Nanotek Coating on Evaporator Tubes,Automotive Grade Coating on outdoor unit			ient,PM 0.3			
	Noise level	Noise level		As per Table 5, Cl 9.13 of IS 1391 (Part 2) 2023						
ENVIRONMEN FEATURE	Paint does not conta	ndly Paint (Environmental Friendly Pa ain heavy metals or their compound (Pb), cadmium (Cd) and hexavalent cl	ls include	Yes						
	Recycled Plastic Cor	nponents		<80% by weig	ht of total plas	tic components i	n product			
	Supply cord and the	e interconnecting cord between the i	indoor and	3 m (PVC Insu	lated sheathe	d cables as per IS	:694)			

ACCESSORIES	outdoor unit	
	Standard accessories included for each air conditioners	3 m Cu pipe, Remote with battery, User Manual, Warranty card
WARRANTY	AC Machine warranty (in Year)	1
WARRANTY	Warranty on compressor (in Years)	5
INSTALLATION	Installation	Without installation(installation not offered)
INSTALLATION	Not included in the scope of supply	As per STC attached
	Availability of type test report from Govt Lab/ NABL accredited lab / ILAC accredited lab to prove conformity of the specification	Yes As per IS 1391 (Part 2)
	Test report number and date - Must declare	NABL
CERTIFICATION	Name and address of Lab - Must declare	NABL
	Availability of Environmental Management Certification	Yes
	Agreed to furnish all the test reports and certificates to buyer on demand	Yes

उत्पाद का बीआईएस लाइसेंस|BIS license of the product: 7500211908

विक्रेता विशिष्टता दस्तावेज़|Seller Specification Document:

1. <u>Applicable Specification Document</u>	mkp.gem.gov.in/uploaded_documents/cms/tp/home_dist_heat_cool_sp37313731/51/16/877/CategorySc hema/qr_spcn_document/2023/5/3/document-for-cms_2022-07-05-17-50-30_c3b90df06e58a7_2023-05-03-10-58-17_0cd9e0d5e516735de899c5dcb95b3af0.pdf
2. <u>Verified and Signed Tp document</u>	mkp.gem.gov.in/uploaded_documents/cms/tp/home_dist_heat_cool_sp37313731/51/16/877/CategorySc hema/tp_document/2024/1/3/green_rac_2024-01-03-13-19-26_a782a2a5976948d5bcffe835d1111e2b.pdf

शुद्धिपत्र|Corrigendum

1. तक बढ़ाया गया|Extended Upto: 2024-03-02 11:00:00

ईपीबीजी विवरण | ePBG Detail

सलाहकार बैंक Advisory Bank :	NA	
ईपीबीजी प्रतिशत (%) ePBG Percentage(%):	NA	

नियम और शर्तें|Terms and Conditions

1. Special terms and conditions- $\mbox{\sc Version:2}$ effective from 11-12-2023

1.1 STC FOR SPLIT AIR CONDITIONER

Central Ministries/ Departments while procuring electrical appliances notified by the Department of Expenditure (DoE) shall ensure that they carry the notified threshold or higher Star Rating of the Bureau of Energy Efficiency (BEE). In this regard, DoE OM No.26/6/2012-PPD dated 21.01.2013 may also be referred to wherein appliances and threshold star ratings have been circulated.

Scope of installation and Commissioning for Wall Mount / High wall Split AC

- (1) Mounting/Fitting of indoor and outdoor units at the respective locations.
- (2) Laying of refrigerant piping and connecting with indoor and outdoor units after drilling hole/holes in the wall (all type of walls), if required.
- (3) Checking / Charging Refrigerant gas in the unit.
- (4) Suitable electric wiring between indoor units and switch upto 3 meters in length.
- (5) Testing for satisfactory working without any abnormal noise as well as leakage test of the entire system.

The following are not included in the scope of supply for Wall Mount / High wall Split AC

- (1) Chiselling / Ducting / grooving for concealing the Refrigerant piping/cabling
- (2) Switches/ Sockets / Plug Tops / Voltage Stabilizer/Stand for ODU/Drain pipe/Angles.

Note to Buyer: Buyer are advised to apply filters/ selections allowing all the values which are considered meeting or are better than their technical requirements e.g. if the requirement is 5 years compressor warranty; Buyer should select other superior values, i.e. 10 years warranty as well. Such selection will act as 5 years or better (in L1 buying). For any violation of the above advisory if resulting into limited competition or higher cost to the ex-chequer, the Buyer shall be solely responsible.

2. General Terms and Conditions-

2.1 This contract is governed by the General Terms and Conditions, conditions stipulated to this Product/Service as provided in the Marketplace.

- 2.2 This Contract between the Seller and the Buyer, is for the supply of the Goods and/ or Services, detailed in the schedule above, in accordance with the General Terms and Conditions (GTC) unless otherwise superseded by Goods / Services specific Special Terms and Conditions (STC) and/ or BID/Reverse Auction Additional Terms and Conditions (ATC), as applicable
- 3. Buyer Added Bid Specific Terms and Conditions-

3.1 Generic

OPTION CLAUSE: The Purchaser reserves the right to increase or decrease the quantity to be ordered up to 25 percent of bid quantity at the time of placement of contract. The purchaser also reserves the right to increase the ordered quantity by up to 25% of the contracted quantity during the currency of the contract at the contracted rates. Bidders are bound to accept the orders accordingly.

3.2 Buyer Added Bid Specific ATC:

Buyer Added text based ATC clauses

- 1. FOR INSTALLATION AND SERVICE PURPOSE, BIDDER MUST HAVE SUPPORT OFFICE AT CONSIGNEE LOCATION.
- 2. BID SPECIFIC OEM AUTHORISATION NEEDS TO BE SUBMITTED BY OEM, WHICH WILL BE VERIFIED BY OEM, FAILING TO SUBMISSION OF WHICH BIDDER'S OFFER WILL BE LIAB LE TO BE REJECTED.

3.3 Scope of Supply.

Scope of supply (Bid price to include all cost components): Supply Installation Testing and Commissioning of Goods

2 4 0544

IMPORTED PRODUCTS: In case of imported products, OEM or Authorized Seller of OEM should have a registered office in India to provide after sales service support in India. The certificate to this effect should be submitted.

3.5 Service & Support:

Availability of Service Centres: Bidder/OEM must have a Functional Service Centre in the State of each Consignee's Location in case of carry-in warranty. (Not applicable in case of goods having on-site warranty). If service center is not already there at the time of bidding, successful bidder / OEM shall have to establish one within 30 days of award of contract. Payment shall be released only after submission of documentary evidence of having Functional Service Centre.

3.6 Service & Support:

Dedicated /toll Free Telephone No. for Service Support: BIDDER/OEM must have Dedicated/toll Free Telephone No. for Service Support.

3.7 Service & Support.

Escalation Matrix For Service Support: Bidder/OEM must provide Escalation Matrix of Telephone Numbers for Service Support.

3 8 Cortificator

ISO 9001: The bidder or the OEM of the offered products must have ISO 9001 certification.

3.9 Certificates.

Bidder's offer is liable to be rejected if they don't upload any of the certificates / documents sought in the Bid document, ATC and Corrigendum if any.

3.10 Warranty.

Warranty period of the supplied products shall be as given in specifications from the date of final acceptance of goods or after completion of installation, commissioning & testing of goods (if included in the scope of supply), at consignee location. OEM Warranty certificates must be submitted by Successful Bidder at the time of delivery of Goods. The seller should guarantee the rectification of goods in case of any break down during the guarantee period. Seller should have well established Installation, Commissioning, Training, Troubleshooting and Maintenance Service group in INDIA for attending the after sales service. Details of Service Centres near consignee destinations are to be uploaded along with the bid.

3.11 Warranty:

Successful bidder will have to ensure that adequate number of dedicated technical service personals / engineers are designated / deployed for attending to the Service Request in a time bound manner and for ensuring Timely Servicing / rectification of defects during warranty period, as per Service level agreement indicated in the relevant clause of the bid.

नोट: यह सिस्टम जनरेटेड फाइल है। कोई हस्ताक्षर की आवश्यकता नहीं है। इस दस्तावेज़ का प्रिट आउट भुगतान/लेनदेन उद्देश्य के लिए मान्य नहीं है।

Note: This is system generated file. No signature is required. Print out of this document is not valid for payment/ transaction purpose.