

अनुबंध | Contract



अनुबंध क्रमांक | Contract No: GEMC-511687780640983

अनुबंध तिथि | Generated Date : 03-Apr-2024

संगठन विवरण Organisation Details		खरीदार विवरण Buyer Details				
प्ररूप Type :	Central Government	पद Designation :	Computer Operator			
मंत्रालय Ministry :	Ministry of Health and Family Welfare	संपर्क नंबर Contact No. :	0755-2742212-6022			
विभाग Department :	Department of Health Research	ईमेल आईडी Email ID :	buyer2.dhr.mp@gembuyer.in			
संगठन का नाम Organisation Name :	N/A	जीएसटीआईएन GSTIN :	23AAEAT4818Q3ZY			
कार्यालय क्षेत्र Office Zone:	Bhopal Memorial Hospital & Research Centre Bhopal	पता Address :	Raisen By Pass Road Karond Bhopal, BHOPAL, MADHYA PRADESH-462038, India			
वित्तीय स्वीकृति विवरण Financial Approval Detail		भुगतान प्राधिकरण विवरण Paying Authority Details				
आईएफडी सहमति IFD Concurrence :	No	Role:	PAO			
प्रशासनिक अनुमोदन का पदनाम	Director Incharge	भुगतान का तरीका	Offline			
Designation of Administrative Approval:		Payment Mode:				
वित्तीय अनुमोदन का पदनाम	Director Incharge	पद Designation :	Computer Operator2			
Designation of Financial Approval :		ईमेल आईडी Email ID :	pao1.dhr.mp@gembuyer.in			
		जीएसटीआईएन GSTIN :	-			
		पता Address:	Raisen By Pass Road Karond Bhopal, BHOPAL, MADHYA PRADESH-462038, India			
विक्रेता विवरण Seller Details						
जेम विक्रेता आईडी GeM Seller ID :	5A11180000114467					
कंपनी का नाम Company Name :	P C ENTERPRISES					
संपर्क नंबर Contact No. :	09981205450					
ईमेल आईडी Email ID :	pcenterprises3@gmail.com					
पता Address :	1900 JR / MIG 32,MAHARANA PRATAP WARD,DHANWANTARI NAGAR, Jabalpur, Madhya Pradesh-482003, -					
एमएसएमई पंजीकरण संख्या MSME Registration number :	UDYAM-MP-24-0008044					
एमएसई सामाजिक श्रेणी MSE Social Category :	General					
एमएसई लिंग श्रेणी MSE Gender :	Male					
जीएसटीआईएन GSTIN:	23ATNPC3264E1Z1					
*जिसके नाम के पक्ष में GST/TAX इनवॉइस पेश किया जाएगा GST / Tax invoice to be raised in the name of - Buyer						
वितरण निर्देश Delivery Instructions : The required item is Portable Autoclave, the brand and model of the product should be as per GeM contract. Otherwise item cannot acceptable.						
उत्पाद विवरण Product Details						
#	आइटम विवरण Item Description	आइटम विवरण Ordered Quantity	इकाई Unit	इकाई मूल्य (INR) Unit Price (INR)	कर विभाजन (INR) Tax Bifurcation (INR)	मूल्य (INR में सभी शुल्क और कर सहित) Price (Inclusive of all Duties and Taxes in INR)
1	उत्पाद का नाम Product Name : Indian Surgical Industries Top Loading Table Top Autoclave ब्रांड Brand : Indian Surgical Industries ब्रांड प्रकार Brand Type : Registered Brand कैटलॉग की स्थिति Catalogue Status: Catalogue not verified by OEM कैसे बेचा जा रहा है Selling As : Reseller not verified by OEM श्रेणी का नाम और चतुर्थांश Category Name & Quadrant : Table Top Autoclave (Q3) मॉडल Model: DIV-079 एचएसएन कोड HSN Code: HSN not specified by seller	1	pieces	11,680	NA	11,680
कुल ऑर्डर मूल्य Total Order Value (in INR)						11,680
परेषिती विवरण Consignee Detail						
क्र.सं. S.No	परेषिती Consignee	वस्तु Item	लॉट नंबर Lot No.	मात्रा Quantity	दिनांक के बाद डिलीवरी शुरू करना है Delivery Start After	वितरण पूरा कब तक करना है Delivery To Be Completed By
	पद Designation : Senior Pharmacist ईमेल आईडी Email ID : con11.dhr.bhopal@gembuyer.in संपर्क Contact : 755-2742212-5510	Indian Surgical				

1	जीएसटीआईएन GSTIN : - पता Address : Raisen By Pass Road Karond Bhopal, BHOPAL, MADHYA PRADESH-462038, India	Industries Top Loading Table Top Autoclave	-	1	03-Apr-2024	18-Apr-2024
Product Specification for Indian Surgical Industries Top Loading Table Top Autoclave						
विनिर्देश Specification	उप-विनिर्देश Sub-Spec	मूल्य Value				
Configuration	Type	Table top or bench top steam steriliser				
	Sterilizer chamber capacity in L (usable volume)	5 - 19 liter				
	Type of cycle processes available	B-process,N- process				
	Sterilizer Chamber Type	Circular				
	Steriliser chamber material	SS 316 or better grade steel				
	Working Pressure of Chamber	2.2 bar				
	Design Pressure of Chamber	3.8 bar				
	Chamber pre-heating facility: Equipped with electrically heated jacket for preheating on standby mode:	Yes				
	Type of Sterilizer Chamber Door	Hinged Door				
	Steriliser Chamber door Locking facility	At least two locking bolts				
	Sterilizer Chamber door Operation:	Manual				
	Door sealing:	By elastomeric rubber gasket suitable to withstand temperature upto 140 degree C & pressure upto 20-30 psi				
	Inlet Air Filtration:	Yes, Atmospheric air shall enter the sterilisation chamber after its filtering by a disposable air filter provided in the equipment.				
	Air Filter efficiency:	>= 99.998%				
	Sterilising Cycle Processes available:	121 degree C Wrapped,134 degree C Wrapped,134 degree C Flash/Rapid open instrument cycle,134 degree C textile,Test programs: Bowie & Dick, Leak Test				
	Sterilizer has water circulation system so that no drain point and fixed water inlets are required:	No				
	Water Storage Tank: Inbuilt water reservoir with Storage capacity of 3-5 litre with easy access for cleaning to avoid biofilm available:	Yes				
	Steriliser have inbuilt steam generator designed for integrated energy storing system for building up power for sterilisation load in shot time:	No				
	Type of control system available for Steriliser cycle operation:	Microprocessor based PLC system specifically designed for sterilisation operations, with CPU processor with battery back up, digital input/output controls, analog measuring inputs & COM ports for printer and PC connectivity. Automatic process checking, self checking of safety devices and failure correction should be possible by the control system.				
	Power Source:	220 Volt, 50 Hz AC electric supply				
	Power supply:	220 volt, 50 Hz AC electric supply single phase				
	Number of Trays in sterillser chamber	1				
	Sterilliser Loading Type:	Top Loading				
	Audio- visual Alarm facility available for notifying:	Temperature sensor failure,Pressure sensor failure,Phase time out,Door improperly closed,Power failure (no alarm if duration of power failure < 10 sec),Safety device malfunctioning,Low water level,Cassette improperly closed				
Accessories, Consumables & Warranty	Accessories:	Each Tabletop autoclave unit shall be supplied along with: One Rack unit with 5 levels and one set of suitable sized instrument trays.				
	Warranty (Option of comprehensive warranty is available through bidding only, which if opted will supersede normal warranty in the catalogue)	1 year				
	Consumables: Sterilizer unit to be supplied with consumables sufficient to carry out sterilization cycles (No)	sufficient for 50 sterilization cycles				
Overall Size	Overall Height:	450 millimeter				
	Overall Width:	560 millimeter				

	Overall Depth:	530 millimeter
Quality and Certifications	Compliance of Chamber for Chamber Pressure Equipment Directives (PED) AND EN 13445 norms:	No
	Quality Compliance available for quality systems as per as per ISO 9001:2000 , EN ISO 13485:2003, ISO 14001:2004:	No
	Certifications:	ICMED 13485 plus

टिप्पणी | Note:: Seller has given an undertaking that it has made arrangements for getting the stores from an authorized distributor / dealer / channel partner of the OEM of the offered product. At the time of delivery of goods, Seller will provide necessary chain documents (in the form of GST Invoice) to prove that the supplied goods are genuine and are being sourced from an authorized distributor / dealer / channel partner of the OEM. In case of any complaint about genuineness of the supplied products, Seller shall be responsible for providing genuine replacement supplies.

ईपीबीजी विवरण | ePBG Detail

NA

नियम और शर्तें | Terms and Conditions

1. Special terms and conditions- Version:4 effective from 24-11-2023

1.1

1. Comprehensive warranty: Comprehensive warranty shall include preventive maintenance including calibration as per technical/ service /operational manual of the manufacturer, service charges and spares. During the warranty period commencing from date of the successful completion of warranty period, Service personnel shall visit each consignee site as recommended in the manufacturer's technical/ service /operational manual, at least once in six months. warranty shall not be including the consumables. Further there will be 98% uptime warranty during warranty period on 24 (hrs) X 7 (days) X 365 (days) basis, with penalty, to extend warranty period by double the downtime period.
2. Service centres: Details of Service outlets in India to render services for equipment to be furnished to buyer/consignees with complete address,telephone numbers, e mails etc at time of making the supplies. It shall be the responsibility of seller to ensure that authorized service centres are available to cater to the areas where supplies are made within reasonable distance from where the service calls can be handled.Details of toll-free numbers for service call and online registration of service requests also to be provided buyer/consignee at the time of supplies.
3. Source of supply: It shall be responsibility of seller to provide Documents regarding source of equipments such as copy of Performa invoice or any other documents to establish that the products supplied are manufactured by OEM indicated and sourced from them.
4. Packing and Marking: Medical equipments being very delicate and sensitive packing for the goods should be strong and durable enough to withstand transit including transshipment (if any), rough handling, open storage etc. without any damage, deterioration etc. .The size, weights and volumes of the packing cases, remoteness of the final destination of the goods, availability or otherwise of transport and handling facilities at all points during transit up to final destination,. Quality of packing, the manner of marking within & outside the packages and provision of accompanying documentation shall take into consideration the type of medical equipments being supplied. The accessories shall be suitably labelled and packed. Each of the package shall be marked on three sides with indelible paint of proper quality: indicating contract number and date, brief description of goods including quantity, Packing list reference number, country of origin of goods and any other relevant details.
5. Spare Parts: Seller shall provide materials, information etc. pertaining to spare parts manufactured and supplied by the OEM. It shall be ensured that the required spares are available for purchase at least for 10 years from date of supplies. In case due to any reasons the production of the spare parts is discontinued sufficient advance notice should be given to the buyer/consignee before such discontinuation to provide adequate time to purchase the required spare parts etc. Further, OEM and their service centres/dealers shall carry sufficient inventories to assure ex-stock supply of consumables and spares for the equipments so that the same are available. OEM or reseller shall always accord most favoured client status to the buyer/consignee and shall give the most competitive price for spares and consumables of its machines/equipments supplied.
6. Installation, Training, Manuals: Seller shall be responsible to carry out Installation & commissioning, Supervision and Demonstration of the goods. They shall provide required jigs and tools for assembly, minor civil works for the completion of the installation and Training of Consignee's representatives for operating and maintaining the equipment and supplying required number of operation & maintenance manual for the goods. In case the category parameters are specifying any requirements regarding the installations, training and manuals the same shall also be applicable.
7. Electrical safety checking: Sellers are required to make sure that they furnish the list of equipments for carrying out routine and preventive maintenance to buyer/consignee .They should make sure to periodically check the electrical safety aspects as per BIS Safety Standards or equivalent .In case they do not have required equipment for such testing should ensure that the equipments checked for electrical safety compliance through labs with facilities for such checking during every preventive maintenance call.
8. Software: All software updates should be provided free of cost during warranty period.
9. Any other Terms and Conditions which is not included or at variance with the conditions specified in STC/GTC, may be added by the buyer through Additional Terms and Conditions in the bid to ensure items are procured from authentic/validated source with appropriate and applicable quality. The above terms and conditions are in reverse order of precedence i.e. ATC shall supersede specific STC which shall supersede General Terms and Conditions ("GTC"), whenever there are any conflicting provisions.

1.2.1. Comprehensive warranty:

Comprehensive warranty shall include preventive maintenance including calibration as per technical/ service /operational manual of the manufacturer, service charges and spares,. During the warranty period commencing from date of the successful completion of warranty period, Service personnel shall visit each consignee site as recommended in the manufacturer's technical/ service /operational manual, at least once in six months. warranty shall not be including the consumables .Further there will be 98% uptime warranty during warranty period on 24 (hrs) X 7 (days) X 365 (days) basis, with penalty, to extend warranty period by double the downtime period.

2. Service centres:

Details of Service outlets in India to render services for equipment to be furnished to buyer/consignees with complete address ,telephone numbers, e mails etc at time of making the supplies .It shall be the responsibility of seller to ensure that authorized service centres are available to cater to the areas where supplies are made within reasonable distance from where the service calls can be handled .Details of toll free numbers for service call and online registration of service requests also to be provided buyer/consignee at the time of supplies.

3. Source of supply:

It shall be responsibility of seller to provide Documents regarding source of equipments such as copy of Performa invoice or any other documents to establish that the products supplied are manufactured by OEM indicated and sourced from them .

4. Packing and Marking: Medical equipments being very delicate and sensitive packing for the goods should be strong and durable enough to withstand transit including transshipment (if any), rough handling, open storage etc. without any damage, deterioration etc. .The size, weights and volumes of the packing cases, remoteness of the final destination of the goods, availability or otherwise of transport and handling facilities at all points during transit up to final destination,. Quality of packing, the manner of marking within & outside the packages and provision of accompanying documentation shall take in to consideration the type of medical equipments being supplied. The accessories shall be suitably labelled and packed .Each of the package shall be marked on three sides with indelible paint of proper quality: indicating contract number and date , brief description of goods including quantity , Packing list reference number , country of origin of goods and any other relevant details.

5. Spare Parts:

Seller shall provide materials, information etc. pertaining to spare parts manufactured and supplied by the OEM . It shall be ensured that the required spares are available for purchase at least for 10 years from date of supplies .In case due to any reasons the production of the spare parts is discontinued sufficient advance notice should be given to the buyer/consignee before such discontinuation to provide adequate time to purchase the required spare parts etc. Further, OEM and their service centres/dealers shall carry sufficient inventories to assure ex-stock supply of consumables and spares for the equipments so that the same are available.

OEM or reseller shall always accord most favoured client status to the buyer/consignee and shall give the most competitive price for spares and consumables of its machines/equipments supplied

6. Installation, Training, Manuals:

Seller shall be responsible to carry out Installation & commissioning, Supervision and Demonstration of the goods. They shall provide required jigs and tools for assembly, minor civil works for the completion of the installation and Training of Consignee's representatives for operating and maintaining the equipment and Supplying required number of operation & maintenance manual for the goods. In case the category parameters are specifying any requirements regarding the installations , training and manuals the same shall also be applicable.

7. Electrical safety checking:

Sellers are required to make sure that they furnish the list of equipments for carrying out routine and preventive maintenance to buyer/consignee. They should make sure to periodically check the electrical safety aspects as per BIS Safety Standards or equivalent. In case they do not have required equipment for such testing should ensure that the equipments checked for electrical safety compliance through labs with facilities for such checking during every preventive maintenance call.

8. Software:

All software updates should be provided free of cost during warranty period.

2. General Terms and Conditions-

2.1 This contract is governed by the [General Terms and Conditions](#), conditions stipulated to this Product/Service as provided in the Marketplace.

2.2 This Contract between the Seller and the Buyer, is for the supply of the Goods and/ or Services, detailed in the schedule above, in accordance with the General Terms and Conditions (GTC) unless otherwise superseded by Goods / Services specific Special Terms and Conditions (STC) and/ or BID/Reverse Auction Additional Terms and Conditions (ATC), as applicable

नोट: यह सिस्टम जनरेटेड फाइल है। कोई हस्ताक्षर की आवश्यकता नहीं है। इस दस्तावेज़ का प्रिंट आउट भुगतान/लेनदेन उद्देश्य के लिए मान्य नहीं है।

Note: This is system generated file. No signature is required. Print out of this document is not valid for payment/ transaction purpose.