

## अनुबंध | Contract



अनुबंध क्रमांक | Contract No: GEMC-511687736198603

अनुबंध तिथि | Generated Date : 05-Apr-2024

बोली/आरए/पीबीपी संख्या | Bid/RA/PBP No.: [GEM/2023/B/4369807](#)

संगठन विवरण   Organisation Details	खरीदार विवरण   Buyer Details
प्रकार   Type : Central Autonomous मंत्रालय   Ministry : Ministry of Labour and Employment विभाग   Department : NA संगठन का नाम   Organisation Name : Employees State Insurance Corporation (ESIC) कार्यालय क्षेत्र   Office Zone: Hyderabad	पद   Designation : CMO संपर्क नंबर   Contact No. : 040-69031184- ईमेल आईडी   Email ID : dr.ma.theresa@esic.nic.in जीएसटीआईएन   GSTIN : - पता   Address : Sanathanagar, Hyderabad, HYDERABAD, TELANGANA-500038, India

वित्तीय स्वीकृति विवरण   Financial Approval Detail	भुगतान प्राधिकरण विवरण   Paying Authority Details
आईएफडी सहमति   IFD Concurrence : Yes प्रशासनिक अनुमोदन का पदनाम   Designation of Administrative Approval: DEAN वित्तीय अनुमोदन का पदनाम   Designation of Financial Approval: DDF	Role: BUYER भुगतान का तरीका   Payment Mode: Offiine पद   Designation : CMO ईमेल आईडी   Email ID : dr.ma.theresa@esic.nic.in जीएसटीआईएन   GSTIN : - पता   Address: Sanathanagar, Hyderabad, HYDERABAD, TELANGANA-500038, India

विक्रेता विवरण   Seller Details	
जेम विक्रेता आईडी   GeM Seller ID : VMI4210002830599 कंपनी का नाम   Company Name : SRI SAITEJA VACCINE HOUSE संपर्क नंबर   Contact No. : 09440447575 ईमेल आईडी   Email ID : ssvaccines@gmail.com पता   Address : 7-1-636/27,2nd Floor, MODEL COLONY,SARAJKUNJ,Model Colony,S,R,Nagar, Village/Town:- LANE BESIDE ESI HOSPITAL, City:- hyderabad, HYDERABAD, TELANGANA-500018, India एमएसएमई सत्यापित   MSME verified : No एमएसएमई पंजीकरण संख्या   MSME Registration number : UDYAM-TS-02-0014728 एमएसएमई सामाजिक श्रेणी   MSE Social Category : General एमएसएमई लिंग श्रेणी   MSE Gender : Male जीएसटीआईएन   GSTIN: 36ACWFS1029D1Z0	

\*जिसके नाम के पक्ष में GST/TAX इनवॉइस पेश किया जाएगा | GST / Tax invoice to be raised in the name of - Buyer

वितरण निर्देश | Delivery Instructions : NA

#	आइटम विवरण   Item Description	आइटम विवरण   Ordered Quantity	इकाई   Unit	इकाई मूल्य (INR)   Unit Price (INR)	कर विभाजन (INR)   Tax Bifurcation (INR)	मूल्य (INR में सभी शुल्क और कर सहित)   Price (Inclusive of all Duties and Taxes in INR)
1	उत्पाद का नाम   Product Name : ENCORE Surgical Rubber Gloves Natural Rubber Latex Size- 6 ब्रांड   Brand : ENCORE ब्रांड प्रकार   Brand Type : Registered Brand कैटलॉग की स्थिति   Catalogue Status: OEM verified catalogue कैसे बेचा जा रहा है   Selling As : OEM verified Reseller श्रेणी का नाम और चतुर्थांश   Category Name & Quadrant : Surgical Rubber Gloves (Q2) मॉडल   Model: Encore Latex Ortho एचएसएन कोड   HSN Code: HSN not specified by seller	500	pairs	51	NA	25,500
2	उत्पाद का नाम   Product Name : ENCORE Surgical Rubber Gloves Natural Rubber Latex Size- 6.5 ब्रांड   Brand : ENCORE ब्रांड प्रकार   Brand Type : Registered Brand कैटलॉग की स्थिति   Catalogue Status: OEM verified catalogue कैसे बेचा जा रहा है   Selling As : OEM verified Reseller श्रेणी का नाम और चतुर्थांश   Category Name & Quadrant : Surgical Rubber Gloves (Q2) मॉडल   Model: ENCORE LATEX UNDERGLOVE एचएसएन कोड   HSN Code: HSN not specified by seller	1,000	pairs	51	NA	51,000
3	उत्पाद का नाम   Product Name : ENCORE Surgical Rubber Gloves Natural Rubber Latex Size- 7 ब्रांड   Brand : ENCORE ब्रांड प्रकार   Brand Type : Registered Brand कैटलॉग की स्थिति   Catalogue Status: OEM verified catalogue कैसे बेचा जा रहा है   Selling As : OEM verified Reseller	2,000	pairs	51	NA	102,000

श्रेणी का नाम और चतुर्थांश   Category Name & Quadrant : Surgical Rubber Gloves (Q2) मॉडल   Model: ENCORE LATEX UNDERGLOVE एचएसएन कोड   HSN Code: HSN not specified by seller						
4	उत्पाद का नाम   Product Name : ENCORE Surgical Rubber Gloves Natural Rubber Latex Size-7.5 ब्रांड   Brand : ENCORE ब्रांड प्रकार   Brand Type : Registered Brand कैटलॉग की स्थिति   Catalogue Status: OEM verified catalogue कैसे बेचा जा रहा है   Selling As : OEM verified Reseller श्रेणी का नाम और चतुर्थांश   Category Name & Quadrant : Surgical Rubber Gloves (Q2) मॉडल   Model: ENCORE LATEX ORTHO GLOVES एचएसएन कोड   HSN Code: HSN not specified by seller	1,500	pairs	51	NA	76,500

कुल ऑर्डर मूल्य   Total Order Value (in INR)						255,000
--	--	--	--	--	--	---------

परेषिती विवरण   Consignee Detail						
----------------------------------	--	--	--	--	--	--

क्र.सं.   S.No	परेषिती   Consignee	वस्तु   Item	लॉट नंबर   Lot No.	मात्रा   Quantity	दैनिक के बाद डिलीवरी शुरू करना है   Delivery Start After	वितरण पूरा कब तक करना है   Delivery To Be Completed By
1	पद   Designation : - ईमेल आईडी   Email ID : dr.ma.theresa@esic.nic.in संपर्क   Contact : 040-69031184- जीएसटीआईएन   GSTIN : - पता   Address : Sanathanagar, Hyderabad, HYDERABAD, TELANGANA-500038, India	ENCORE Surgical Rubber Gloves Natural Rubber Latex Size- 6	1	250	06-Apr-2024	20-Apr-2024
			2	250	19-Jul-2024	03-Aug-2024
		ENCORE Surgical Rubber Gloves Natural Rubber Latex Size- 6.5	3	500	06-Apr-2024	20-Apr-2024
			4	500	19-Jul-2024	03-Aug-2024
		ENCORE Surgical Rubber Gloves Natural Rubber Latex Size- 7	5	1,000	06-Apr-2024	20-Apr-2024
			6	1,000	19-Jul-2024	03-Aug-2024
		ENCORE Surgical Rubber Gloves Natural Rubber Latex Size- 7.5	7	750	06-Apr-2024	20-Apr-2024
			8	750	19-Jul-2024	03-Aug-2024

Product Specification for ENCORE Surgical Rubber Gloves Natural Rubber Latex Size- 6		
--	--	--

विनिर्देश   Specification	उप-विनिर्देश   Sub-Spec	मूल्य   Value
GENERAL FEATURES	Product Description	Surgical Rubber Gloves
	Purpose	To protect the patient and wearer from cross infection when used in medical or dental surgery
CONFORMITY & STANDARD	Conformity to standard	IS 4148 (Latest)
	ISI marked product	Yes
	BIS Licence No (CM/L No) if product is ISI Marked	MFG/MD/2022/000725
PRODUCT INFORMATION	Material	Natural Rubber Latex
	Color	Transparent
	Outer Surface Finishing of Gloves	Smooth
DIMENSIONS	Size of gloves	6
	Dimensions, Tolerance and Thickness of the gloves shall be as per IS 4148 (Latest)	Yes
PACKAGING & MARKING	Packing & marking shall be as per IS 4148 (Latest)	Yes
	Packing Type	Gloves packed in pairs in unit packs
CERTIFICATIONS & REPORTS	Compliance to Medical Device Rule (MDR) 2017 as amended till date	Yes
	Availability of valid drug license for the product issued from the competent authority defined under Drugs and Cosmetic Act 1940 and Rules made there under as amended till date	Yes
	Valid Drug License Number	MFG/MD/2022/000725
	Manufacturing unit certification	ISO: 13485 (Latest)
	Additional Voluntary Certification Available	ISO 9001
	Availability of Test Report for each supplied batch/product from CDSCO approved Laboratory as per Medical Device Rule (MDR) 2017 as amended till date	Yes
	Submission of all necessary certifications, licenses and test reports to the buyer at the time of bid submission or along with supplies as per buyer requirement	Yes
SHELF LIFE	Shelf life from the date of manufacture (in months)	36 month

	Minimum shelf life of the product at the time of delivery to the consignee	3/4 th of Total Shelf Life
ADVANCE SAMPLE	Agree to provide advance sample of the product for buyer's approval before commencement of supply in case of bidding	Yes
ADDITIONAL REQUIREMENT	Additional Requirement	NA

**खरीदार परिभाषित अतिरिक्त विशिष्टता के लिए | Buyer Defined Additional Specification for ENCORE Surgical Rubber Gloves Natural Rubber Latex Size- 6**

विनिर्देश   Specification	मूल्य   Value
Item	Surgical Latex Micro glove Powder Free 6.0
i)Product ii)Thickness iii)Sterilization iv)External Glove Surface v)Internal Glove Surface	i) Brown Coloured Sterile Surgical Latex Micro glove Powder Free 6.0 ii)Micro (0.18 MM) iii)Gamma sterilized (25 KGy) required iv)Smooth with Micro-Textured Finish v)Polyurethane coated that allows wet & dry donning
vi)Viral Penetration vii)Tested for use with chemotherapy drugs viii)Freedom from holes (AQL) ix)Cuff style x)Certifications	vi)ASTM F1671. Using Phix174 ISO 16604 vii)In accordance with ASTM D6978 viii)0.65 ix)Brown beaded cuff with mechanism to stick to gown to prevent rolling x)EN 556, ISO 11137-Part 1, ISO 13485, ISO 14001, ISO 900, ISO 20282, ASTM D-3577, EN-16523-1, EN-374-5&4, ISO 21420:2020 or equivalent
SAMPLE	SUPPLIER SHOULD SUBMIT THE PHYSICAL SAMPLE FOR EVALUATION BY HOSPITAL COMMITTEE WITHIN 7 DAYS FROM THE DATE OF OPENING OF TECHNICAL BID EVALUATION FAILING WHICH BIDDER CONSIDERED AS DISQUALIFIED AT TECHNICAL EVALUATION ITSELF. PLEASE MENTION BID NUMBER, ITEM NAME, MAKE/BRAND/MODEL AND BIDDER DETAILS CLEARLY AND LEGIBLY ON ENVELOP.
ADDRESS:	DR. ARUN MARY THERESA, STORE IN-CHARGE, NEAR ESIC EXIT GATE, ESIC SUPER SPECIALITY HOSPITAL- ADMINISTRATION BLOCK, SECOND FLOOR, SANATHNAGAR, HYDERABAD, PIN: 500 038. MAIL ID: dr.ma.theresa@esic.nic.in

**Product Specification for ENCORE Surgical Rubber Gloves Natural Rubber Latex Size- 6.5**

विनिर्देश   Specification	उप-विनिर्देश   Sub-Spec	मूल्य   Value
GENERAL FEATURES	Product Description	Surgical Rubber Gloves
	Purpose	To protect the patient and wearer from cross infection when used in medical or dental surgery
CONFORMITY & STANDARD	Conformity to standard	IS 4148 (Latest)
	ISI marked product	Yes
	BIS Licence No (CM/L No) if product is ISI Marked	MFG/MD/2022/000725
PRODUCT INFORMATION	Material	Natural Rubber Latex
	Color	Translucent
	Outer Surface Finishing of Gloves	Smooth
DIMENSIONS	Size of gloves	6.5
	Dimensions, Tolerance and Thickness of the gloves shall be as per IS 4148 (Latest)	Yes
PACKAGING & MARKING	Packing & marking shall be as per IS 4148 (Latest)	Yes
	Packing Type	Gloves packed in pairs in unit packs
CERTIFICATIONS & REPORTS	Compliance to Medical Device Rule (MDR) 2017 as amended till date	Yes
	Availability of valid drug license for the product issued from the competent authority defined under Drugs and Cosmetic Act 1940 and Rules made there under as amended till date	Yes
	Valid Drug License Number	MFG/MD/2022/000725
	Manufacturing unit certification	ISO: 13485 (Latest)
	Additional Voluntary Certification Available	ISO 9001
	Availability of Test Report for each supplied batch/product from CDSO approved Laboratory as per Medical Device Rule (MDR) 2017 as amended till date	Yes
	Submission of all necessary certifications, licenses and test reports to the buyer at the time of bid submission or along with supplies as per buyer requirement	Yes
SHELF LIFE	Shelf life from the date of manufacture (in months)	36 month
	Minimum shelf life of the product at the time of delivery to the consignee	3/4 th of Total Shelf Life
ADVANCE SAMPLE	Agree to provide advance sample of the product for buyer's approval before commencement of supply in case of bidding	Yes
ADDITIONAL REQUIREMENT	Additional Requirement	NA

**खरीदार परिभाषित अतिरिक्त विशिष्टता के लिए | Buyer Defined Additional Specification for ENCORE Surgical Rubber Gloves Natural Rubber Latex Size- 6.5**

विनिर्देश   Specification	मूल्य   Value
ITEM	Surgical Latex Micro glove Powder Free 6.5
i) Product ii) Thickness iii) Sterilization iv) External Glove Surface v) Internal Glove Surface	i) Brown Coloured Sterile Surgical Latex Micro glove Powder Free 6.5 ii) Micro (0.18 MM) iii) Gamma sterilized (25 KGy) required iv) Smooth with Micro-Textured Finish v) Polyurethane coated that allows wet & dry donning
vi) Viral Penetration vii) Tested for use with chemotherapy drugs viii) Freedom from holes (AQL) ix) Cuff style x) Certifications	vi) ASTM F1671. Using Phix174 ISO 16604 vii) In accordance with ASTM D6978 viii) 0.65 ix) Brown beaded cuff with mechanism to stick to gown to prevent rolling x) EN 556, ISO 11137-Part 1, ISO 13485, ISO 14001, ISO 900, ISO 20282, ASTM-D-3577, EN-16523-1, EN-374-5&4, ISO 21420:2020 or equivalent
SAMPLE	SUPPLIER SHOULD SUBMIT THE PHYSICAL SAMPLE FOR EVALUATION BY HOSPITAL COMMITTEE WITHIN 7 DAYS FROM THE DATE OF OPENING OF TECHNICAL BID EVALUATION FAILING WHICH BIDDER CONSIDERED AS DISQUALIFIED AT TECHNICAL EVALUATION ITSELF. PLEASE MENTION BID NUMBER, ITEM NAME, MAKE/BRAND/MODEL AND BIDDER DETAILS CLEARLY AND LEGIBLY ON ENVELOP.
ADDRESS	DR. ARUN MARY THERESA, STORE IN-CHARGE, NEAR ESIC EXIT GATE, ESIC SUPER SPECIALITY HOSPITAL- ADMINSTRATION BLOCK, SECOND FLOOR, SANATHNAGAR, HYDERABAD, PIN: 500 038. MAIL ID: dr.ma.theresa@esic.nic.in

**Product Specification for ENCORE Surgical Rubber Gloves Natural Rubber Latex Size- 7**

विनिर्देश   Specification	उप-विनिर्देश   Sub-Spec	मूल्य   Value
GENERAL FEATURES	Product Description	Surgical Rubber Gloves
	Purpose	To protect the patient and wearer from cross infection when used in medical or dental surgery
CONFORMITY & STANDARD	Conformity to standard	IS 4148 (Latest)
	ISI marked product	Yes
	BIS Licence No (CM/L No) if product is ISI Marked	MFG/MD/2022/000725
PRODUCT INFORMATION	Material	Natural Rubber Latex
	Color	Translucent
	Outer Surface Finishing of Gloves	Smooth
DIMENSIONS	Size of gloves	7
	Dimensions, Tolerance and Thickness of the gloves shall be as per IS 4148 (Latest)	Yes
PACKAGING & MARKING	Packing & marking shall be as per IS 4148 (Latest)	Yes
	Packing Type	Gloves packed in pairs in unit packs
CERTIFICATIONS & REPORTS	Compliance to Medical Device Rule (MDR) 2017 as amended till date	Yes
	Availability of valid drug license for the product issued from the competent authority defined under Drugs and Cosmetic Act 1940 and Rules made there under as amended till date	Yes
	Valid Drug License Number	MFG/MD/2022/000725
	Manufacturing unit certification	ISO: 13485 (Latest)
	Additional Voluntary Certification Available	ISO 9001
	Availability of Test Report for each supplied batch/product from CDSCO approved Laboratory as per Medical Device Rule (MDR) 2017 as amended till date	Yes
	Submission of all necessary certifications, licenses and test reports to the buyer at the time of bid submission or along with supplies as per buyer requirement	Yes
SHELF LIFE	Shelf life from the date of manufacture (in months)	36 month
	Minimum shelf life of the product at the time of delivery to the consignee	3/4 th of Total Shelf Life
ADVANCE SAMPLE	Agree to provide advance sample of the product for buyer's approval before commencement of supply in case of bidding	Yes
ADDITIONAL REQUIREMENT	Additional Requirement	NA

**खरीदार परिभाषित अतिरिक्त विशिष्टता के लिए | Buyer Defined Additional Specification for ENCORE Surgical Rubber Gloves Natural Rubber Latex Size- 7**

विनिर्देश   Specification	मूल्य   Value
Item	Surgical Latex Micro glove Powder Free 7.0

i) Product ii) Thickness iii) Sterilization iv) External Glove Surface v) Internal Glove Surface	i) Brown Coloured Sterile Surgical Latex Micro glove Powder Free 7.0 ii) Micro (0.18 MM) iii) Gamma sterilized (25 KGy) required iv) Smooth with Micro-Textured Finish v) Polyurethane coated that allows wet & dry donning
vi) Viral Penetration vii) Tested for use with chemotherapy drugs viii) Freedom from holes (AQL) ix) Cuff style x) Certifications	vi) ASTM F1671. Using Phix174 ISO 16604 vii) In accordance with ASTM D6978 viii) 0.65 ix) Brown beaded cuff with mechanism to stick to gown to prevent rolling x) EN 556, ISO 11137-Part 1, ISO 13485, ISO 14001, ISO 900, ISO 20282, ASTM D-3577, EN-16523-1, EN-374-5&4, ISO 21420:2020 or equivalent
SAMPLE	SUPPLIER SHOULD SUBMIT THE PHYSICAL SAMPLE FOR EVALUATION BY HOSPITAL COMMITTEE WITHIN 7 DAYS FROM THE DATE OF OPENING OF TECHNICAL BID EVALUATION FAILING WHICH BIDDER CONSIDERED AS DISQUALIFIED AT TECHNICAL EVALUATION ITSELF. PLEASE MENTION BID NUMBER, ITEM NAME, MAKE/BRAND/MODEL AND BIDDER DETAILS CLEARLY AND LEGIBLY ON ENVELOP.
ADDRESS	DR. ARUN MARY THERESA, STORE IN-CHARGE, NEAR ESIC EXIT GATE, ESIC SUPER SPECIALITY HOSPITAL- ADMINISTRATION BLOCK, SECOND FLOOR, SANATHNAGAR, HYDERABAD, PIN: 500 038. MAIL ID: dr.ma.theresa@esic.nic.in

### Product Specification for ENCORE Surgical Rubber Gloves Natural Rubber Latex Size- 7.5

विनिर्देश   Specification	उप-विनिर्देश   Sub-Spec	मूल्य   Value
GENERAL FEATURES	Product Description	Surgical Rubber Gloves
	Purpose	To protect the patient and wearer from cross infection when used in medical or dental surgery
CONFORMITY & STANDARD	Conformity to standard	IS 4148 (Latest)
	ISI marked product	No
	BIS Licence No (CM/L No) if product is ISI Marked	MFG/MD/2022/000725
PRODUCT INFORMATION	Material	Natural Rubber Latex
	Color	Translucent
	Outer Surface Finishing of Gloves	Smooth
DIMENSIONS	Size of gloves	7.5
	Dimensions, Tolerance and Thickness of the gloves shall be as per IS 4148 (Latest)	Yes
PACKAGING & MARKING	Packing & marking shall be as per IS 4148 (Latest)	Yes
	Packing Type	Gloves packed in pairs in unit packs
CERTIFICATIONS & REPORTS	Compliance to Medical Device Rule (MDR) 2017 as amended till date	Yes
	Availability of valid drug license for the product issued from the competent authority defined under Drugs and Cosmetic Act 1940 and Rules made there under as amended till date	Yes
	Valid Drug License Number	MFG/MD/2022/000725
	Manufacturing unit certification	ISO: 13485 (Latest)
	Additional Voluntary Certification Available	ISO 9001
	Availability of Test Report for each supplied batch/product from CDSKO approved Laboratory as per Medical Device Rule (MDR) 2017 as amended till date	Yes
	Submission of all necessary certifications, licenses and test reports to the buyer at the time of bid submission or along with supplies as per buyer requirement	Yes
SHELF LIFE	Shelf life from the date of manufacture (in months)	36 month
	Minimum shelf life of the product at the time of delivery to the consignee	3/4 th of Total Shelf Life
ADVANCE SAMPLE	Agree to provide advance sample of the product for buyer's approval before commencement of supply in case of bidding	Yes
ADDITIONAL REQUIREMENT	Additional Requirement	NA

### खरीदार परिभाषित अतिरिक्त विशेषता के लिए | Buyer Defined Additional Specification for ENCORE Surgical Rubber Gloves Natural Rubber Latex Size- 7.5

विनिर्देश   Specification	मूल्य   Value
ITEM	Surgical Latex Micro glove Powder Free 7.5
i) Product ii) Thickness iii) Sterilization iv) External Glove Surface v) Internal Glove Surface	i) Brown Coloured Sterile Surgical Latex Micro glove Powder Free 7.5 ii) Micro (0.18 MM) iii) Gamma sterilized (25 KGy) required iv) Smooth with Micro-Textured Finish v) Polyurethane coated that allows wet & dry donning
vi) Viral Penetration vii) Tested for use with chemotherapy drugs viii) Freedom from holes (AQL) ix) Cuff style x) Certifications	vi) ASTM F1671. Using Phix174 ISO 16604 vii) In accordance with ASTM D6978 viii) 0.65 ix) Brown beaded cuff with mechanism to stick to gown to prevent rolling x) EN 556, ISO 11137-Part 1, ISO 13485, ISO 14001, ISO 900, ISO 20282, ASTM D-3577, EN-16523-1, EN-374-5&4, ISO 21420:2020 or equivalent

SAMPLE	SUPPLIER SHOULD SUBMIT THE PHYSICAL SAMPLE FOR EVALUATION BY HOSPITAL COMMITTEE WITHIN 7 DAYS FROM THE DATE OF OPENING OF TECHNICAL BID EVALUATION FAILING WHICH BIDDER CONSIDERED AS DISQUALIFIED AT TECHNICAL EVALUATION ITSELF. PLEASE MENTION BID NUMBER, ITEM NAME, MAKE/BRAND/MODEL AND BIDDER DETAILS CLEARLY AND LEGIBLY ON ENVELOP.
ADDRESS	DR. ARUN MARY THERESA, STORE IN-CHARGE, NEAR ESIC EXIT GATE, ESIC SUPER SPECIALITY HOSPITAL- ADMINISTRATION BLOCK, SECOND FLOOR, SANATHNAGAR, HYDERABAD, PIN: 500 038. MAIL ID: dr.ma.theresa@esic.nic.in

## ईपीबीजी विवरण | ePBG Detail

सलाहकार बैंक   Advisory Bank :	NA
ईपीबीजी प्रतिशत (%)   ePBG Percentage(%):	NA

## नियम और शर्तें | Terms and Conditions

### 1. Special terms and conditions- Version:2 effective from 09-11-2023

- 1.1 **All Provisions of Drugs and Cosmetics Act, 1940 and Rules (including Medical Device Rule 2017) made there under as amended till date will always be applicable. This will include all notifications issued by Central Drugs Standard Control Organization (CDSCO), Ministry of Health & Family Welfare (MoHFW) and Department of Pharmaceuticals (DOP), Ministry of Chemicals & Fertilizers time to time in this regard.**
2. The sellers are registered on GeM based on the submission of valid Drug License and self declaration of product certification, test reports etc. However, buyers must check and validate the details at their end for all applicable licenses and certifications e.g., validity and authenticity/genuineness of drug license, product certification, manufacturer certification/licenses, test reports etc.
3. In case of authorized resellers/distributors, it will be the legal & regulatory liability of the manufacturer to ensure that their resellers/distributors are operating in compliance with all relevant laws and regulations and are properly licensed to sell the manufacturer's products, including verifying the validity and authenticity of drug license held by them.
4. The price offered by the seller/bidder shall not, in any case exceed the DPCO/NPPA controlled price or price fixed by State Government, if any. The seller must reduce the prices if there is any reduction in DPCO/NPPA ceiling price or price fixed by State Government, if any.
5. Any other Terms and Conditions which is not included or at variance with the conditions specified in STC/GTC, may be added by the buyer through Additional Terms and Conditions (ATC) in the bid to ensure items are procured from authentic/validated source with appropriate and applicable quality. The above terms and conditions are in reverse order of precedence i.e. ATC shall supersede specific STC which shall supersede General Terms and Conditions ("GTC"), whenever there are any conflicting provisions.

### 2. General Terms and Conditions-

- 2.1 This contract is governed by the [General Terms and Conditions](#), conditions stipulated to this Product/Service as provided in the Marketplace.
- 2.2 This Contract between the Seller and the Buyer, is for the supply of the Goods and/ or Services, detailed in the schedule above, in accordance with the General Terms and Conditions (GTC) unless otherwise superseded by Goods / Services specific Special Terms and Conditions (STC) and/ or BID/Reverse Auction Additional Terms and Conditions (ATC), as applicable

### 3. Buyer Added Bid Specific Terms and Conditions-

#### 3.1 Generic

OPTION CLAUSE: The Purchaser reserves the right to increase or decrease the quantity to be ordered up to 25 percent of bid quantity at the time of placement of contract. The purchaser also reserves the right to increase the ordered quantity by up to 25% of the contracted quantity during the currency of the contract at the contracted rates. Bidders are bound to accept the orders accordingly.

#### 3.2 Generic

Actual delivery (and Installation & Commissioning (if covered in scope of supply)) is to be done at following address

DR. ARUN MARY THERESA, STORE IN-CHARGE,  
NEAR ESIC EXIT GATE, ESIC SUPER SPECIALITY HOSPITAL-  
SURGICAL STORES (LOCATED AT CELLAR/ "-1" FLOOR),  
SANATHNAGAR, HYDERABAD, PIN: 500 038.  
MAIL ID: dr.ma.theresa@esic.nic.in

#### 3.3 Generic

Experience Criteria: The Bidder or its OEM {themselves or through reseller(s)} should have regularly, manufactured and supplied same or similar Category Products to any Central / State Govt Organization / PSU / Public Listed Company for 1 year before the bid opening date. Copies of relevant contracts to be submitted along with bid in support of having supplied some quantity during each of the year. In case of bunch bids, the primary product having highest value should meet this criterion.

#### 3.4 Generic

While generating invoice in GeM portal, the seller must upload scanned copy of GST invoice and the screenshot of GST portal confirming payment of GST.

#### 3.5 OEM

IMPORTED PRODUCTS: In case of imported products, OEM or Authorized Seller of OEM should have a registered office in India to provide after sales service support in India. The certificate to this effect should be submitted.

#### 3.6 Inspection.

Nominated Inspection Agency: On behalf of the Buyer organization, any one of the following Inspection Agency would be conducting inspection of stores before acceptance: Pre-dispatch Inspection at Seller Premises (applicable only if pre-dispatch inspection clause has been selected in ATC):

ESIC SSH COMMITTEE

Post Receipt Inspection at consignee site before acceptance of stores:

ESIC SSH COMMITTEE

#### 3.7 Scope of Supply:

Scope of supply (Bid price to include all cost components) : Only supply of Goods

**3.8 Certificates:**

Bidder's offer is liable to be rejected if they don't upload any of the certificates / documents sought in the Bid document, ATC and Corrigendum if any.

**3.9 Certificates:**

ISO 9001: The bidder or the OEM of the offered products must have ISO 9001 certification.

**3.10 Certificates:**

The bidder is required to upload, along with the bid, all relevant certificates such as BIS licence, type test certificate, approval certificates and other certificates as prescribed in the Product Specification given in the bid document.

**3.11 Service & Support:**

Dedicated /toll Free Telephone No. for Service Support : BIDDER/OEM must have Dedicated/toll Free Telephone No. for Service Support.

**3.12 Past Project Experience:**

Proof for Past Experience and Project Experience clause: For fulfilling the experience criteria any one of the following documents may be considered as valid proof for meeting the experience criteria:a. Contract copy along with Invoice(s) with self-certification by the bidder that service/supplies against the invoices have been executed.b. Execution certificate by client with contract value.c. Any other document in support of contract execution like Third Party Inspection release note, etc.Proof for Past Experience and Project Experience clause: For fulfilling the experience criteria any one of the following documents may be considered as valid proof for meeting the experience criteria:a. Contract copy along with Invoice(s) with self-certification by the bidder that service/supplies against the invoices have been executed.b. Execution certificate by client with contract value.c. Any other document in support of contract execution like Third Party Inspection release note, etc.

**3.13 Buyer Added Bid Specific ATC:**

Buyer Added text based ATC clauses

01. SELLER HAS TO VERIFY AND QUOTE ACCORDING TO THE BUYER SPECIFICATIONS OF THE BID.

02. SAMPLE: SUPPLIER SHOULD SUBMIT THE PHYSICAL SAMPLE FOR EVALUATION BY HOSPITAL COMMITTEE WITHIN 7 DAYS FROM THE DATE OF OPENING OF TECHNICAL BID EVALUATION FAILING WHICH BIDDER CONSIDERED AS DISQUALIFIED AT TECHNICAL EVALUATION ITSELF. PLEASE MENTION BID NUMBER, ITEM NAME, MAKE/BRAND/MODEL AND BIDDER DETAILS CLEARLY AND LEGIBLY ON ENVELOP.

03. ORGANIZATION RESERVES THE RIGHT TO CANCEL THE BID AT ANY STAGE WITHOUT ANY PRIOR INTIMATION.

04. SELLERS HAS TO SUBMIT THE SAMPLE AT THEIR OWNS COST AND HE/SHE SHOULD NOT CLAIM ANY COMPENSATION IN THE EVENT OF SUCH SAMPLE BEING FOUND UNACCEPTABLE/ACCEPTABLE BY THE BUYER/CONSIGNEE.

05. LIQUIDATED DAMAGES: IF THE SELLER FAILS TO DELIVER ANY OR ALL OF THE GOODS/SERVICES WITHIN THE ORIGINAL DELIVERY PERIOD SPECIFIED IN THE CONTRACT, THE BUYER WILL BE ENTITLED TO DEDUCT/RECOVER THE LIQUIDATED DAMAGES FOR THE DELAY, @ 0.5% PER WEEK OR PART OF THE WEEK OF DELAYED PERIOD AS PRE-ESTIMATED DAMAGES NOT EXCEEDING 10% OF THE CONTRACT VALUE WITHOUT ANY CONTROVERSY/DISPUTE OF ANY SORT WHATSOEVER.

06. DELIVERY NORMS: COPY OF CONTRACT ORDER MUST BE SUBMITTED ALONG WITH DELIVERY CHALLAN WHILE DELIVERING THE WHOLE STOCK AT ESIC-SUPER SPECIALITY HOSPITAL, SURGICAL STORES. ORDERED ITEMS WILL BE ACCEPTED AT ESIC- SUPER SPECIALITY HOSPITAL- SURGICAL STORES ON ALL WORKING DAYS, FROM MONDAY TO FRIDAY- FROM 9 AM TO 3 PM ONLY AND ON SATURDAYS FROM 9 AM TO 12 PM ONLY. KINDLY NOTE IT FOR STRICT COMPLIANCE.

नोट: यह सिस्टम जनरेटेड फाइल है। कोई हस्ताक्षर की आवश्यकता नहीं है। इस दस्तावेज़ का प्रिंट आउट भुगतान/लेनदेन उद्देश्य के लिए मान्य नहीं है।

Note: This is system generated file. No signature is required. Print out of this document is not valid for payment/ transaction purpose.