

अनुबंध | Contract



अनुबंध क्रमांक | Contract No: GEMC-511687768517168

अनुबंध तिथि | Generated Date : 08-Apr-2024

बोली/आरए/पीबीपी संख्या | Bid/RA/PBP No.: [GEM/2024/B/4565343](#)

संगठन विवरण Organisation Details	खरीदार विवरण Buyer Details
प्ररूप Type : मंत्रालय Ministry : विभाग Department : संगठन का नाम Organisation Name : कार्यालय क्षेत्र Office Zone :	पद Designation : संपर्क नंबर Contact No. : ईमेल आईडी Email ID : जीएसटीआईएन GSTIN : पता Address :
Central Government Ministry of Railways Indian Railways Southern Railway Southern Railway	DMM MDU 8585-884639- dmm@mdu.railnet.gov.in 33AAAGM0289C1ZQ Office of the Divisional Materials Manager Madurai Division Madurai, MADURAI, TAMIL NADU-625016, India

वित्तीय स्वीकृति विवरण Financial Approval Detail	भुगतान प्राधिकरण विवरण Paying Authority Details
आईएफडी सहमति IFD Concurrence : प्रशासनिक अनुमोदन का पदनाम Designation of Administrative Approval: वित्तीय अनुमोदन का पदनाम Designation of Financial Approval :	Role: भुगतान का तरीका Payment Mode: पद Designation : ईमेल आईडी Email ID : जीएसटीआईएन GSTIN : पता Address:
No SR.DEE/G/MDU SR.DFM/S.RAILWAY/MADURAI	BUYER Railways DMM MDU dmm@mdu.railnet.gov.in 33AAAGM0289C1ZQ Office of the Divisional Materials Manager Madurai Division Madurai, Madurai, TAMIL NADU-625016, India

विक्रेता विवरण Seller Details
जेम विक्रेता आईडी GeM Seller ID : कंपनी का नाम Company Name : संपर्क नंबर Contact No. : ईमेल आईडी Email ID : पता Address : एमआईआई स्थिति MII Status : एमएसएमई सत्यापित MSME verified : एमएसएमई पंजीकरण संख्या MSME Registration number : एमएसएमई सामाजिक श्रेणी MSE Social Category : एमएसएमई लिंग श्रेणी MSE Gender : जीएसटीआईएन GSTIN:
DC95200001179798 AXELON INDUSTRIES 09867769603 hardik@axelongroup.com PLOT NO. 3050-51-52 AND 54, GIDC PHASE III, DARED, Jamnagar, GUJARAT-361004, - True No UDYAM-GJ-10-0000620 General Male 24ABDFA2026J1ZW

*जिसके नाम के पक्ष में GST/TAX इनवॉइस पेश किया जाएगा | GST / Tax invoice to be raised in the name of - Consignee

वितरण निर्देश | Delivery Instructions : SR.SECTION ENGINEER, ELECTRICAL, WORKS, S.RAILWAY, MADURAI CONTACT NO. 8056162314

उत्पाद विवरण Product Details						
#	आइटम विवरण Item Description	आइटम विवरण Ordered Quantity	इकाई Unit	इकाई मूल्य (INR) Unit Price (INR)	कर विभाजन (INR) Tax Bifurcation (INR)	मूल्य (INR में सभी शुल्क और कर सहित) Price (Inclusive of all Duties and Taxes in INR)
1	उत्पाद का नाम Product Name : AXELON 01 120 4 Aluminium Armoured cable ब्रांड Brand : AXELON ब्रांड प्रकार Brand Type : Registered Brand कैटलॉग की स्थिति Catalogue Status: OEM verified catalogue कैसे बेचा जा रहा है Selling As : OEM श्रेणी का नाम और चतुर्थांश Category Name & Quadrant : XLPE Cable for Working Voltages up to and Including 1.1 KV as per IS 7098 (Part 1) (Q2) मॉडल Model: XLPE-120MM एचएसएन कोड HSN Code: 8544	1,800	meter	541	NA	973,800
कुल ऑर्डर मूल्य Total Order Value (in INR)						973,800

परोक्षी विवरण Consignee Detail						
क्र.सं. S.No	परोक्षी Consignee	वस्तु Item	लॉट नंबर Lot No.	मात्रा Quantity	दिनांक के बाद डिलीवरी शुरू करना है	वितरण पूरा कब तक करना है Delivery To Be

					Delivery Start After	Completed By
1	पद Designation :- ईमेल आईडी Email ID : selvakumar.s42@gov.in संपर्क Contact : 805-6162314- जीएसटीआईएन GSTIN :- पता Address : OFFICE OF THE SENIOR SECTION ENGINEER ELECTRICAL WORKS SOUTHERN RAILWAY MADURAI, MADURAI, TAMIL NADU-625016, India	AXELON 01 120 4 Aluminium Armoured cable	-	1,800	08-Apr-2024	23-May-2024
Product Specification for AXELON 01 120 4 Aluminium Armoured cable						
विनिर्देश Specification	उप-विनिर्देश Sub-Spec	मूल्य Value				
STANDARDS	Conformity of the specification for XLPE cable	as per IS:7098 (Part 1): 1988 latest				
	Cables suitable for use in mines	Yes				
	Cables suitable for use in low temperature applications	Yes				
	Product ISI Marked	Yes				
	If, ISI marked , BIS License number must be declared by OEM/Supplier	7600133012				
GENERIC	Classification of cables for improved fire performance category	01				
	Nominal Area of Conductor (in Sq mm)	120				
	Number of core (in Nos)	4				
CONSTRUCTION	Material of conductor	Aluminium				
	Conductor material standard	as per IS:8130:2013 latest				
	Construction of the conductor	Stranded				
	Insulation	XLPE				
	Properties of XLPE insulation	as per Table 1 of IS:7098 (Part 1):1988 latest as per Table 1 of IS:7098 (Part 1):1988 latest				
	Colour of XLPE insulation	Red, Yellow, Blue, Black, Grey, Natural, for 6 Core and above as per Cl.10.1 of IS:7098				
	Type of inner sheath	Thermoplastic				
	Additional requirement	NA				
ARMOURING	Type of cable	Armoured cable				
	Material of armouring	Galvanized steel formed wire				
	Type of armouring	Single wire				
	Number of armouring wire / strip for each size of cable (in Nos) - Must declare (hint: for Unarmoured cables select '0')	24				
	Agreed to furnish calculation sheet for coverage of armour to buyer/consignee on demand	Yes as per Appendix-C of IS:7098 (Part 1):1988 amdt., No. 5				
OUTER SHEATH	Outer sheath standard	Conforming to IS:5831:1984 latest				
	Type of outer sheath	PVC-ST2				
	Colour of outer sheath	Black				
MARKING ON CABLE	Manufacturer's identification on cable	as per Cl.17.1 of IS:7098 Part 1: latest				
	Type of sequential marking on cable	Screen printing on cable				
	Cable identification	as per Cl.17.2 of IS:7098 Part 1: latest				
	Additional marking on Cable	NA				
PACKING AND MARKING	Packing and marking	as per Cl.18.1 and 18.2 of IS:7098 Part 1: latest				
	Cable wound on	Non ISI Marked Wooden drum				
	Drum standard	as per IS:10418 latest				
	Standard length of cable on drum (in m)	NA				
	Marking on the drum	as per Cl.18.2 of IS:7098 Part 1: latest				
CERTIFICATION	Availability of type test report from Govt Lab/ NABL accredited LAB / ILAC accredited LAB	Yes as per Cl.15 of IS:7098 Part 1				
	Availability of Optional Test Reports	Cold bend test for outer sheath, Cold impact test for outer sheath, Resistance test for Armour, Not applicable				
	Test report number and date - Must declare	REF/XL-120 DT24/5/22				
	Name and address of Lab - Must declare	AXELON IND. GUJARAT				

Agreed to furnish all the test reports and certificates to buyer on demand		Yes
खरीदार परिभाषित अतिरिक्त विशिष्टता के लिए Buyer Defined Additional Specification for AXELON 01 120 4 Aluminium Armoured cable		
विनिर्देश Specification		मूल्य Value
Product ISI Marked If, ISI marked , BIS License number must be delcared by OEM/Supplier		Yes
Construction of the conductor / Insulation / Number of armouring wire / strip for each size of cable (in Nos) - Must declare (hint: for Unarmoured cables select '0')		Stranded / XLPE / 20
Agreed to furnish calculation sheet for coverage of armour to buyer/consignee on demand		Yes as per Appendix-C of IS:7098 (Part 1):1988 amdt., No. 5
Cable wound on / Standard length of cable on drum (in m)		ISI Marked Wooden drum / 500
Test report number and date , Name and address of Lab and Agreed to furnish all the test reports and certificates to buyer on demand		Yes
ईपीबीजी विवरण ePBG Detail		
सलाहकार बैंक Advisory Bank :		NA
ईपीबीजी प्रतिशत (%) ePBG Percentage(%):		NA
नियम और शर्तें Terms and Conditions		
<div>1. General Terms and Conditions-</div> <div>1.1 This contract is governed by the General Terms and Conditions, conditions stipulated to this Product/Service as provided in the Marketplace.</div> <div>1.2 This Contract between the Seller and the Buyer, is for the supply of the Goods and/ or Services, detailed in the schedule above, in accordance with the General Terms and Conditions (GTC) unless otherwise superseded by Goods / Services specific Special Terms and Conditions (STC) and/ or BID/Reverse Auction Additional Terms and Conditions (ATC), as applicable</div> <div>2. Buyer Added Bid Specific Terms and Conditions-</div> <div>2.1 <i>Scope of Supply:</i> Scope of supply (Bid price to include all cost components) : Only supply of Goods</div> <div>2.2 <i>Inspection:</i> Nominated Inspection Agency: On behalf of the Buyer organization, any one of the following Inspection Agency would be conducting inspection of stores before acceptance: Pre-dispatch Inspection at Seller Premises (applicable only if pre-dispatch inspection clause has been selected in ATC): RITES Post Receipt Inspection at consignee site before acceptance of stores: CONSIGNEE</div> <div>2.3 <i>Forms of EMD and PBG:</i> Successful Bidder can submit the Performance Security in the form of Account Payee Demand Draft also (besides PBG which is allowed as per GeM GTC). DD should be made in favour of SR. DFM / S.RLY payable at MADURAI . After award of contract, Successful Bidder can upload scanned copy of the DD in place of PBG and has to ensure delivery of hard copy to the original DD to the Buyer within 15 days of award of contract.</div> <div>2.4 <i>Forms of EMD and PBG:</i> Successful Bidder can submit the Performance Security in the form of Fixed Deposit Receipt also (besides PBG which is allowed as per GeM GTC). FDR should be made out or pledged in the name of SR.DFM / S.RLY / MADURAI A/C (Name of the Seller). The bank should certify on it that the deposit can be withdrawn only on the demand or with the sanction of the pledgee. For release of Security Deposit, the FDR will be released in favour of bidder by the Buyer after making endorsement on the back of the FDR duly signed and stamped along with covering letter. Successful Bidder has to upload scanned copy of the FDR document in place of PBG and has to ensure delivery of hard copy of Original FDR to the Buyer within 15 days of award of contract.</div> <div>2.5 <i>Certificates:</i> Bidder's offer is liable to be rejected if they don't upload any of the certificates / documents sought in the Bid document, ATC and Corrigendum if any.</div> <div>2.6 <i>Certificates:</i> The bidder is required to upload, along with the bid, all relevant certificates such as BIS licence, type test certificate, approval certificates and other certificates as prescribed in the Product Specification given in the bid document.</div> <div>2.7 <i>Buyer Added Bid Specific ATC:</i> Buyer Added text based ATC clauses</div> <div>Ambiguous offers like Unbranded products, as per tender, any good make, etc and specifications not confirming with bid parameters, etc will be summarily rejected. Bidders to clearly provide the make and model of the offer, failing which offer may not be considered.</div>		

SCOPE OF SUPPLY:-

ISI marked Cross linked Polyethylene XLPE four core 120 sqmm insulated PVC outer sheathed cable with aluminum conductor suitable for rated voltage at 1100 Volts grade and confirming to IS 7098/Part -1 /1988 with amendment No: 1 & 2 &3 reaffirmed 2005. The cable armoured galvanised round steel wire Type : single wire or strip. . Availability of Type Test certificate from Central Govt. Lab/NABL accredited Lab/ILAC accredited Lab should be submitted at the time of supply.

Warranty will be covered after the material received date

Consignee address/contact details : SR.SECTION ENGINEER, ELECTRICAL WORKS, SOUTHERN RAILWAY, MADURAI.

Phone No.8056162314

1. Inspection by RITES if minimum order value Rs.5,00,000

नोट: यह सिस्टम जनरेटेड फाइल है। कोई हस्ताक्षर की आवश्यकता नहीं है। इस दस्तावेज़ का प्रिंट आउट भुगतान/लेनदेन उद्देश्य के लिए मान्य नहीं है।

Note: This is system generated file. No signature is required. Print out of this document is not valid for payment/ transaction purpose.