

अनुबंध | Contract



अनुबंध क्रमांक | Contract No: GEMC-511687735291939

अनुबंध तिथि | Generated Date : 08-Apr-2024

बोली/आरए/पीबीपी संख्या | Bid/RA/PBP No.: [GEM/2024/B/4794439](#)

संगठन विवरण Organisation Details	खरीदार विवरण Buyer Details
प्ररूप Type : State Autonomous	पद Designation : Chief Executive Officer
मंत्रालय Ministry : -	संपर्क नंबर Contact No. : 01922-234348-
विभाग Department : Housing and Urban Development Department Jammu and Kashmir	ईमेल आईडी Email ID : eokathua-jk@nic.in
संगठन का नाम Organisation Name : N/A	जीएसटीआईएन GSTIN : -
कार्यालय क्षेत्र Office Zone: Directorate Of Urban Local Bodies Jammu	पता Address : OFFICE OF THE CHIEF EXECUTIVE OFFICER MUNICIPAL COUNCIL KATHUA, KATHUA, JAMMU & KASHMIR-184101, India

वित्तीय स्वीकृति विवरण Financial Approval Detail	भुगतान प्राधिकरण विवरण Paying Authority Details
आईएफडी सहमति IFD Concurrence : No	Role: BUYER
प्रशासनिक अनुमोदन का पदनाम Designation of Administrative Approval: ceo	भुगतान का तरीका Payment Mode: Offline
वित्तीय अनुमोदन का पदनाम Designation of Financial Approval : chief executive officer	पद Designation : Chief Executive Officer
	ईमेल आईडी Email ID : eokathua-jk@nic.in
	जीएसटीआईएन GSTIN : -
	पता Address : OFFICE OF THE CHIEF EXECUTIVE OFFICER MUNICIPAL COUNCIL KATHUA, KATHUA, JAMMU & KASHMIR-184101, India

विक्रेता विवरण Seller Details
जेम विक्रेता आईडी GeM Seller ID : C99A180000425271
कंपनी का नाम Company Name : GANPATI ENTERPRISES
संपर्क नंबर Contact No. : 07780828245
ईमेल आईडी Email ID : ganpatienterprisesjmu@gmail.com
पता Address : 59,PACCA DANGA JAMMU,JAMMU, JAMMU, Jammu and Kashmir-180001, -
एमएसएमई पंजीकरण संख्या MSME Registration number : -
जीएसटीआईएन GSTIN: 01AOHPA9422M1Z4

*जिसके नाम के पक्ष में GST/TAX इनवॉइस पेश किया जाएगा | GST / Tax invoice to be raised in the name of - Consignee

वितरण निर्देश | Delivery Instructions : NA

उत्पाद विवरण Product Details						
#	आइटम विवरण Item Description	आइटम विवरण Ordered Quantity	इकाई Unit	इकाई मूल्य (INR) Unit Price (INR)	कर विभाजन (INR) Tax Bifurcation (INR)	मूल्य (INR में सभी शुल्क और कर सहित) Price (Inclusive of all Duties and Taxes in INR)
1	उत्पाद का नाम Product Name : Unbranded Yes WLed Luminaire Light ब्रांड Brand : NA ब्रांड प्रकार Brand Type : Unbranded कैटलॉग की स्थिति Catalogue Status: Catalogue not verified by OEM कैसे बेचा जा रहा है Selling As : Reseller not verified by OEM श्रेणी का नाम और चतुर्थांश Category Name & Quadrant : LED Luminaire (for Road and Street Lights) as per IS 10322, IS 16107, IS 16108, IS 16103, IS 10322 (Q3) मॉडल Model: 60 WATT LED STREET LIGHT एचएसएन कोड HSN Code: HSN not specified by seller	200	pieces	3,990	NA	798,000
कुल ऑर्डर मूल्य Total Order Value (in INR)						798,000

परेषिती विवरण Consignee Detail						
क्र.सं. S.No	परेषिती Consignee	वस्तु Item	लॉट नंबर Lot No.	मात्रा Quantity	दिनांक के बाद डिलीवरी शुरू करना है Delivery Start After	वितरण पूरा कब तक करना है Delivery To Be Completed By
	पद Designation : - ईमेल आईडी Email ID : eokathua-jk@nic.in संपर्क Contact : 01922-234348-	Unbranded Yes WLed				

1	जीएसटीआईएन GSTIN :- पता Address : OFFICE OF THE CHEIF EXECUTIVE OFFICER MUNICIPAL COUNCIL KATHUA, KATHUA, JAMMU & KASHMIR-184101, India	Luminaire Light	-	200	08-Apr-2024	23-Apr-2024
Product Specification for Unbranded Yes WLed Luminaire Light						
विनिर्देश Specification		उप-विनिर्देश Sub-Spec			मूल्य Value	
STANDARDS	LED Luminaire conformity to IS:10322/Part 5/Section 3/2012 latest and IS: 16107 (Part 2/Sec 1):2012 latest			Yes		
	Photo biological safety of LEDs used shall be as per IS:16108/2012 (exempt group)			Yes		
	Types of LED Luminaire as per the IS: 16107(Part-2/ Sec.-1)/2012			Type B		
	Types of LED Modules as per the IS:IS: 16103(Part-2)/2012			Type 3		
	LED Rating (in Watts)/System Wattage/Rated Power			60W		
	Luminaire System Efficacy (Lumen/watt)			>/= 100 Lm/Watt		
	Ingress Protection (IP Rating) as per IS:10322 (Part 1):1982 latest			IP65		
	Warranty for free replacement (in years)			4		
ELECTRICAL EFFICIENCY	Input operating Voltage range and frequency			140 to 270 V olts AC at 50 Hz+/-2 with auto cutt off at below 120V		
	Automatic Higher Cut off voltage above 300 volt			Yes		
	Rated voltage			230 V AC 50 Hz		
	AC Power Factor at full load			≥ 0.95		
	Driver Efficiency (in %age) Upto 100W: ≥85%, Above 100W: >/=90%			Yes		
	Total Harmonics Distortion			≤ 10		
	"The total circuit power shall not be more than 110 percent of the value declared by the manufacturer (as per Cl. 8 of IS:16104:2012 lates)"			Yes		
OPTICAL	LED chip Efficacy			≥130 Lm/Watt		
	Colour temperature			6000+/-500K		
	Working life for LED (Minimum 50,000 burning hours as per LM-80 and LM 21 reports)			Yes		
	Colour Rendering Index(CRI)			≥70		
	LED Beam Angle			≥120		
	Optic lense materal (UV stabilised)			Poly carbonate lense		
THERMAL MANAGEMENT	Heat sink should be die-cast aluminium along with sufficient heat sink fins to dissipate heat effectively			Yes		
	Junctiojn / Soldering point temperature shall not exceed 85 deg.c as per LM 80 report			Yes		
	Capacitor shall be rated for a temperature of 105 deg. celsius or better			Yes		
	Operating temperature range			-10 deg C to +50 deg C		
	Operating Humidity Range			10 % to 95% RH		
PROTECTION	Short circuit Protection			Yes		
	Over load protecton			Yes		
	Over Voltage protection			Yes		
	Reverse polarity			Yes		
	High voltage test (1.5 KV for one minute between supply terminals and body of the unit)			Yes		
	Insulation resistance between earth and current carrying part			>100 M Ohm		
	The luminaire shall be protected against surges and transients (Internal)			>/=5KV		
	The luminaire shall be protected against surges and transients of >/=10KV (External)			No		
	The Luminaires casing/housing (single piece housing) shall be pressure die casted aluminium alloy with higher thermal conductivity			Yes		
	The luminaire body must be corrosion resistant powder coated			Yes		
	All fastners must be of stainless steel			Yes		
	Protection of the entire housing (both LED section and driver section) as per IS:10322 (Part 1):1982 latest			IP66		
	Extruded silicon loop gasket shall be provided in the lantern body to ensure a weather proof seal between the UV Glass cover and the metal housing to exclude the entry of the dust, water, insects etc.,			Yes		

CONSTRUCTIONAL	Luminaries light transparency should be of Toughened glass	Yes				
	Toughned transparent glass cover thickness	>/=4 mm				
	Toughned Glass shall not get discoloured shall not suffer degration due to heat and ageing within warranty period	Yes				
	Number of electronic control gear (power supplies)	1 No.				
	Light Source	SMD LED Chip as per LM 80/IS16106				
	Driver components shall be industrial grade or above	Yes				
	PCB shall be FR4 grade minimum 0.8 to 1.0 mm thick or more	Yes				
	The Luminaires works on single phase three wires system (Phase, Neutral and Earth)	Yes				
	Suitable connector shall be provided for LED connection between driver output and LED	Yes				
	Length of ISI marked three core wire (shall be provided along with supply of material)	100 cm				
MARKING	"Manufactures Name and and brand on the aluminium die cast body "	Engraved/Embossed				
	Manufacturer's name, model number, serial number	Yes				
	Date of manufacture (month-year), and lot number as identification mark inside each unit and the outside of each packaging box	Yes				
	The operation characteristics voltage and power be marked inside of each LED luminaire unit	Yes				
	Diameter of pole Luminiare suitable for: (upto 45W Pole OD: shall be 40mm), (>45W<120W Pole OD: Shall be 50 mm), (above 120W: OD shall be 60 mm for which luminiare is suitable	Yes				
Reports And Certifications	LED Make	OSRAM / NICHIA / CREE / SAMSUNG / SEOUL / LUMILEDS / PHILIPS / SYSKA / LUMENMAX / EVERLIGHT / EDISON / BRIDGELUX / NATIONSTAR / REFOND				
	System must have EMI/EMC compliance as applicable (Test reports shall be furnish to the buyer / consignee on demand)	Yes				
	LM 79 (Photometry) (Ref.IS:16106:2012) report from Central Government Lab /NABL/ILAC accredited lab. Reports shall be furnish to the buyer / consignee on demand (LM-79 report shall have total lumen output, power, PF, Current in Amps, CRI & CCT etc.,	Yes				
	LM 80 & TM 21 (Ref. IS:16105:2012) Report and Photo biological report for LED report from Central Government Lab /NABL/ILAC accredited lab. Reports shall be furnish to the buyer / consignee on demand (LM-80 report shall have the Pohoto Biological re	Yes				
	Availability of test Report from Central Government Lab /NABL/ILAC accredited lab to Indian Standrad IS:10322/part 5/sec-3/2012 and IS 16107 (Part 2/Sec 1) : 2012	Yes				
	Seller shall furnish the Type test reports to the buyer / consignee on demand	Yes				
	DC or AC supplied electronic control gear for LED Module shall comlpy as per IS:15885 (Part 2/Sec.13)	Yes				
	LED Luminaire for road and street lighting shall comply with Complusory Registration(CRS) of BIS for safety as per IS 10322 (Part 5/Section 3): 2012 as applicable on date	Yes				
<div>टिप्पणी Note:: Seller has given an undertaking that it has made arrangements for getting the stores from an authorized distributor / dealer / channel partner of the OEM of the offered product. At the time of delivery of goods, Seller will provide necessary chain documents (in the form of GST Invoice) to prove that the supplied goods are genuine and are being sourced from an authorized distributor / dealer / channel partner of the OEM. In case of any complaint about genuineness of the supplied products, Seller shall be responsible for providing genuine replacement supplies.</div>						
<div>खरीदार परिभाषित अतिरिक्त विशिष्टता के लिए Buyer Defined Additional Specification for Unbranded Yes WLed Luminaire Light</div> <table><tr><th>विनिर्देश Specification</th><th>मूल्य Value</th></tr><tr><td>Purchase and Installation of Street Lights 60 Wt Led Street Light 60 watt with allied Materials Installation of Street Light at different locations</td><td>these specs are for single unit of street lights these are approved by competent authority supersede above specifications .</td></tr></table>			विनिर्देश Specification	मूल्य Value	Purchase and Installation of Street Lights 60 Wt Led Street Light 60 watt with allied Materials Installation of Street Light at different locations	these specs are for single unit of street lights these are approved by competent authority supersede above specifications .
विनिर्देश Specification	मूल्य Value					
Purchase and Installation of Street Lights 60 Wt Led Street Light 60 watt with allied Materials Installation of Street Light at different locations	these specs are for single unit of street lights these are approved by competent authority supersede above specifications .					
<div>शुद्धिपत्र Corrigendum</div> <div>ईपीबीजी विवरण ePBG Detail</div> <table><tr><td>सलाहकार बैंक Advisory Bank :</td><td>NA</td></tr><tr><td>ईपीबीजी प्रतिशत (%) ePBG Percentage(%):</td><td>NA</td></tr></table>			सलाहकार बैंक Advisory Bank :	NA	ईपीबीजी प्रतिशत (%) ePBG Percentage(%):	NA
सलाहकार बैंक Advisory Bank :	NA					
ईपीबीजी प्रतिशत (%) ePBG Percentage(%):	NA					
<div>नियम और शर्तें Terms and Conditions</div>						

1. General Terms and Conditions-

1.1 This contract is governed by the [General Terms and Conditions](#), conditions stipulated to this Product/Service as provided in the Marketplace.

1.2 This Contract between the Seller and the Buyer, is for the supply of the Goods and/ or Services, detailed in the schedule above, in accordance with the General Terms and Conditions (GTC) unless otherwise superseded by Goods / Services specific Special Terms and Conditions (STC) and/ or BID/Reverse Auction Additional Terms and Conditions (ATC), as applicable

2. Buyer Added Bid Specific Terms and Conditions-

2.1 Generic

OPTION CLAUSE: The Purchaser reserves the right to increase or decrease the quantity to be ordered up to 25 percent of bid quantity at the time of placement of contract. The purchaser also reserves the right to increase the ordered quantity by up to 25% of the contracted quantity during the currency of the contract at the contracted rates. Bidders are bound to accept the orders accordingly.

2.2 Scope of Supply:

Scope of supply (Bid price to include all cost components) : Supply Installation Testing Commissioning of Goods and Training of operators and providing Statutory Clearances required (if any)

2.3 Turnover:

Bidder Turn Over Criteria: The minimum average annual financial turnover of the bidder during the last three years, ending on 31st March of the previous financial year, should be as indicated in the bid document. Documentary evidence in the form of certified Audited Balance Sheets of relevant periods or a certificate from the Chartered Accountant / Cost Accountant indicating the turnover details for the relevant period shall be uploaded with the bid. In case the date of constitution / incorporation of the bidder is less than 3 year old, the average turnover in respect of the completed financial years after the date of constitution shall be taken into account for this criteria.

2.4 Buyer Added Bid Specific ATC:

Buyer uploaded ATC document [Click here to view the file](#).

नोट: यह सिस्टम जनरेटेड फाइल है। कोई हस्ताक्षर की आवश्यकता नहीं है। इस दस्तावेज़ का प्रिंट आउट भुगतान/लेनदेन उद्देश्य के लिए मान्य नहीं है।

Note: This is system generated file. No signature is required. Print out of this document is not valid for payment/ transaction purpose.