

अनुबंध | Contract



अनुबंध क्रमांक | Contract No: GEMC-511687759793697

अनुबंध तिथि | Generated Date : 08-Apr-2024

बोली/आरए/पीबीपी संख्या | Bid/RA/PBP No.: [GEM/2024/B/4768737](#)

संगठन विवरण Organisation Details		खरीदार विवरण Buyer Details	
प्रकार Type :	Central Government	पद Designation :	DMM MAS
मंत्रालय Ministry :	Ministry of Railways	संपर्क नंबर Contact No. :	044-25352269-
विभाग Department :	Indian Railways	ईमेल आईडी Email ID :	dmmmas@mas.railnet.gov.in
संगठन का नाम Organisation Name :	Southern Railway	जीएसटीआईएन GSTIN :	33AAAGM0289C1ZQ
कार्यालय क्षेत्र Office Zone:	Southern Railway	पता Address :	Office of the Senior Divisional Material Manager Divisional Railway Manager Office Chennai Division Park Town,Chennai-600003, CHENNAI, TAMIL NADU-600003, India

वित्तीय स्वीकृति विवरण Financial Approval Detail		भुगतान प्राधिकरण विवरण Paying Authority Details	
आईएफडी सहमति IFD Concurrence :	No	Role:	CONSIGNEE
प्रशासनिक अनुमोदन का पदनाम	SR.DEE/G/MAS		
Designation of Administrative Approval:			
वित्तीय अनुमोदन का पदनाम	SR.DFM/MAS		
Designation of Financial Approval :			

विक्रेता विवरण Seller Details	
जीम विक्रेता आईडी GeM Seller ID :	08PK210001936363
कंपनी का नाम Company Name :	Yes Celebration
संपर्क नंबर Contact No. :	09529523999
ईमेल आईडी Email ID :	yescelebration@gmail.com
पता Address :	Behind Chawla Nursing Home, Yes Celebration, Baba Shyam Singh Colony, Hanumangarh, RAJASTHAN-335512, -
एमएसएमई सत्यापिति MSME verified :	No
एमएसएमई पंजीकरण संख्या MSME Registration number :	UDYAM-RJ-16-0010336
एमएसई सामाजिक श्रेणी MSE Social Category :	General
एमएसई लिंग श्रेणी MSE Gender :	Male
जीएसटीआईएन GSTIN:	08ANSPT1206C1Z1

*जिसके नाम के पक्ष में GST/TAX इनवॉइस पेश किया जाएगा | GST / Tax invoice to be raised in the name of - Consignee

वितरण निर्देश | Delivery Instructions : CONTACT MR VEERUNAIDU- 90030 61334

उत्पाद विवरण | Product Details

#	आइटम विवरण Item Description	आइटम विवरण Ordered Quantity	इकाई Unit	इकाई मूल्य (INR) Unit Price (INR)	कर विभाजन (INR) Tax Bifurcation (INR)	मूल्य (INR में सभी शुल्क और कर सहित) Price (Inclusive of all Duties and Taxes in INR)
1	उत्पाद का नाम Product Name : Orient electric 18W Led Recessed Luminaire ब्रांड Brand : Orient electric ब्रांड प्रकार Brand Type : Registered Brand कैटलॉग की स्थिति Catalogue Status: Catalogue not verified by OEM कैसे बेचा जा रहा है Selling As : OEM verified Reseller श्रेणी का नाम और चतुर्भासा Category Name & Quadrant : LED Luminaire (Recessed Luminaire) (V2) (Q3) मॉडल Model: LDRVP-018-C (Venus Plus 18) एचएसएन कोड HSN Code: HSN not specified by seller	80	pieces	720	NA	57,600
कुल ऑर्डर मूल्य Total Order Value (in INR)						57,600

परेषिती विवरण | Consignee Detail

क्र.सं. S.No	परेषिती Consignee	वस्तु Item	लॉट नंबर Lot No.	मात्रा Quantity	दिनांक के बाद डिलीवरी शुरू करना है Delivery Start After	वितरण पूरा कब तक करना है Delivery To Be Completed By
1	पद Designation : - ईमेल आईडी Email ID : ssepngo@mas.railnet.gov.in संपर्क Contact : 044-25352269- जीएसटीआईएन GSTIN : 33AAAGM0289C1ZQ	Orient electric 18W Led	-	80	08-Apr-2024	08-May-2024

Product Specification for Orient electric 18W Led Recessed Luminaire

विवरण Specification	उप-विवरण Sub-Spec	मूल्य Value
Standards	Conformity to Indian Standard	IS:10322/part 5/sec-2/2012 and IS 16107 (Part 2/Sec 1) : 2012 for Recess type
	Photo biological safety of LEDs used shall be as per IS:16108/2012 (exempt group)	Yes
	DC or AC supplied electronic control gear for LED Module shall comply as per IS:15885 (Part 2/Sec.13)	Yes
	Luminaire Class (as per Cl. 2.1 Section 2 of IS: 10322 (Part-1)	Class I
	Types of LED Modules as per the IS: 16103(Part-2)/2012	Type 3
	Rating of Recess type LED Luminaire/System Wattage/Rated Power	18W
	Light Intensity(System Lumens) 80 Lm/Watt for 3000 deg K, 90 Lm/Watt for 4000 deg K, 100 Lm/Watt for 6000 deg K	Yes
	Color temperature (+/- 500 K)	6000 deg K
	Type of fixture (in feet)	Round
Constructional	Ingress Protection (IP Rating) as per IS:10322 (Part 1):1982 latest (Minimum)	IP20
	Mounting Type	Recess Type
	Diffuser Material	Poly carbonate (UV Stabilized)
	The luminaire body must be corrosion resistant epoxy powder coated / anodizing	Yes
	All fastners must be of nickel/chrome plated	Yes
	Number of electronic control gear (power supplies)	1
	Light Source	SMD LED Chip as per LM 80/IS16106
	Warranty for free replacement	3 Years
Electrical Efficiency Management	Operating Voltage and frequency range	140V to 280 V at 50 Hz AC
	Rated Voltage	230 V AC 50 Hz
	AC Power Factor	>/=0.90
	Driver Efficiency	>/=85
	Total Harmonics Distortion (</=20% (for upto 20W) </=10% (for above 20W)	Yes
	The total circuit power shall not be more than 110 percent of the value declared by the manufacturer (as per Cl 8 of IS:16104:2012 latest)	Yes
Optical Management	LED chip Efficacy (>/=130 Lm/Watt for 6000 deg K, >/=120 Lm/Watt for 4000 deg K, >/=110 Lm/Watt for 3000 deg K)	Yes, with higher efficacy >/=140 Lm/Watt
	Working life for LED : (Minimum 50,000 burning hours as per LM-80 report)	Yes
	Color Rendering Index(CRI)	>/=80
	Beam Angle	>/=120
	Reflector type	Diffuser
Thermal Management	Fixture / Luminaire should be die-cast aluminium /CRCA/Extruded Aluminium	Yes
	Capacitor shall be rated for a temperature of 105 deg. Celsius or better	Yes
	Junction temperature / soldering temperature	< 85 deg C
	Operating temperature range	-10 deg. C to +50 deg. C
	Humidity Range	10 % to 95% RH
Protection	Short circuit Protection	Yes
	Over Load Protection	Yes
	High voltage test (1.5 KV for one minute between supply terminals and body of the unit)	Yes

	Insulation resistance between earth and current carrying part	Yes
	The luminaire shall be protected against surges and transients of >/=2.5 KV	Yes
Marking	Manufactures Name and brand shall available on the body of the Luminaire	Engraved/Embossed
	Each LED luminaire shall have the manufacturer's name, model number, serial number, date of manufacture (month-year), and lot number as identification mark inside each unit and the outside of each packaging box	Yes
	The operation characteristics such as rated voltage and rated power in watts shall be marked inside each LED luminaire unit	Yes
Reports and Certifications	LM 79 (Photometry) (Ref.IS:16106:2012) report from Central Government LAB /NABL/ILAC accredited lab Reports shall be furnish to the buyer on demand (LM-79 report shall have total lumen output, power, PF, Current in Amps, CRI & CCT etc)	Yes
	LM 80 &TM21(Ref. IS:16105:2012) Report and Photo biological report for LED report from Central Government Lab /NABL/ILAC accredited lab. Reports shall be furnish to the buyer on demand (LM-80 report shall have the Photo Biological report of the LED	Yes
	Availability of test Report from Central Government Lab /NABL/ILAC accredited lab to Indian Standard IS:10322/part 5/sec-2/2012 and IS 16107 (Part 2/Sec 1) : 2012	Yes
	Seller has to furnish Type test report to the buyer on demand	Yes
	DC or AC supplied electronic control gear for LED Module shall comply as per IS:15885 (Part 2/Sec.13)	Yes
	LED Luminaire for recess type shall comply with Complusory Registration(CRS) of BIS for safety as per IS 10322 (Part 5/Section 2): 2012 as applicable on date	Yes
	LED Make	EVERLIGHT / EDISON / BRIDGELUX / NATIONSTAR / SEOUL / SAMSUNG / OSRAM / REFOND / NICHIA / CREE / LUMILEDS / PHILIPS / SYSKA / LUMENMAX, Other than EVERLIGHT / EDISON / BRIDGELUX / NATIONSTAR / SEOUL / SAMSUNG / OSRAM / REFOND / NICHIA / CREE / LUMILEDS / PHILIPS / SYSKA / LUMENMAX

ईपीबीजी विवरण | ePBG Detail

सलाहकार बैंक Advisory Bank :	NA
ईपीबीजी प्रतिशत (%) ePBG Percentage(%):	NA

नियम और शर्तें| Terms and Conditions

1. General Terms and Conditions-

- 1.1 This contract is governed by the [General Terms and Conditions](#), conditions stipulated to this Product/Service as provided in the Marketplace.
- 1.2 This Contract between the Seller and the Buyer, is for the supply of the Goods and/ or Services, detailed in the schedule above, in accordance with the General Terms and Conditions (GTC) unless otherwise superseded by Goods / Services specific Special Terms and Conditions (STC) and/ or BID/Reverse Auction Additional Terms and Conditions (ATC), as applicable

2. Buyer Added Bid Specific Terms and Conditions-

2.1 Generic

OPTION CLAUSE: The Purchaser reserves the right to increase or decrease the quantity to be ordered up to 25 percent of bid quantity at the time of placement of contract. The purchaser also reserves the right to increase the ordered quantity by up to 25% of the contracted quantity during the currency of the contract at the contracted rates. Bidders are bound to accept the orders accordingly.

2.2 Buyer Added Bid Specific ATC:

Buyer Added text based ATC clauses

REQUIREMENT:

SUPPLY OF 18W ROUND TYPE RECESS TYPE, LED FIXTURE WITH OPERATING VOLTAGE OF 140V TO 230V CONFIRMING TO RECESS TYPE WITH HIGHER EFFICACY >/=140LM/WATT, COLOR TEMPERATURE(+/-500K)-6000DEGK, WITH IS STANDARD 10322/PART5/SEC-2/2012 AND IS 16107 (PART2/SEC/1):2012 FOR RECESS TYPE AND IP RATING MUST BE 20 AND SPECIFICATION AS PER GEM ID 5116877-40500331707. NECESSARY TEST REPORTS, WARRANTY CERTIFICATE, AUTHORIZED DEALERSHIP CERTIFICATE SHOULD BE SUBMITTED.

ACCEPTABLE MAKE: ORIENT, HAVELLS, CROMPTON, SURYA, PHILIPS.

WARRANTY: 36 MONTHS FROM THE DATE OF SUPPLY

QTY - 80 NOS

(SUPPLY STRICTLY AS PER SPECIFICATIONS MENTIONED IN THE BID DOCUMENT)

NOTE: OEM AUTHORIZATION CERTIFICATE TO BE UPLOADED ALONGWITH THE OFFER, WITHOUT WHICH THE OFFER WILL BE SUMMARILY REJECTED.

NOTE TO THE SUPPLIER: SUBMIT THE FOLLOWING DOCUMENTS ALONG WITH THE SUPPLY, (A) TAX INVOICE. (B) BANK MANDATE. (C) PAN CARD COPY. (D) GST REGISTRATION CERTIFICATE. (E) ANNUAL TURNOVER DIGITALLY SIGNED CERTIFICATE (IREPS VERIFIED) (F) TEST CERTIFICATE (G) OEM AUTHORIZATION CERTIFICATE (H) WARRANTY CERTIFICATE

INDENT NO- SR-022226-24-00045/7.2.24

DELIVERY LOCATION - CHENNAI

CONTACT MR. VEERANAIDU- 90030 61334

नोट: यह सिस्टम जनरेटेड फाइल है। कोई हस्ताक्षर की आवश्यकता नहीं है। इस दस्तावेज़ का प्रिंट आउट भुगतान/लेनदेन उद्देश्य के लिए मान्य नहीं है।

Note: This is system generated file. No signature is required. Print out of this document is not valid for payment/ transaction purpose.