

1	ईमेल आईडी Email ID : dipakdewri.nird@gov.in संपर्क Contact : 361-2304791- जीएसटीआईएन GSTIN : - पता Address : National Institute of Rural Development and Panchayati Raj, North Eastern Regional Centre, Jawaharnagar Khanapara, 781022, Assam, India, KAMRUP, ASSAM-781022, India	Voltas Washer with Dryer / Extractor Front Load Single Phase, 50 Hz Washing Machines / Drying Machines	-	1	09-Apr-2024	09-May-2024
---	---	--	---	---	-------------	-------------

Product Specification for Voltas Washer with Dryer / Extractor Front Load Single Phase, 50 Hz Washing Machines / Drying Machines

विनिर्देश Specification	उप-विनिर्देश Sub-Spec	मूल्य Value
TYPE	Type of Machine	Washer with Dryer / Extractor
	Type of Usage of Machine	Domestic
	Number of Duty Cycles per day - Nominal	6
	Type of Mounting	Portable with Castor Wheels
	Drive Type	Variable Frequency Direct Drive
	Number of Tubs/Containers/Drums	Single Container
	Container / Drum Position	Horizontal
	Type of Laundry Loading	Front Load
	Laundry Processing	Fully Automatic
	Type of Heating	NA
	Steam Source	From integrated steam generator
	Provided with coin / currency operated Timer	No
	Material of Top Panel	Stainless Steel
	Material of side Panel	Stainless Steel
WASHER	Washer System	Pulsator / Impellor Type
	Rated capacity of Washer (in kg)	8 - 8.9
	"Washer Drum Volume	3000 liter
	"Washer Drum Dia	200 millimeter
	"Washer Drum Height / Length	500 millimeter
	Material of the Washer Drum	Stainless Steel
	"Number of Preset Wash Programmes	15
	"Normal Washing and Rinsing Cycle time	45 minute
	Provided with Automatic Detergent dispenser with liquid soap pump/dosing meter	NA
DRYER	Type of Dryer	Spin Dryer with Heating
	Type of Tumble Dryer	Vent Type
	Rated capacity of Dryer (in kg)	8 - 8.9
	Dryer Drum Volume	3000 liter
	"Dryer Drum Diameter "	200 millimeter
	"Dryer Drum Height / Length"	500 millimeter
	"Dryer Spin Speed in rpm"	1500
	Material of the Dryer Drum	Stainless Steel
	Spin Speed Selection	NA
	Provided with Hot Air Blower	NA
	"Exhaust Blower / Fan motor Power Rating"	1 kiloWatt
	Air Flow Rate (in cubic meter/hour	1
	"Number of Preset Dryer Programmes"	15
	"Normal Drying Cycle time"	45 minute
Steam Consumption (in kg/hour)	5	
	"Electric Heating Power Rating"	1 kiloWatt
	Minimum Water inlet Pressure	7 bar
	Maximum allowed Hardness (CaCO3) of inlet water (ppm)	200

GENERIC	"Steam Pressure"	7 bar
	Temperature Control / Selection	No
	Noise level	45 decibel
	connectivity	NA
	Electrical Safety Provisions as per IS : 302 latest	Yes
	Net Weight	80 kilogram
	Overall Dimensions (mm x mm x mm)	850*598*588
	Features / Functions Functions	Pre Wash,Tub Wash,Rinse Only,Spin Only,Rinse and Spin,Gentle Wash,Turbo Wash,Quick Wash,Water Efficient Wash,Normal Wash,Hard Wash,Child Lock,Lint Filter
	Other features, if any	YES
	List of Items and Quantity of each item included in the offer	NA
POWER SUPPLY	Power Supply	Single Phase, 50 Hz
	Working Voltage	230 ± 10% V AC
	Number of Motors	1
	Power Rating of each motor (kW)	230
	BEE Star Rating	NA
INSTALLATION & COMMISSIONING / STC	Installation and Commissioning as per STC	Inclusive in the scope of Supply
	Agreed to the STC of the Product	YES
GUARANTEE / WARRANTY	Minimum Rated Life Cycles	6000
	Warranty on Equipment	1 year
	Warranty on Electric Motor (s)	5 year
CERTIFICATION	Availability of Test Reports from Central Govt / NABL approved / ILAC accredited Lab to prove the Minimum Guaranteed Life Cycles, etc	No
	If Yes, Test Report to be furnished to the Buyer on demand	NA
	Test Report No and Date	NA
	Name of the Lab and Address	NA

टिप्पणी | Note:: Seller has given an undertaking that it has made arrangements for getting the stores from an authorized distributor / dealer / channel partner of the OEM of the offered product. At the time of delivery of goods, Seller will provide necessary chain documents (in the form of GST Invoice) to prove that the supplied goods are genuine and are being sourced from an authorized distributor / dealer / channel partner of the OEM. In case of any complaint about genuineness of the supplied products, Seller shall be responsible for providing genuine replacement supplies.

ईपीबीजी विवरण | ePBG Detail

NA

नियम और शर्तें | Terms and Conditions

1. Special terms and conditions- Version:1 effective from 04-05-2020

1.1 The Scope of installation and Commissioning for Laundry Type Washing / Drying Machine (s), shall be as under:

1.1.1 In addition to General Terms and Conditions of the GeM, the following Special T&C shall be applicable for "Laundry Type Washing / Drying Machines

1.1.1.1 SELER'S RESPONSIBILITIES:

1.1.1.2 CONSIGNEE / USER'S RESPONSIBILITIES:

1.1.1.2.1 Providing necessary Space, Water source, Electricity, Drainage, wherever required.

1.1.1.2.2 Civil work for Foundation and Electrical earthing, wherever required.

1.1.1.2.3 Plumbing work for water inlet connection within 1.5 meters from the Foundation of the Machine, wherever required.

1.1.1.2.4 Plumbing work for water drain line connection within 1.0 meter from the Foundation of the Machine, wherever required.

1.1.1.2.5 Exhaust Piping (for Dryer), wherever required.

1.1.1.2.6 Providing Consumables required for Washing / Drying.

1.1.1.2.7 Providing Rinse Booster Pump (for Washer), if the water inlet pressure is less than the Minimum water inlet pressure specified in the contract.

1.1.1.2.8 Providing Water softener (for Washer), if the water Hardness is more than the Maximum water hardness specified in the contract..

1.1.1.2.9 Necessary approvals from regulatory authorities, if any, for installation of the Machine.

1.2 The Scope of installation and Commissioning for Laundry Type Washing / Drying Machine (s), shall be as under:

1.2.1 Inclusive in the Scope of Installation & Commissioning:

1.2.1.1 Foundation / Grouting is not required in case of Portable Type and Soft Mount Type Washing / Drying Machine(s).

1.2.1.2 The Supplier, on receipt of the order for Rigid Mount Washing / Drying Machine (s), shall immediately furnish the "Foundation Drawing" and the requirements of suitable

earthing along with Electric circuit diagram to the consignee. The consignee shall make necessary arrangements for the civil work required for foundation and earthing as per the drawings received.

1.2.1.3 Mounting / Fitting of the Machine, with necessary alignment work, on the already made foundation, wherever required.

1.2.1.4 Suitable Electrical Wiring upto 2 meters length between the Machine and Power Socke

1.2.1.5 Suitable water inlet Piping between the Machine and the water source upto 2 nos. of water inlet pipes of length 1.5 meters each.

1.2.1.6 Providing 1 no. of suitable Water outlet Pipe upto 1.0 meter length.

2. General Terms and Conditions-

2.1 This contract is governed by the [General Terms and Conditions](#), conditions stipulated to this Product/Service as provided in the Marketplace.

2.2 This Contract between the Seller and the Buyer, is for the supply of the Goods and/ or Services, detailed in the schedule above, in accordance with the General Terms and Conditions (GTC) unless otherwise superseded by Goods / Services specific Special Terms and Conditions (STC) and/ or BID/Reverse Auction Additional Terms and Conditions (ATC), as applicable

नोट: यह सिस्टम जनरेटेड फाइल है। कोई हस्ताक्षर की आवश्यकता नहीं है। इस दस्तावेज़ का प्रिंट आउट भुगतान/लेनदेन उद्देश्य के लिए मान्य नहीं है।

Note: This is system generated file. No signature is required. Print out of this document is not valid for payment/ transaction purpose.