

अनुबंध | Contract



अनुबंध क्रमांक | Contract No: GEMC-511687702639596

अनुबंध तिथि | Generated Date : 10-Apr-2024

| संगठन विवरण Organisation Details | खरीदार विवरण Buyer Details |
|--|--|
| प्ररूप Type : Central Autonomous मंत्रालय Ministry : Ministry of Micro Small and Medium Enterprises विभाग Department : Ministry of Micro Small and Medium Enterprises संगठन का नाम Organisation Name : Development Commissioner (Micro Small & Medium Enterprises) कार्यालय क्षेत्र Office Zone: Central Tool Room & Training Centre | पद Designation : Engineer संपर्क नंबर Contact No. : 0674-2654710-721 ईमेल आईडी Email ID : buyer8.dcmsme.or@gembuyer.in जीएसटीआईएन GSTIN : 21AAABC0056G1ZI पता Address : Central Tool Room and Training Centre, B-36 CNI Complex, Patia, Near Infocity, Bhubaneswar, Odisha, KHORDA, ODISHA-751024, India |

| वित्तीय स्वीकृति विवरण Financial Approval Detail | भुगतान प्राधिकरण विवरण Paying Authority Details |
|---|--|
| आईएफडी सहमति IFD Concurrence : No प्रशासनिक अनुमोदन का पदनाम Designation of Administrative Approval: General Manager वित्तीय अनुमोदन का पदनाम Designation of Financial Approval : General Manager | Role: PAO भुगतान का तरीका Payment Mode: Offline पद Designation : Amarendra Jena ईमेल आईडी Email ID : pao1.cttc.bbs@gembuyer.in जीएसटीआईएन GSTIN : 21AAABC0056G1ZI पता Address: Central Tool Room and Training Centre, B-36 CNI Complex, Patia, Near Infocity, Bhubaneswar, Odisha, KHURDA, ODISHA-751024, India |

| विक्रेता विवरण Seller Details |
|---|
| जेम विक्रेता आईडी GeM Seller ID : 12DB180000546946 कंपनी का नाम Company Name : NOVAAL SERVICES संपर्क नंबर Contact No. : 09873771166 ईमेल आईडी Email ID : deeptrehan@yahoo.co.in पता Address : LG-29A, RAHEJA MALL, SECTOR-47 GURGAON, SOHNA ROAD, Gurgaon, HARYANA-122001, - एमएसएमई पंजीकरण संख्या MSME Registration number : - जीएसटीआईएन GSTIN: 06BKDPT8049Q2Z8 (R) |

*जिसके नाम के पक्ष में GST/TAX इनवॉइस पेश किया जाएगा | GST / Tax invoice to be raised in the name of - Consignee

वितरण निर्देश | Delivery Instructions : NA

| # | आइटम विवरण Item Description | आइटम विवरण Ordered Quantity | इकाई Unit | इकाई मूल्य (INR) Unit Price (INR) | कर विभाजन (INR) Tax Bifurcation (INR) | मूल्य (INR में सभी शुल्क और कर सहित) Price (Inclusive of all Duties and Taxes in INR) |
|--|---|-------------------------------|-------------|-------------------------------------|---|---|
| 1 | उत्पाद का नाम Product Name : hp Workstation With Intel Core i9 13900K Processor 64 GB ब्रांड Brand : hp ब्रांड प्रकार Brand Type : Registered Brand कैटलॉग की स्थिति Catalogue Status: OEM verified catalogue कैसे बेचा जा रहा है Selling As : OEM verified Reseller श्रेणी का नाम और चतुर्थांश Category Name & Quadrant : Workstation (Q2) मॉडल Model: HP Z2 G9 Twr i9 13900K 642Pcie13 A4000 DVD 27" एचएसएन कोड HSN Code: 8471 | 2 | pieces | 246,600 | NA | 493,200 |
| कुल ऑर्डर मूल्य Total Order Value (in INR) | | | | | | 493,200 |

| क्र.सं. S.No | परोक्षिती Consignee | वस्तु Item | लॉट नंबर Lot No. | मात्रा Quantity | दिनांक के बाद डिलीवरी शुरू करना है Delivery Start After | वितरण पूरा कब तक करना है Delivery To Be Completed By |
|----------------|--|--|--------------------|-------------------|---|--|
| 1 | पद Designation : Accountant ईमेल आईडी Email ID : con22.cttc.bbs@gembuyer.in संपर्क Contact : 0674-2654709-710 जीएसटीआईएन GSTIN : 21AAABC0056G1ZI पता Address : Central Tool Room and Training Centre, B-36 CNI | hp Workstation With Intel Core i9 13900K Processor 64 GB | - | 2 | 10-Apr-2024 | 25-May-2024 |

Product Specification for hp Workstation With Intel Core i9 13900K Processor 64 GB

| विनिर्देश Specification | उप-विनिर्देश Sub-Spec | मूल्य Value |
|------------------------------|--|---|
| Type | Form Factor | Desktop |
| Processor | Processor Make | Intel |
| | Processor Generation | 13 |
| | Number of Cores per Processor | 24 |
| | Processor Base Frequency (GHz) | 3 |
| | Processor Turbo Frequency (GHz) | 5.4 |
| | Processor Description | Intel Core i9 |
| | Processor Number | Intel Core i9 13900K |
| | Number of sockets available on the motherboard | 1 |
| | Number of Sockets populated with the Processors | 1 |
| | Cache (MB) | 36 |
| | Out of Band Management | Intel vPro |
| Motherboard | Chipset Number | Intel W680 |
| | Expansion Slots (PCIe x 1) (Number) | 1 |
| | Expansion Slots (PCIe x 4) (Number) | 2 |
| | Expansion Slots (PCIe x 8) (Number) | 0 |
| | Expansion Slots (PCIe x 16) (Number) | 1 |
| | Expansion Slots (PCI) (Number) | 0 |
| Graphics | Graphics Type | Dedicated/Discrete |
| | Number of Graphic Cards | 1 |
| | Graphic Card Description | NVIDIA RTX A4000 16GB |
| Operating System | Operating System (Factory Pre-Loaded) | Windows 11 Professional |
| | Recovery Image Media | CD from the OEM / Stored in Partition of the Hard Disk / USB Drive from the OEM / On Line / Cloud |
| | OS Certification | Windows, Redhat Linux |
| Applications | Applications Compatible with the Workstation (Requisite document may be furnished as and when demanded by the buyer) | Avid Media Composer, Dassault Systèmes SolidWorks, Dassault Systèmes CATIA, PTC Creo, Siemens NX |
| Memory | RAM Type | DDR5 |
| | RAM Speed (MHz) | 4800 |
| | Type of Memory | Non ECC |
| | RAM Size (GB) | 64 |
| | Total Numbers of DIMM Slots Available | 4 |
| | Number of DIMM Slots Populated | 2 |
| | RAM Expandability upto using spare DIMM Slots (GB) | 128 |
| Primary Storage / Boot Drive | Type of Drives used to populate the internal Bays | PCIe |
| | Number of Drives | 1 |
| | RAID for Operating System | NA |
| | Capacity of each Drive (GB) | 1024 |
| | Type of Drives used to populate the Internal Bays | SATA |
| | Total number of Internal Bays available for SATA Drive | 2 |
| | Number of Internal Bays populated with SATA Drive | 1 |
| | Each SATA Drive Capacity (GB) | 1000 |
| | Speed of each SATA Drive (RPM) | 7200 |
| | Total SATA Drive Capacity (GB) | 1000 |
| | Total number of Internal Bays available for SAS Drive | 0 |

| | | |
|---------------------------------------|--|--------------------------------|
| Secondary Storage | Number of Internal Bays populated with SAS Drive | 0 |
| | Capacity of each SAS Drive (GB) | 0 |
| | Speed of each SAS Drive (RPM) | 0 |
| | Total SAS Drive Capacity (GB) | 0 |
| | Total number of Internal Bays available for SSD | 0 |
| | Number of Internal Bays populated with SSD Drive | 0 |
| | Capacity of each SSD Drive (GB) | 0 |
| | Total SSD Capacity (GB) | 0 |
| | Total number of Internal Bays available for PCIe SSD | 1 |
| | Number of Internal Bays populated with PCIe Drive | 1 |
| | Capacity of each PCIe Drive (GB) | 1024 |
| | Total PCIe Drive Capacity (GB) | 1024 |
| | Class of PCIe Drives | Class 40 |
| | RAID | RAID level |
| Number of RAID Controller Ports | | 4 |
| Speed of RAID Controller Ports (Gbps) | | 6 |
| RAID Controller Cache (GB) | | 0 |
| Connectivity | Type of Ethernet Ports | Single Gigabit NIC 10/100/1000 |
| | Number of Ethernet Ports | 1 |
| | Wireless Connectivity | No |
| | If Yes, Type of Wireless Connectivity | NA |
| | Bluetooth Connectivity | No |
| | If Yes, Version of Bluetooth Available | 0 |
| Ports | Number of USB Version 2 Point 0 Ports | 3 |
| | Number of USB Version 3 point 0 / 3 point 1, Gen 1 Ports | 1 |
| | Number of USB Version 3 point 1, Gen 2 Ports | 6 |
| | Number of USB Type C Ports | 0 |
| | Number of VGA Ports | 0 |
| | Number of HDMI Ports | 0 |
| | Number of Mini DP Ports | 0 |
| | Number of DP Ports | 4 |
| Display | Display Availability | Monitor |
| | Display Size (cm) | 68- 71 |
| | Display Type | Non Touch |
| | Panel Type | Flat |
| | Panel Technology | IPS |
| | Display Resolution (Pixels) | 1920x1080 |
| | LED Backlit | Yes |
| | TCO Compliance for Monitor | TCO 9.0 |
| | Colour Gamut | 72% Color Gamut |
| | Monitor Stand | Standard |
| Power | Maximum Power (Watts) | 700 |
| | Minimum Power Efficiency (%) | 90 |
| | Power Management Unit | Yes |
| | Redundant Power Supply | No |
| Input Devices | Mouse Connectivity, If available | Wired |
| | Type of Mouse, If available | Optical Scroll |
| | Keyboard Connectivity, if available | Wired |

| | Type of Keyboard, if available | Standard |
|----------------------|--|---|
| | Type of Keyboard in case of Mobile Workstation | NA |
| Generic | Optical Drive | DVD R/W |
| | Number of External Bays | 1 |
| | Security | H/W Based |
| | Docking Station for Mobile Workstation | No |
| | Availability of Bundled Software | No |
| | Type of Bundled Software | NA |
| | Finger Print Reader in case of Mobile Workstation | NA |
| | Carry Case in case of Mobile Workstation | NA |
| Certification | BIS Registration under CRS of Meity (Requisite certificate may be furnished as and when demanded by the buyer) | Yes |
| | BIS Registration Number and its Validity | R-61001260 |
| | ROHS Compliance | Yes |
| | Other Certification Available (Requisite certificate may be furnished as and when demanded by the buyer) | UL/EN/CE/IEC-60950 for Safety,CE/FCC for EMC & Immunity,UL,CE,FCC,WEEE for Waste management |
| Operating Conditions | Minimum Operating Temperature (Degree C) | 5 |
| | Maximum Operating Temperature (DEgree C) | 35 |
| | Minimum Operating Humidity (%RH) | 10 |
| | Maximum Operating Humidity (%RH) | 85 |
| Warranty | Battery Warranty in case of Mobile Workstation | 0 |
| | On Site OEM Warranty (Year) | 3 |

उत्पाद का बीआईएस लाइसेंस | BIS license of the product: 61001260

ईपीबीजी विवरण | ePBG Detail

NA

नियम और शर्तें | Terms and Conditions

1. General Terms and Conditions-

- 1.1 This contract is governed by the [General Terms and Conditions](#), conditions stipulated to this Product/Service as provided in the Marketplace.
- 1.2 This Contract between the Seller and the Buyer, is for the supply of the Goods and/ or Services, detailed in the schedule above, in accordance with the General Terms and Conditions (GTC) unless otherwise superseded by Goods / Services specific Special Terms and Conditions (STC) and/ or BID/Reverse Auction Additional Terms and Conditions (ATC), as applicable

नोट: यह सिस्टम जनरेटेड फाइल है। कोई हस्ताक्षर की आवश्यकता नहीं है। इस दस्तावेज़ का प्रिंट आउट भुगतान/लेनदेन उद्देश्य के लिए मान्य नहीं है।

Note: This is system generated file. No signature is required. Print out of this document is not valid for payment/ transaction purpose.