

अनुबंध | Contract



अनुबंध क्रमांक | Contract No: GEMC-511687728536790

अनुबंध तिथि | Generated Date : 10-Apr-2024

| संगठन विवरण Organisation Details | खरीदार विवरण Buyer Details |
|--|--|
| प्रकार Type : Central Autonomous मंत्रालय Ministry : Ministry of Health and Family Welfare विभाग Department : Department of Health and Family Welfare संगठन का नाम Organisation Name : All India Institute of Medical Sciences (AIIMS) कार्यालय क्षेत्र Office Zone : Bathinda | पद Designation : buyer18 संपर्क नंबर Contact No. : - ईमेल आईडी Email ID : garg.priyanka1@aiimsbathinda.edu.in जीएसटीआईएन GSTIN : - पता Address : Mandi Dabwali road, BATHINDA, PUNJAB-151001, India |

| वित्तीय स्वीकृति विवरण Financial Approval Detail | भुगतान प्राधिकरण विवरण Paying Authority Details |
|--|--|
| आईएफडी सहमति IFD Concurrence : No प्रशासनिक अनुमोदन का पदनाम Designation of Administrative Approval : Executive Director वित्तीय अनुमोदन का पदनाम Designation of Financial Approval : Executive Director | Role : PAO भुगतान का तरीका Payment Mode : Offline पद Designation : PAO ईमेल आईडी Email ID : lajyadevi.g@aiimsbathinda.edu.in जीएसटीआईएन GSTIN : 03AAAGA2223A1ZN पता Address : Mandi Dabwali road, Bathinda, PUNJAB-151001, India |

| विक्रेता विवरण Seller Details |
|--|
| जेम विक्रेता आईडी GeM Seller ID : 5X39210002865804 कंपनी का नाम Company Name : VECTOR TECHNOLOGIES संपर्क नंबर Contact No. : 09805034697 ईमेल आईडी Email ID : vectortechnologies2021@gmail.com पता Address : 0 P/O,DUGHA,SAI,DUGHA , SAI, Hamirpur, HIMACHAL PRADESH-177001, - एमएसएमई पंजीकरण संख्या MSME Registration number : - जीएसटीआईएन GSTIN : 02KAIPS1297B1ZO (R) |

*जिसके नाम के पक्ष में GST/TAX इनवॉइस पेश किया जाएगा | GST / Tax invoice to be raised in the name of - Buyer

वितरण निर्देश | Delivery Instructions : NA

| उत्पाद विवरण Product Details | | | | | | |
|--|---|-------------------------------|-------------|-------------------------------------|---|---|
| # | आइटम विवरण Item Description | आइटम विवरण Ordered Quantity | इकाई Unit | इकाई मूल्य (INR) Unit Price (INR) | कर विभाजन (INR) Tax Bifurcation (INR) | मूल्य (INR में सभी शुल्क और कर सहित) Price (Inclusive of all Duties and Taxes in INR) |
| 1 | उत्पाद का नाम Product Name : REMI Refrigerated Centrifuge with LCD display ब्रांड Brand : REMI ब्रांड प्रकार Brand Type : Registered Brand कैटलॉग की स्थिति Catalogue Status : OEM verified catalogue कैसे बेचा जा रहा है Selling As : OEM verified Reseller श्रेणी का नाम और चतुर्थांश Category Name & Quadrant : Refrigerated Centrifuge For General And Research Purpose (Q3) मॉडल Model : Neya16R A32-15 एचएसएन कोड HSN Code : HSN not specified by seller | 1 | pieces | 395,000 | NA | 395,000 |
| कुल ऑर्डर मूल्य Total Order Value (in INR) | | | | | | 395,000 |

| परोक्ष विवरण Consignee Detail | | | | | | |
|---------------------------------|---|---|--------------------|-------------------|---|--|
| क्र.सं. S.No | परोक्ष विवरण Consignee | वस्तु Item | लॉट नंबर Lot No. | मात्रा Quantity | दिनांक के बाद डिलीवरी शुरू करना है Delivery Start After | वितरण पूरा कब तक करना है Delivery To Be Completed By |
| 1 | पद Designation : Consignee3 ईमेल आईडी Email ID : viveksharma@aiimsbathinda.edu.in संपर्क Contact : - जीएसटीआईएन GSTIN : - पता Address : Mandi Dabwali road, BATHINDA, PUNJAB-151001, India | REMI Refrigerated Centrifuge with LCD display | - | 1 | 10-Apr-2024 | 25-Apr-2024 |

Product Specification for REMI Refrigerated Centrifuge with LCD display

| विनिर्देश Specification | उप-विनिर्देश Sub-Spec | मूल्य Value |
|---|---|---|
| Standards | Conformity to standards | European CE (Notified Body)With 4 Digit Notified Body No. |
| | Certificate date and number | 21ZAAI7080C |
| Performance Parameters | Purpose | To Centrifuge different kinds of samples in different Testing Labs and research Labs at room Temperature |
| | Centrifuge design | Bench Top |
| | Weight including Rotor in kgs | 28 |
| | Maximum RPM with no load | 12000 to 15000 or above |
| | "Number of steps of RPM Variation available in the settings (correspondingly RCF also varies) " | 100 |
| | RPM setting accuracy | plus minus 5% |
| | Type of Motor | Brushless(without carbons) |
| | Accessories | Spanner to tight or loose Nut of Rotor on Motor shaft head puller,spare rotor nuts ,fuse-2, Instruction Manual Book ,installation CD |
| | Type of lid lock | Electronic lid locking with automatic lid opening at end of run |
| | Maximum Noise level when working at 1 meter distance in db | 80 |
| | Ambient operating Temperature range in Degree centigrade Celsius and humidity range | 0 to 40 and relative humidity is 15 to 80% |
| | Rotor imbalance diagnostics and automatic stop if required | Yes |
| | No of acceleration and deceleration profiles in built for rotor speed while automatic braking | "Programmable from 50 to 200 Seconds in Interval of 5 Seconds" |
| | Maximum timer set point | 60 minutes |
| | Parameters to be displayed by the digital display | RPM,RCF,Set time,Run time,Rotor running indication ,imbalancing if any |
| | Display Type | LCD |
| | Speed controller | Microprocessor controlled pre programmed speed controller which can control RPM as well as RCF |
| | Speed Control tolerance in case of set speed (Plus minus RPM) in percentage | 10 |
| | Temperature controller | Micro processor based PID Digital temperature controller cum Indicator, (With LCD Display) to control the Temperature from +40° C up to -20°C |
| | Configuration of Rotor supplied with centrifuge machine | Angle rotor |
| | Rotor Feature with reference to Autoclavability | Autoclavable Rotor @121 Degree Celsius |
| | Type of Tubes which can be used with centrifuge machine | Polypropylene Centrifuge tubes and Glass centrifuge tubes |
| | Size of rotor supplied with centrifuge in ml | 32x15ml(FOR swing out type rotor RPM 5000) |
| | Maximum RCF | 20600 |
| | Power supply | 220 Volts 50 Hz AC ± 10% |
| | Power consumption in watts | 1000 |
| | Length of the Centrifuge in mm | 600 |
| | Width of the Centrifuge in mm | 400 |
| | Height of of the Centrifuge in mm | 400 |
| | Length of Power cord in meters | 1 |
| | Refrigerant should be CFC free | Yes |
| | Temperature of refrigerator in degree Celsius | Upto -10 degree Celsius |
| Cooling arrangement | Compressor Cooling | |
| Temperature control accuracy | ± 2°C | |
| Warranty period for equipment & Rotor (on site and comprehensive warranty) in years | 3 | |
| Maximum Noise level when working at 1 meter distance in db | 80 | |
| Assembly Material for manufacture of Centrifuge | Die cast Aluminum, Aluminum sheet, Stainless Steel, CRC Steel,Plastic and Rubber | |

| | | |
|-----------------------|--|---|
| Material Parameters | "Lid Material of Centrifuge " | CRC Steel finish with powder coating or stove painting or ABS Plastic of injection moulding |
| | Body material of Centrifuge | C.R.C Steel Finish with Powder Coating/ Stove Painting. |
| | Front Panel of centrifuge | CRC Steel finish with powder coating or stove painting or ABS Plastic of injection moulding |
| | Centrifuge Bowl material in Centrifuge | Double walled with PUF Insulation to avoid loss of Cooling. Inner Chamber made of 304 Quality Stainless Steel Moulded |
| | Material of Rotor | Aluminium |
| Additional Parameters | Condensed Water Drainage System | Yes |
| | The Equipment shall be installed and demonstrated before Acceptance | Yes |
| | Servo Controller Voltage Stabilizer supplied with Item | No |
| | Servo stabilizer ratings in KVA | Not supplied |
| | Warranty of stabilizer in years | NA(If no stabilizer provided) |
| | Auto cut off | Yes |
| | Timer provided | Yes |
| Reports | Certifications of Manufacturer | ISO 9001:2015 |
| | ISO Certificate date and number | 305023070320Q |
| | Copies of all certifications and reports to be provided to buyer on demand at time of supplies | Yes |

ईपीबीजी विवरण | ePBG Detail

NA

नियम और शर्तें | Terms and Conditions

1. Special terms and conditions- Version:3 effective from 11-11-2022

1.1

- All Provisions of Drugs and Cosmetics Act, 1940 and Rules made there under as amended till date will always be applicable. This will include all notifications issued by *Central Drugs Standard Control Organisation (CDSCO)*, Ministry of Health & Family Welfare (MoHFW) and Department of Pharmaceuticals (DOP), Ministry of Chemicals & Fertilizers time to time in this regard.
- The sellers are registered on GeM based on self-declaration of valid Drug License, product certification, test reports etc. However, buyers must check and validate the details at their end for all applicable licenses and certifications e.g., validity and authenticity/genuineness of drug license, product certification, manufacturer certification/licenses, test reports etc.
- The price offered by the seller shall not, in any case exceed the DPCO controlled price, if any, fixed by the Central/State Government, the Maximum Retail Price (MRP) and the selling price. The seller must reduce the prices if there is any reduction in DPCO ceiling price, if any.
- Comprehensive warranty:** Comprehensive warranty shall include preventive maintenance including calibration as per technical/ service /operational manual of the manufacturer, service charges and spares. During the warranty period commencing from date of the successful completion of warranty period, Service personnel shall visit each consignee site as recommended in the manufacturer's technical/ service /operational manual, at least once in six months. warranty shall not be including the consumables. Further there will be 98% uptime warranty during warranty period on 24 (hrs) X 7 (days) X 365 (days) basis, with penalty, to extend warranty period by double the downtime period.
- Service centres:** Details of Service outlets in India to render services for equipment to be furnished to buyer/consignees with complete address, telephone numbers, e mails etc at time of making the supplies. It shall be the responsibility of seller to ensure that authorized service centres are available to cater to the areas where supplies are made within reasonable distance from where the service calls can be handled. Details of toll-free numbers for service call and online registration of service requests also to be provided buyer/consignee at the time of supplies.
- Source of supply:** It shall be responsibility of seller to provide Documents regarding source of equipments such as copy of Performa invoice or any other documents to establish that the products supplied are manufactured by OEM indicated and sourced from them.
- Packing and Marking:** Medical equipments being very delicate and sensitive packing for the goods should be strong and durable enough to withstand transit including transshipment (if any), rough handling, open storage etc. without any damage, deterioration etc. .The size, weights and volumes of the packing cases, remoteness of the final destination of the goods, availability or otherwise of transport and handling facilities at all points during transit up to final destination,. Quality of packing, the manner of marking within & outside the packages and provision of accompanying documentation shall take into consideration the type of medical equipments being supplied. The accessories shall be suitably labelled and packed. Each of the package shall be marked on three sides with indelible paint of proper quality: indicating contract number and date, brief description of goods including quantity, Packing list reference number, country of origin of goods and any other relevant details.
- Spare Parts:** Seller shall provide materials, information etc. pertaining to spare parts manufactured and supplied by the OEM. It shall be ensured that the required spares are available for purchase at least for 10 years from date of supplies. In case due to any reasons the production of the spare parts is discontinued sufficient advance notice should be given to the buyer/consignee before such discontinuation to provide adequate time to purchase the required spare parts etc. Further, OEM and their service centres/dealers shall carry sufficient inventories to assure ex-stock supply of consumables and spares for the equipments so that the same are available. OEM or reseller shall always accord most favoured client status to the buyer/consignee and shall give the most competitive price for spares and consumables of its machines/equipments supplied.
- Installation, Training, Manuals:** Seller shall be responsible to carry out Installation & commissioning, Supervision and Demonstration of the goods. They shall provide required jigs and tools for assembly, minor civil works for the completion of the installation and Training of Consignee's representatives for operating and maintaining the equipment and supplying required number of operation & maintenance manual for the goods. In case the category parameters are specifying any requirements regarding the installations, training and manuals the same shall also be applicable.

10. **Electrical safety checking:** Sellers are required to make sure that they furnish the list of equipments for carrying out routine and preventive maintenance to buyer/consignee .They should make sure to periodically check the electrical safety aspects as per BIS Safety Standards or equivalent .In case they do not have required equipment for such testing should ensure that the equipments checked for electrical safety compliance through labs with facilities for such checking during every preventive maintenance call.
11. **Software:** All software updates should be provided free of cost during warranty period.
12. Any other Terms and Conditions which is not included or at variance with the conditions specified in **STC/GTC**, may be added by the buyer through **Additional Terms and Conditions** in the bid to ensure items are procured from authentic/validated source with appropriate and applicable quality. The above terms and conditions are in reverse order of precedence i.e. **ATC** shall supersede specific **STC** which shall supersede **General Terms and Conditions ("GTC")**, whenever there are any conflicting provisions.

2. General Terms and Conditions-

2.1 This contract is governed by the [General Terms and Conditions](#), conditions stipulated to this Product/Service as provided in the Marketplace.

2.2 This Contract between the Seller and the Buyer, is for the supply of the Goods and/ or Services, detailed in the schedule above, in accordance with the **General Terms and Conditions (GTC)** unless otherwise superseded by **Goods / Services specific Special Terms and Conditions (STC)** and/ or **BID/Reverse Auction Additional Terms and Conditions (ATC)**, as applicable

नोट: यह सिस्टम जनरेटेड फाइल है। कोई हस्ताक्षर की आवश्यकता नहीं है। इस दस्तावेज़ का प्रिंट आउट भुगतान/लेनदेन उद्देश्य के लिए मान्य नहीं है।

Note: This is system generated file. No signature is required. Print out of this document is not valid for payment/ transaction purpose.