

अनुबंध | Contract



अनुबंध क्रमांक | Contract No: GEMC-511687718478537

अनुबंध तिथि | Generated Date : 12-Apr-2024

बोली/आरए/पीबीपी संख्या | Bid/RA/PBP No.: [GEM/2024/B/4442491](#)

संगठन विवरण Organisation Details		खरीदार विवरण Buyer Details	
प्रकृत्या Type :	Central PSU	पद Designation :	PK CHINARA SO MM
मंत्रालय Ministry :	Ministry of Coal	संपर्क नंबर Contact No. :	06760-265357-
विभाग Department :	MAHANADI COALFIELDS LIMITED	ईमेल आईडी Email ID :	so-mm-hina.mcl@nic.in
संगठन का नाम Organisation Name :	MAHANADI COALFIELDS LIMITED	जीएसटीआईएन GSTIN :	21ABCM5188P1Z3
कार्यालय क्षेत्र Office Zone:	MAHANADI COALFIELDS LIMITED	पता Address :	GM Office Hingula AreA PO: N.S. NagarDist: Angul, Odisha, ANGUL, ODISHA-759148, India

वित्तीय स्वीकृति विवरण Financial Approval Detail		भुगतान प्राधिकरण विवरण Paying Authority Details	
आईएफडी सहमति IFD Concurrence :	Yes	Role:	PAO
प्रशासनिक अनुमोदन का पदनाम		भुगतान का तरीका	Offline
Designation of Administrative Approval:	GENERAL MANAGER HINGULA AREA	Payment Mode:	
वित्तीय अनुमोदन का पदनाम		पद Designation :	AREA FINANCE MANAGER
Designation of Financial Approval :	AREA FINANCE MANAGER, HINGULA AREA	ईमेल आईडी Email ID :	so-fin-hina.mcl@coalindia.in
		जीएसटीआईएन GSTIN :	21ABCM5188P1Z3
		पता Address:	GM Office Hingula AreA PO: N.S. NagarDist: Angul, Odisha, Angul, ODISHA-759148, India

विक्रेता विवरण Seller Details	
जेम विक्रेता आईडी GeM Seller ID :	L98D210002808852
कंपनी का नाम Company Name :	HYDRO CARBONS & CHEMICALS
संपर्क नंबर Contact No. :	09874311230
ईमेल आईडी Email ID :	hycachem2019@gmail.com
पता Address :	25, NA, NA, CHANDITALA MAIN ROAD, Village/Town:- NA, City:- KOLKATA, Kolkata, WEST BENGAL-700053, India
एमएसई पंजीकरण संख्या MSME Registration number :	UDYAM-WB-10-0011231
एमएसई सामाजिक श्रेणी MSE Social Category :	General
एमएसई लिंग श्रेणी MSE Gender :	Male
जीएसटीआईएन GSTIN:	19AADFH2785A1ZJ (R)

*जिसके नाम के पक्ष में GST/TAX इनवॉइस पेश किया जाएगा | GST / Tax invoice to be raised in the name of - Consignee

वितरण निर्देश Delivery Instructions : NA	
उत्पाद विवरण Product Details	

#	आइटम विवरण Item Description	आइटम विवरण Ordered Quantity	इकाई Unit	इकाई मूल्य (INR) Unit Price (INR)	कर विभाजन (INR) Tax Bifurcation (INR)	मूल्य (INR में सभी शुक्र और कर सहित) Price (Inclusive of all Duties and Taxes in INR)
1	उत्पाद का नाम Product Name : Unbranded Transformer Oil as per IS: 335 ब्रांड Brand : NA ब्रांड प्रकार Brand Type : Unbranded कैटलॉग की स्थिति Catalogue Status: Catalogue not verified by OEM कैसे बेचा जा रहा है Selling As : Reseller not verified by OEM श्रेणी का नाम और चतुर्भासा Category Name & Quadrant : Transformer Oil as per IS 335 (Q4) मॉडल Model: OIL एचएसएन कोड HSN Code: 27101980	4,000	liter	101.5	जीएसटी GST (18%) : 61,932.203 जीएसटी उपकर 1 GST Cess 1 (0%) : 0 जीएसटी उपकर 2 GST Cess 2 (0 per accounting unit) : 0 जीएसटी पर इनपुट टैक्स क्रेडिट (आईटीसी) Input Tax Credit (ITC) on GST (100%) : 61,932.203 जीएसटी उपकर पर आईटीसी 1 ITC on GST Cess 1 (0%) : 0 जीएसटी उपकर पर आईटीसी 2 ITC on GST Cess 2 (0%) : 0	406,000
कुल ऑर्डर मूल्य Total Order Value (in INR)						406,000

परेषिती विवरण Consignee Detail						
क्र.सं. S.No	परेषिती Consignee	वस्तु Item	लॉट नंबर Lot No.	मात्रा Quantity	दिनांक के बाद डिलीवरी शुरू करना है Delivery Start After	वितरण पूरा कब तक करना है Delivery To Be Completed By
	पद Designation : -					

1	ईमेल आईडी Email ID : depot-off-hina.mcl@coalindia.in संपर्क Contact : 877806859- जीएसटीआईएन GSTIN : 21AABCM5188P1Z3 पता Address : Office of the Depot Officer, Regional Stores, Hingula Area , AT/P.O/P.S – Gopal Prasad, ANGUL, ODISHA-759103, India	Unbranded Transformer Oil as per IS: 335	-	4,000	12-Apr-2024	11-Jun-2024
---	--	---	---	-------	-------------	-------------

Product Specification for Unbranded Transformer Oil as per IS: 335

विवरण Specification	उप-विवरण Sub-Spec	मूल्य Value
Test Report Details	The Vendor are also required to furnish the following :- i) Details of instrument / appliances available with the manufacture for testing of transformer oil ii) Flow diagram clearly indicating facilities available with manufacture for manufacturing of transformer oil along with capacity iii) (Self attested / Digitally signed) & Notary certified copy (ies) of test report certificate from CPRI or Govt test house or National Test house or ERDA as per relevant IS iv) (Self attested / Digitally signed) & Notary certified copy of valid BIS marking license/BIS schedule / BIS endorsement showing coverage of this item and indicating validity	Yes
	Availability of Test Report from Central Govt/ State Govt/NABL/ILAC accredited lab(hint: Must be declared	Yes
	The vendor as to Provide involve and test report from the manufacture, if required by the Buyer or no minated	Yes
Certification	Conforming to IS : 335 (Latest)	Yes
	Whether IS Marked	Yes
	BIS Licence Number, if ISI Marked,else write NA	NA
Characteristics of transformer oil	Appearance	"The oil shall be clear transparent & free from suspended matter or sediments "
	Density Max (gm/cm ² at 29 point 50°C)	0.89
	Kinematic viscosity (Cst) at 27°C,Max	27
	Interfacial tension at 27°C Newtons/M,Min	0.04
	Flash point Pansky/marten(Closed), Min(°C)	140
	Pour point,Max(°C)	(-)6
	Neutralization value, Total acidity mg, Max,mg KOH/gm	0.03
	Neutralization value, Inorganic acidity / Alkalinity	Nil
	Corrosive Sulphur (In terms of classification of copper strips)	Non-corrosive
	Electric strength (Break down voltage), New untreated oil,Min (RMS) (in KV)	30
	Electric strength (Break down voltage), After treatment, Min (RMS) (in KV)	60
	Dielectric Dissipation vector (Ten delta) at 90°C ,Max	0.002
	Specific resistance (Resistivity) at 90°C, Min,(in Ohm-cm)	35x10 ¹²
	Specific resistance (Resistivity) at 27°C, Min,(in Ohm-cm)	1500x10 ¹²
	Oxidation stability : Neutralization value after oxidation for 164 hrs at 100°C, Max,mg KOH/gm	0.4
	Oxidation stability : Total sludge after oxidation for 164 hrs at 100°C, Max,% by weight	0.1
	Presence of oxidation inhibitor	The oil shall not contain antioxidant additives
	Water content (PPM), Max	50
	Ageing characteristics after accelerated ageing (open breaker method with copper catalyst : Specific resistance (Resistivity) at 27°C, Min,Ohm-cm	2.5x10 ¹²
	Ageing characteristics after accelerated ageing (open breaker method with copper catalyst : Specific resistance (Resistivity) at 90°C, Min ,Ohm-cm	0.2x10 ¹²
Packing , Marking and Labelling	"Ageing characteristics after accelerated ageing (open breaker method with copper catalyst : Dielectric Dissipation vector (Ten delta at 90°C, Max "	0.2
	"Ageing characteristics after accelerated ageing (open breaker method with copper catalyst : Total acidity, Max ",mg KOH/gm	0.05
	"Ageing characteristics after accelerated ageing (open breaker method with copper catalyst : Total sludge value, Max "% by weight	0.05
	The Transformer oil is required to be supplied in brand new steel barrel ISI marked and with suitable coating from inside and outside as per clause 6-1 of IS 335 : 1993 with latest amendment, if any	Yes
	"Oil may also be delivered in a suitable type of high density polyethylene (HDPE) barrel subject to agreement between the purchaser and the manufacturer "	Yes
	Oil may also be delivered in road or rail tank wagons specially cleaned and reserved for this purpose and shall be suitably sealed so as	

to avoid ingress of moisture	Yes
Marking should be as per IS 335 :1993	Yes
The container may also be marked with the IS1 Certification Mark	Yes

टिप्पणी| Note: Seller has given an undertaking that it has made arrangements for getting the stores from an authorized distributor / dealer / channel partner of the OEM of the offered product. At the time of delivery of goods, Seller will provide necessary chain documents (in the form of GST Invoice) to prove that the supplied goods are genuine and are being sourced from an authorized distributor / dealer / channel partner of the OEM. In case of any complaint about genuineness of the supplied products, Seller shall be responsible for providing genuine replacement supplies.

खरीदार परिभाषित अतिरिक्त विशेषता के लिए | Buyer Defined Additional Specification for Unbranded Transformer Oil as per IS: 335

विवरण Specification	मूल्य Value
Additional Specification	(1)Conforming to IS :- 335 (Latest)- Yes (2)BIS Licence Number, if ISI Marked,else write NA- IS 335 (3)Appearance- "The oil shall be clear transparent & free from suspended matter or sediments " (4)Density Max (gm/cm ² at 29 point 50°C)- 0.89 (5)Kinematic viscosity (Cst) at 27°C,Max- 27 (6)Interfacial tension at 27°C Newtons/M,Min- 0.04 (7)Flash point Pansky/Marten(Closed), Min(°C)- 140 (8)Pour point,Max(°C)- 6 (9)Neutralization value, Total acidity mg, Max,mg KOH/gm- 0.03
Additional Specification Contd 1	(10)Neutralization value, Inorganic acidity / Alkalinity- Nil (11)Corrosive Sulphur (In terms of classification of copper strips)- Non-corrosive (12)Electric strength (Break down voltage), New untreated oil,Min (RMS) (in KV)- 30 (13)Electric strength (Break down voltage), After treatment, Min (RMS) (in KV)- 60 (14)Dielectric Dissipation vector (Ten delta) at 90°C ,Max- 0.002 (15)Specific resistance (Resistivity) at 10°C, Min,(in Ohm-cm)- 35x10 ¹²
Additional Specification Contd 2	(16)Specific resistance (Resistivity) at 27°C, Min,(in Ohm-cm)- 1500x10 ¹² (17)Oxidation stability : Neutralization value after oxidation for 164 hrs at 100°C, Max,mg KOH/gm- 0.4 (18)Oxidation stability : Total sludge after oxidation for 164 hrs at 100°C, Max,% by weight- 0.1 (19)Presence of oxidation inhibitor- The oil shall not contain antioxidant additives (20)Water content (PPM), Max- 50
Additional Specification Contd 3	(21)Ageing characteristics after accelerated ageing (open breaker method with copper catalyst : Specific resistance (Resistivity) at 27°C, Min,Ohm-cm- 2.5x10 ¹² (22)Ageing characteristics after accelerated ageing (open breaker method with copper catalyst : Specific resistance (Resistivity) at 90°C, Min ,Ohm-cm- 0.2x10 ¹² (23)Ageing characteristics after accelerated ageing (open breaker method with copper catalyst : Dielectric Dissipation vector (Ten delta) at 90°C, Max "- 0.2
Additional Specification Contd 4	(24) "Ageing characteristics after accelerated ageing (open breaker method with copper catalyst : Total acidity, Max ",mg KOH/gm- 0.05 (25)"Ageing characteristics after accelerated ageing (open breaker method with copper catalyst : Total sludge value, Max "% by weight- 0.05

ईपीबीजी विवरण | ePBG Detail

सलाहकार बैंक Advisory Bank :	NA
ईपीबीजी प्रतिशत (%) ePBG Percentage(%):	NA

आरसीएम/एफसीएम के संबंध में सामान्य खंड | General Clauses w.r.t RCM/FCM

- Where ever RCM is applicable, for sellers (Regular GST registered seller who opted out of FCM as per notifications of GST like GTA , unregistered seller), Buyer have liability of paying the GST and GST cess to the government on the specified rate mentioned by them in this contract. Seller will invoice buyer with Zero GST and GST cess.
- For Registered sellers as per FCM, rates will be inclusive of prescribed rate of GST and GST cess. ITC available to buyer as shown in the bid document have been applied while evaluating the bids. Seller has liability of paying the GST and GST cess to the govt and same will be charged from buyer while invoice.
- For Registered sellers who opted for RCM while quoting for specified category under section 9(3) like GTA rates will be exclusive of GST and GST cess. GST and GST cess as indicated by the buyer in the bid document payment of GST and GST Cess will be the liability of buyer.
- For Unregistered sellers Liability of payment of GST and GST cess is in Buyers scope. GST and GST cess as indicated by the buyer in the bid document will be the liability of buyer . Unregistered seller will invoice buyer with zero GST and Zero GST cess.
- For sellers under Composition Scheme: There is no liability of payment of GST and GST cess in Buyers scope. Seller will invoice Zero GST and GST cess in the invoice to buyer.

नियम और शर्तें| Terms and Conditions

1. General Terms and Conditions-

- This contract is governed by the [General Terms and Conditions](#), conditions stipulated to this Product/Service as provided in the Marketplace.
- This Contract between the Seller and the Buyer, is for the supply of the Goods and/ or Services, detailed in the schedule above, in accordance with the General Terms and Conditions (GTC) unless otherwise superseded by Goods / Services specific Special Terms and Conditions (STC) and/ or BID/Reverse Auction Additional Terms and Conditions (ATC), as applicable

2. Buyer Added Bid Specific Terms and Conditions-

2.1 Generic

OPTION CLAUSE: The Purchaser reserves the right to increase or decrease the quantity to be ordered up to 25 percent of bid quantity at the time of placement of contract. The purchaser also reserves the right to increase the ordered quantity by up to 25% of the contracted quantity during the currency of the contract at the contracted rates. Bidders are bound to accept the orders accordingly.

2.2 Scope of Supply.

Scope of supply (Bid price to include all cost components) : Only supply of Goods

2.3 Buyer Added Bid Specific ATC:

Buyer Added text based ATC clauses

FOR TECHNICAL QUALIFICATION:

1. OEM or his valid bid specific authorized dealers or distributors are allowed to participate in the bid with valid documentary proof. Dealer or distributors without bid specific authorization will be rejected.

FOR COMMERCIAL QUALIFICATION

III. Bidder has to upload all the tender related documents asked in the Buyer Added Bid specific ATC i.e. (a) Lowest Price certificate (as per Annexure C)

(b) Banned/ Delisted/ Debarred/ 'Put on Holiday' Certificate(as per Annexure D)

(c) Declaration of HSN Code and GST Rate(as per Annexure E)

(d) Local Content Certificate (as per Annexure F)

(e) Undertaking for fully satisfactory performance of orders(as per Annexure G)

(f) Undertaking for filling GSTR 1 & GSTR 3B Regularly(as per Annexure H)

(g) Undertaking for accepting all terms & conditions(as per Annexure I)

Bidder need to upload all the documents for techno-commercial acceptance of their offer.

2.4 Buyer Added Bid Specific ATC:

Buyer uploaded ATC document [Click here to view the file..](#)

2.5 Certificates:

Bidder's offer is liable to be rejected if they don't upload any of the certificates / documents sought in the Bid document, ATC and Corrigendum if any.

नोट: यह सिस्टम जनरेटेड फाइल है। कोई हस्ताक्षर की आवश्यकता नहीं है। इस दस्तावेज़ का प्रिंट आउट भुगतान/लेनदेन उद्देश्य के लिए मान्य नहीं है।

Note: This is system generated file. No signature is required. Print out of this document is not valid for payment/ transaction purpose.