

अनुबंध | Contract



अनुबंध क्रमांक | Contract No: GEMC-511687797354784

अनुबंध तिथि | Generated Date : 12-Apr-2024

संगठन विवरण Organisation Details		खरीदार विवरण Buyer Details	
प्ररूप Type :	State Autonomous	पद Designation :	Coordinator
मंत्रालय Ministry :	-	संपर्क नंबर Contact No. :	-
विभाग Department :	Higher Education Department Uttar Pradesh	ईमेल आईडी Email ID :	buyer2.mjprumb.up@gembuyer.in
संगठन का नाम Organisation Name :	Mahatma Jyotiba Phule Rohilkhand University (MJPRU)	जीएसटीआईएन GSTIN :	-
Name :	Bareilly	पता Address :	Mahatma Jyotiba Phule Rohilkhand University, Pilibhit Bypass Road, Bareilly Uttar Pradesh 243006, BAREILLY, UTTAR PRADESH-243006, India
कार्यालय क्षेत्र Office Zone:	Bareilly		

वित्तीय स्वीकृति विवरण Financial Approval Detail		भुगतान प्राधिकरण विवरण Paying Authority Details	
आईएफडी सहमति IFD Concurrence :	No	Role:	PAO
प्रशासनिक अनुमोदन का पदनाम	VC Approval	भुगतान का तरीका	Offline
Designation of Administrative Approval:		Payment Mode:	
वित्तीय अनुमोदन का पदनाम	Registrar Approval	पद Designation :	AAO
Designation of Financial Approval :		ईमेल आईडी Email ID :	pao1.mjprumb.up@gembuyer.in
		जीएसटीआईएन GSTIN :	-
		पता Address:	Mahatma Jyotiba Phule Rohilkhand University, Pilibhit Bypass Road, Bareilly Uttar Pradesh 243006, BAREILLY, UTTAR PRADESH-243006, India

विक्रेता विवरण Seller Details	
जेम विक्रेता आईडी GeM Seller ID :	IQOI230008172117
कंपनी का नाम Company Name :	ANITA ENTERPRISES
संपर्क नंबर Contact No. :	08218371182
ईमेल आईडी Email ID :	ajha74976@gmail.com
पता Address :	14 GOPAL NAGAR,GOPAL NAGAR, Bareilly, UTTAR PRADESH-243005, -
एमएसई पंजीकरण संख्या MSME Registration number :	UDYAM-UP-15-0031694
एमएसई सामाजिक श्रेणी MSE Social Category :	General
एमएसई लिंग श्रेणी MSE Gender :	Female
जीएसटीआईएन GSTIN:	09AKLPJ0808N1ZT (R)

*जिसके नाम के पक्ष में GST/TAX इनवॉइस पेश किया जाएगा | GST / Tax invoice to be raised in the name of - Buyer

वितरण निर्देश Delivery Instructions :-	
उत्पाद विवरण Product Details	

#	आइटम विवरण Item Description	आइटम विवरण Ordered Quantity	इकाई Unit	इकाई मूल्य (INR) Unit Price (INR)	कर विभाजन (INR) Tax Bifurcation (INR)	मूल्य (INR में सभी शुक्र और कर सहित) Price (Inclusive of all Duties and Taxes in INR)
1	उत्पाद का नाम Product Name : LABWAN Mild Steel Electronically controlled Magnetic Stirrers ब्रांड Brand : LABWAN ब्रांड प्रकार Brand Type : Registered Brand कैटलॉग की स्थिति Catalogue Status: Catalogue not verified by OEM केसे बेचा जा रहा है Selling As : Reseller not verified by OEM श्रेणी का नाम और चतुर्भास्ति Category Name & Quadrant : magnetic stirrers (Q4) मॉडल Model: LW-WW-05MS एचएसएन कोड HSN Code: HSN not specified by seller	1	pieces	19,800	NA	19,800
कुल ऑर्डर मूल्य Total Order Value (in INR)						19,800

परेष्ठी विवरण Consignee Detail						
क्र.सं. S.No	परेष्ठी Consignee	वस्तु Item	लॉट नंबर Lot No.	मात्रा Quantity	दिनांक के बाद डिलीवरी शुरू करना है Delivery Start After	वितरण पूरा कब तक करना है Delivery To Be Completed By
	पद Designation : Coordinator ईमेल आईडी Email ID : buyer2.mjprumb.up@gembuyer.in संपर्क Contact : -	LABWAN Mild Steel				

1	जीएसटीआईएन GSTIN : - पता Address : Mahatma Jyotiba Phule Rohilkhand University, Pilibhit Bypass Road, Bareilly Uttar Pradesh 243006, BAREILLY, UTTAR PRADESH-243006, India	Electronically controlled Magnetic Stirrers	-	1	12-Apr-2024	27-Apr-2024	
Product Specification for LABWAN Mild Steel Electronically controlled Magnetic Stirrers							
विवरण Specification		उप-विवरण Sub-Spec	मूल्य Value				
CERTIFICATIONS	Firm Certified to ISO9001:2008 or latest	YES					
	Product is CE certified (Seller to furnish supporting document to Buyer on demand)	No					
	EN/IEC directives	NA					
	Name and Address of the Lab	NA					
	Availability Of Test Report (to be furnished by Seller to Buyer on demand) from Central Govt/NABL/ILAC accredited laboratory to prove conformity to specifications	No					
	Test Report details; Number, date of issue, name and address of issuing laboratory	NA					
CONFIGURATION AND FEATURES	Number of stirring Positions	1					
	Calibration	Automatic Calibration					
	Type of Drive Motor	Motorless magnetic coil type					
	Display Option/Output Read out Option	Digital					
	Magnetic stirrer is:	with a hot plate or some other means for heating the liquid					
	Timer Setting (Increment step) (sec)	NA					
	Minimum Speed Possible (RPM)	50					
	Magnetic stirrer Type	variable speed					
	Controller type	Electronically controlled					
	IP rating or Ingress protection rating	42					
	Programmable	No					
	Direction change feature	No					
	Speed Control Accuracy of set speed (+/-) (RPM)	5					
	Maximum Stirring capacity per position	3000 milliliter					
	Top plate Material	Ceramic					
	Timer Provided	No					
	Base material	Mild Steel					
	User Interface	Digital Front Panel					
	Pulse mode	No					
	Type of Data Logging Option	USB,RS 232,Printer port,VGA,HDMI,Bluetooth,NOT AVAILABLE					
WARRANTY	Slip Detection	No					
	Last run memory	No					
MISC	Accessories and spares included in standard pack	NA					
	Warranty on Machine	1 year					
	In built-in multi-step safety system to continuously monitor device operation and protect against damage should the operation exceed the pre-determined parameters:	Unsafe Hotplate Temperature – Temperatures exceed safety Parameters, Probe Failure – Probe Break Or Become Disconnected, Vessel Breakage – Should The Vessel Have A Crack And The Solution Begins To Leak, provision for preventing liquid from damaging equipment					
	Weigh	3.3 kilogram					
POWER SUPPLY	Ambient operating Temperature range 0 to 50 degree	Yes					
	Permissible Relative Humidity (%)	80					
	Input Voltage with Phase (V)	220 V, 50 Hz AC, single phase					
	Input Current (A)	30					
	Power Consumption (750 Watt					
	Speed Mode	Variable Speed					
	Speed (RPM)	1500					

SPEED	Minimum Speed increment step (RPM)	50
	Maximum Speed (RPM) of variable speed mode equipment	1500
DIMENSIONS	External Dimension: Height)	265 millimeter
	External Dimension: Width	160 millimeter
	External Dimension: Depth	120 millimeter
	Body Material	Mild Steel
	Finish of Body material	Powder coated
STIR BAR	Stir bar cover material	PTFE
	Stir Bar length	80 millimeter
TOP PLATE	Top plate area shape	Circular
	Length of rectangular top plate area	0 millimeter
	Width of rectangular top plate area	0 millimeter
	Circular Top plate diameter	150 millimeter
	Top plate Finish	Ceramic coated

टिप्पणी| Note: Seller has given an undertaking that it has made arrangements for getting the stores from an authorized distributor / dealer / channel partner of the OEM of the offered product. At the time of delivery of goods, Seller will provide necessary chain documents (in the form of GST Invoice) to prove that the supplied goods are genuine and are being sourced from an authorized distributor / dealer / channel partner of the OEM. In case of any complaint about genuineness of the supplied products, Seller shall be responsible for providing genuine replacement supplies.

ईपीबीजी विवरण | ePBG Detail

NA

नियम और शर्तें| Terms and Conditions

1. General Terms and Conditions-

1.1 This contract is governed by the [General Terms and Conditions](#), conditions stipulated to this Product/Service as provided in the Marketplace.

1.2 This Contract between the Seller and the Buyer, is for the supply of the Goods and/ or Services, detailed in the schedule above, in accordance with the General Terms and Conditions (GTC) unless otherwise superseded by Goods / Services specific Special Terms and Conditions (STC) and/ or BID/Reverse Auction Additional Terms and Conditions (ATC), as applicable

नोट: यह सिस्टम जनरेटेड फाइल है। कोई हस्ताक्षर की आवश्यकता नहीं है। इस दस्तावेज़ का प्रिंट आउट भुगतान/लेनदेन उद्देश्य के लिए मान्य नहीं है।

Note: This is system generated file. No signature is required. Print out of this document is not valid for payment/ transaction purpose.