अनुबंध|Contract



अनुबंध क्रमांक | Contract No: GEMC-511687794493776 अनुबंध तिथि | Generated Date : 12-Apr-2024

संगठन विवरण|Organisation Details

प्ररूप|Type: State Government

मंत्रालय|Ministry:

विभाग | Department : Home Department Odisha

संगठन का नाम|Organisation Name : Odisha Police

कार्यालय क्षेत्र|Office Zone: COMMANDANT OSAP 3RD BN KORAPUT खरीदार विवरण|Buyer Details

पद|Designation: CHITTARANIAN NAYAK

संपर्क नंबर|Contact No. : 06852-251603-ईमेल आईडी|Email ID: buyer24.op.or@gembuyer.in

जीएसटीआईएन|GSTIN :

OSAP 3RD BN.,OMP Line Koraput AT/PO- OMP Koraput PS-

पता|Address : Koraput Dist-Koraput,

KORAPUT, ODISHA-764021, India

वित्तीय स्वीकृति विवरण|Financial Approval Detail

आईएफडी सहमति IFD Concurrence :

प्रशासनिक अनुमोदन का पदनाम|

Designation of Administrative Approval:

वित्तीय अनुमोदन का पदनाम|

Designation of Financial Approval :

भुगतान प्राधिकरण विवरण|Paying Authority Details Role: PAO

भुगतान का तरीका| Offline Payment Mode:

पद|Designation: **Deputy Commandant** ईमेल आईडी|Email ID: nayak.manoj@gov.in

जीएसटीआईएन|GSTIN :

OMP Line Koraput AT/PO- OMP Koraput PS-Koraput Dist-

पता|Address: Koraput,

Koraput, ODISHA-764021, India

विक्रैता विवरण|Seller Details

जेम विक्रैता आईडी|GeM Seller ID: 2RUY230010254832 कंपनी का नाम|Company Name : Satya Computer And Solution

संपर्क नंबर|Contact No. : 07656066054

ईमेल आईडी|Email ID : prabhasinig2@gmail.com

Plote No-29/2957, Sri Bihar, Jamapalli Road, Near Sishu Mandir, पता| Address :

Commandant, OSAP 3RD BN.KORAPUT

Dv.Commandant

Ganjam, ODISHA-761126, -एमएसएमई पंजीकरण संख्या|MSME Registration number : UDYAM-OD-11-0037151

एमएसई सामाजिक श्रेणी|MSE Social Category : General एमएसई लिंग श्रेणी|MSE Gender : Female

जीएसटीआईएन|GSTIN: 21DUXPG0660J1ZH (R)

*जिसके नाम के पक्ष में GST/TAX इनवॉइस पेश किया जाएगा|GST / Tax invoice to be raised in the name of - Buyer

वितरण निर्देश | Delivery Instructions : AS PER SPECIFICATION

उत्पाद विवरण | Product Details

#	ः आइटम विवरण Item Description	आइटम विवरण Ordered Quantity	इकाई Unit	इकाई मूल्य (INR) Unit Price (INR)	कर विभाजन (INR) Tax Bifurcation (INR)	मूल्य (INR में सभी शुल्क और कर सहित) Price (Inclusive of all Duties and Taxes in INR)
1	उत्पाद का नाम Product Name: RC Paper Printing ink 200 ब्रांड Brand: RC ब्रांड प्रकार Brand Type: Registered Brand कैटलॉग की स्थिति Catalogue Status: Catalogue not verified by OEM कैसे बेचा जा रहा है Selling As: OEM verified Reseller श्रेणी का नाम और चतुर्थाश Category Name & Quadrant: Inks (V2) (Q4) मॉडल Model: EPSON 774 BLACK INK BOTTLE एचएसएन कोड HSN Code: 3215	25	pieces	810	NA	20,250
कु	ल ऑर्डर मूल्य Total Order Value (in INR)		•	•		20,250

परेषिती विवरण|Consignee Detail

क्र.सं. S.No	परेषिती Consignee	वस्तु Item	लॉट नंबर Lot No.	मात्रा Quantity	दिनांक के बाद डिलीवरी शुरू करना है Delivery Start After	वितरण पूरा कब तक करना है Delivery To Be Completed By
	पद Designation : SANKAR PRASAD BEHERA ईमेल आईडी Email ID : con31.op.or@gembuyer.in संपर्क Contact : -					

n for RC Paper Printing ink 200 उय-विनिर्देश Sub-Spec nk Type of ink nk Color Drawing ink Confirming to IS 788(Latest) For drawing ink, the ink shall not have any adverse effect on the tuft of artist's brush Printing ink for food packaging Conforming to IS 15495(Latest) Free from hazardous chemical and non transferable to food The sum of concentration level of lead,cadmium,Mercury and chromium(VI) should not exceed 100 PPM for food package printing Indelible (Electoral) Ink Conforming to IS 13209 (Latest) Indelible(Electoral) Ink when exposed to air shall dry completely within 40 seconds and shall not smudge,pick up or smear when rubbed after drying and shall retain the marking after washing with water and soap Numbering Ink Conforming to IS 11259(Latest) Ink shall have uniform consistency,free from grip and shall not corrode the number machine Fountain pen ink Conforming to IS 1212 (Latest)	मूल्य Value Paper Printing ink Solvent ink Black Yes
Type of ink Ink Color Drawing ink Confirming to IS 788(Latest) For drawing ink, the ink shall not have any adverse effect on the tuft of artist's brush Printing ink for food packaging Conforming to IS 15495(Latest) Free from hazardous chemical and non transferable to food The sum of concentration level of lead,cadmium,Mercury and chromium(VI) should not exceed 100 PPM for food package printing Indelible (Electoral) ink Conforming to IS 13209 (Latest) Indelible(Electoral) Ink when exposed to air shall dry completely within 40 seconds and shall not smudge,pick up or smear when rubbed after drying and shall retain the marking after washing with water and soap Numbering Ink Conforming to IS 11259(Latest) Ink shall have uniform consistency,free from grip and shall not corrode the number machine	Paper Printing ink Solvent ink Black Yes
Type of ink Ink Color Drawing ink Confirming to IS 788(Latest) For drawing ink, the ink shall not have any adverse effect on the tuft of artist's brush Printing ink for food packaging Conforming to IS 15495(Latest) Free from hazardous chemical and non transferable to food The sum of concentration level of lead,cadmium,Mercury and chromium(VI) should not exceed 100 PPM for food package printing Indelible (Electoral) ink Conforming to IS 13209 (Latest) Indelible(Electoral) Ink when exposed to air shall dry completely within 40 seconds and shall not smudge,pick up or smear when rubbed after drying and shall retain the marking after washing with water and soap Numbering Ink Conforming to IS 11259(Latest) Ink shall have uniform consistency,free from grip and shall not corrode the number machine	ink Solvent ink Black Yes
nk Color Orawing ink Confirming to IS 788(Latest) For drawing ink, the ink shall not have any adverse effect on the tuft of artist's brush Oriniting ink for food packaging Conforming to IS 15495(Latest) Free from hazardous chemical and non transferable to food The sum of concentration level of lead, cadmium, Mercury and chromium(VI) should not exceed 100 PPM for food package printing Indelible (Electoral) ink Conforming to IS 13209 (Latest) Indelible (Electoral) Ink when exposed to air shall dry completely within 40 seconds and shall not smudge, pick up or smear when rubbed after drying and shall retain the marking after washing with water and soap Numbering Ink Conforming to IS 11259(Latest) Ink shall have uniform consistency, free from grip and shall not corrode the number machine	Black Yes
Drawing ink Confirming to IS 788(Latest) For drawing ink, the ink shall not have any adverse effect on the tuft of artist's brush Printing ink for food packaging Conforming to IS 15495(Latest) Free from hazardous chemical and non transferable to food The sum of concentration level of lead,cadmium,Mercury and chromium(VI) should not exceed 100 PPM for food package printing Indelible (Electoral) ink Conforming to IS 13209 (Latest) Indelible (Electoral) Ink when exposed to air shall dry completely within 40 seconds and shall not smudge,pick up or smear when rubbed after drying and shall retain the marking after washing with water and soap Numbering Ink Conforming to IS 11259(Latest) Ink shall have uniform consistency, free from grip and shall not corrode the number machine	Yes
For drawing ink, the ink shall not have any adverse effect on the tuft of artist's brush Printing ink for food packaging Conforming to IS 15495(Latest) Free from hazardous chemical and non transferable to food The sum of concentration level of lead, cadmium, Mercury and chromium(VI) should not exceed 100 PPM for food package printing Indelible (Electoral) ink Conforming to IS 13209 (Latest) Indelible (Electoral) Ink when exposed to air shall dry completely within 40 seconds and shall not smudge, pick up or smear when rubbed after drying and shall retain the marking after washing with water and soap Numbering Ink Conforming to IS 11259(Latest) Ink shall have uniform consistency, free from grip and shall not corrode the number machine	Yes Yes Yes Yes Yes Yes Yes Yes
Printing ink for food packaging Conforming to IS 15495(Latest) Free from hazardous chemical and non transferable to food The sum of concentration level of lead,cadmium,Mercury and chromium(VI) should not exceed 100 PPM for food package printing indelible (Electoral) ink Conforming to IS 13209 (Latest) Indelible(Electoral) Ink when exposed to air shall dry completely within 40 seconds and shall not smudge,pick up or smear when rubbed after drying and shall retain the marking after washing with water and soap Numbering Ink Conforming to IS 11259(Latest) Ink shall have uniform consistency,free from grip and shall not corrode the number machine	Yes Yes Yes Yes Yes Yes Yes
Free from hazardous chemical and non transferable to food The sum of concentration level of lead,cadmium,Mercury and chromium(VI) should not exceed 100 PPM for food package printing indelible (Electoral) ink Conforming to IS 13209 (Latest) Indelible (Electoral) Ink when exposed to air shall dry completely within 40 seconds and shall not smudge,pick up or smear when rubbed after drying and shall retain the marking after washing with water and soap Numbering Ink Conforming to IS 11259(Latest) Ink shall have uniform consistency,free from grip and shall not corrode the number machine	Yes Yes Yes Yes Yes
The sum of concentration level of lead,cadmium,Mercury and chromium(VI) should not exceed 100 PPM for food package printing indelible (Electoral) ink Conforming to IS 13209 (Latest) Indelible (Electoral) Ink when exposed to air shall dry completely within 40 seconds and shall not smudge,pick up or smear when rubbed after drying and shall retain the marking after washing with water and soap Numbering Ink Conforming to IS 11259(Latest) Ink shall have uniform consistency,free from grip and shall not corrode the number machine	Yes Yes Yes Yes
ndelible (Electoral) ink Conforming to IS 13209 (Latest) Indelible (Electoral) Ink when exposed to air shall dry completely within 40 seconds and shall not smudge, pick up or smear when rubbed after drying and shall retain the marking after washing with water and soap Numbering Ink Conforming to IS 11259(Latest) Ink shall have uniform consistency, free from grip and shall not corrode the number machine	Yes Yes
ndelible(Electoral) Ink when exposed to air shall dry completely within 40 seconds and shall not smudge, pick up or smear when rubbed after drying and shall retain the marking after washing with water and soap Numbering Ink Conforming to IS 11259(Latest) nk shall have uniform consistency, free from grip and shall not corrode the number machine	Yes
Author drying and shall retain the marking after washing with water and soap Numbering Ink Conforming to IS 11259(Latest) Ink shall have uniform consistency, free from grip and shall not corrode the number machine	Yes
nk shall have uniform consistency,free from grip and shall not corrode the number machine	
	Yes
	Yes
Dyes of water based ink used for fountain pen Conforming to IS 8642(Latest)	Yes
ron based fountain pen ink Conforming to IS 220(Latest)	Yes
	Yes
	Yes
	Yes
·	Yes
	High
Scratch Resistant	Yes
mpression of ink	Intense and
Parkaging Type	bright Bottles
	Plastic
	200
	1
	Yes
	Any other
	Yes
	Yes
EML number	774 BLACK INI
	ediment free ink nk are Resistant to bleaching nk are Resistant to organic solvent Vaterproof When Dry iscosity cratch Resistant mpression of ink ackaging Type ackaging Material muntity per pack (In ml) helf Life (In years) ack should be marked with Standard Mark tarking valiability of Test Report from Central Govt/NABL/ILAC accredited lab to prove conformity to specification est Report to be submitted to buyer on demand

1	General	Termo	and i	Conditi	nnc.

- 1.1 This contract is governed by the General Terms and Conditions, conditions stipulated to this Product/Service as provided in the Marketplace.
- 1.2 This Contract between the Seller and the Buyer, is for the supply of the Goods and/ or Services, detailed in the schedule above, in accordance with the General Terms and Conditions (GTC) unless otherwise superseded by Goods / Services specific Special Terms and Conditions (STC) and/ or BID/Reverse Auction Additional Terms and Conditions (ATC), as applicable

नोट: यह सिस्टम जनरेटेड फाइल है। कोई हस्ताक्षर की आवश्यकता नहीं है। इस दस्तावेज़ का प्रिट आउट भुगतान/लेनदेन उद्देश्य के लिए मान्य नहीं है।

 $Note: This is system generated file. \ No signature is required. \ Print out of this document is not valid for payment/ transaction purpose.$