

अनुबंध | Contract



अनुबंध क्रमांक | Contract No: GEMC-511687716041442

अनुबंध तिथि | Generated Date : 15-Apr-2024

संगठन विवरण | Organisation Details

प्ररूप | Type : Central Government
मंत्रालय | Ministry : Ministry of Railways
विभाग | Department : Indian Railways
संगठन का नाम | Organisation Name : South Central Railway
कार्यालय क्षेत्र | Office Zone: Principal Chief Material Manager Secunderabad

खरीदार विवरण | Buyer Details

पद | Designation : SMM DSL KZJ
संपर्क नंबर | Contact No. : 930-7310039-
ईमेल आईडी | Email ID : atul.dwivedi2604@nic.in
जीएसटीआईएन | GSTIN : 36AAAGM0289C1ZK
Office of Senior Materials Manager, Diesel Loco Shed, Diesel stores Depot, Diesl colony, Kazipet, WARANGAL, 506003,
पता | Address : Email id: smmdslkj@gmail.com, Phone No. 9701370774, 9701370666.,
WARANGAL, TELANGANA-506003, India

वित्तीय स्वीकृति विवरण | Financial Approval Detail

आईएफडी सहमति | IFD Concurrence : No
प्रशासनिक अनुमोदन का पदनाम | SR.DME/DSL/KZJ
Designation of Administrative Approval:
वित्तीय अनुमोदन का पदनाम | SR.DFM/SC
Designation of Financial Approval :

भुगतान प्राधिकरण विवरण | Paying Authority Details

Role: BUYER
भुगतान का तरीका | Railways
Payment Mode:
पद | Designation : SMM DSL KZJ
ईमेल आईडी | Email ID : atul.dwivedi2604@nic.in
जीएसटीआईएन | GSTIN : 36AAAGM0289C1ZK
Office of Senior Materials Manager, Diesel Loco Shed, Diesel stores Depot, Diesl colony, Kazipet, WARANGAL, 506003,
पता | Address: Email id: smmdslkj@gmail.com, Phone No. 9701370774, 9701370666.,
WARANGAL, TELANGANA-506003, India

विक्रेता विवरण | Seller Details

जेम विक्रेता आईडी | GeM Seller ID : 9A38180000595736
कंपनी का नाम | Company Name : Shree Sai Enterprises
संपर्क नंबर | Contact No. : 07986076239
ईमेल आईडी | Email ID : shreesaienterprises242@gmail.com
453,Village post office bhoa Mohalla takki wala,Bhoa,Pathankot,
पता | Address : Gurdaspur, PUNJAB-145025, -
एमएसएमई पंजीकरण संख्या | MSME Registration number : UDYAM-PB-16-0001339
एमएसई सामाजिक श्रेणी | MSE Social Category : OBC
एमएसई लिंग श्रेणी | MSE Gender : Male
जीएसटीआईएन | GSTIN: 03GOBPK0622H1ZH (R) , (M)

*जिसके नाम के पक्ष में GST/TAX इनवॉइस पेश किया जाएगा | GST / Tax invoice to be raised in the name of - Consignee

वितरण निर्देश | Delivery Instructions : Firm also to ensure safe delivery of material up to destination. While dispatching the material firm to update turnover details (in ireps portal) and GSTR2A details (in GST portal) for billing purpose.

उत्पाद विवरण | Product Details

#	आइटम विवरण Item Description	आइटम विवरण Ordered Quantity	इकाई Unit	इकाई मूल्य (INR) Unit Price (INR)	कर विभाजन (INR) Tax Bifurcation (INR)	मूल्य (INR में सभी शुल्क और कर सहित) Price (Inclusive of all Duties and Taxes in INR)
1	उत्पाद का नाम Product Name : MITUTOYO LCD Display Calipers ब्रांड Brand : MITUTOYO ब्रांड प्रकार Brand Type : Registered Brand कैटलॉग की स्थिति Catalogue Status: Catalogue not verified by OEM कैसे बेचा जा रहा है Selling As : OEM verified Reseller श्रेणी का नाम और चतुर्थांश Category Name & Quadrant : CALIPERS (Q4) मॉडल Model: 500-197-30 एचएसएन कोड HSN Code: HSN not specified by seller	1	pieces	7,966	NA	7,966
कुल ऑर्डर मूल्य Total Order Value (in INR)						7,966

प्रेषिती विवरण | Consignee Detail

			लॉट नंबर		दिनांक के बाद डिलीवरी शुरू करना है	वितरण पूरा कब तक करना है Delivery To
--	--	--	----------	--	------------------------------------	--

क्र.सं. S.No	प्रेषित Consignee	वस्तु Item	Lot No.	मात्रा Quantity	Delivery Start After	Be Completed By
1	पद Designation : SMM DSL KZJ ईमेल आईडी Email ID : atul.dwivedi2604@nic.in संपर्क Contact : 930-7310039- जीएसटीआईएन GSTIN : 36AAAGM0289C1ZK पता Address : Office of Senior Materials Manager, Diesel Loco Shed, Diesel stores Depot, Diesl colony, Kazipet, WARANGAL, 506003, Email id: smmdslkzj@gmail.com, Phone No. 9701370774,9701370666., WARANGAL, TELANGANA-506003, India	MITUTOYO LCD Display Calipers	-	1	15-Apr-2024	30-Apr-2024
Product Specification for MITUTOYO LCD Display Calipers						
विनिर्देश Specification	उप-विनिर्देश Sub-Spec	मूल्य Value				
TYPE / MATERIAL	Caliper Type	Digital Calipers				
	Jaw Type	Type A - With jaws on both sides for external and internal measurements.				
	Provided with blade for depth measurement	Yes				
	Provided with Step-Measuring Faces	Yes				
PERFORMANCE	External Measurement Range (mm)	0-200				
	Minimum ID Measurement	0.1 millimeter				
	Least Count / Resolution	0.01 millimeter				
	Accuracy (Maximum error in reading) at 20 deg C (±)	0.015 millimeter				
	Jaw Length	200 millimeter				
	Length of Faces (Knife edge) for Internal measurement	50 millimeter				
	Range Per Revolution of the Dial, in case of Dial Caliper (mm)	NA for Vernier / Digital type Calipers				
DISPLAY / DATA OUTPUT	Type of Display	LCD				
	"Number of Digits in Display(May indicate '0' for Veriner / Dial type calipers)	3.5				
	"Display digit Size(May indicate '0' for Veriner / Dial type calipers)	11.5 millimeter				
	Data Output to other devices	Yes				
BATTERY	Power Source	Alkaline Batteries (Non-Rechargeable)				
	Battery Size, if Non Rechargeable Battery	CR 2032				
	Battery Chemistry	Li-ion				
	Number of Batteries required for operation (May Indicate '0' for Vernier / Dial type Calipers)	1				
	Number of Batteries supplied (May Indicate '0' for Vernier / Dial type Calipers)	1				
	Battery Life (Approx) under normal use (May Indicate '0' for Analog type micrometer)"	2 year				
SALIENT FEATURES / FUNCTIONS	salient Features / Functions	Thumb Roller, Ratchet drive Roller, Locking Screw, Inch / Metric conversion, Selectable Resolution, Manual ON/OFF, Auto Power OFF, Zero-setting, Origin-set, Offsetting, Preset Function, ABSOLUTE Function, Increment Function, Data Hold, Error alarm, Data output; (-) sign, Low battery alarm, counting value composition error alarm, Fine Adjustment Thumb Wheel, Low Force for rubber part measurements				
	Standard accessories	Data outpt cable (1 m), Data output cable (2 m), Centerline attachment, Pointed ID measuring attachment, Data transfer				

ACCESSORIES	inclusive in the scope of supply	software,Solar Cell,instruction booklet,Carrying case
GENERIC	Material of the main parts of Callipers such as beam, sliding jaw and depth measuring blade	Hardened Stainless Steel
	Quality of the main parts of Callipers such as beam, sliding jaw and depth measuring blade	Light weight, high Strength and durable Carbon Fiber Reinforced Composites / Plastics useful for industrial and automotive applications
	Finish	Polished,Mirror finish,Satin finish,Chrome Plated,Black oxide
	Weight	150 gram
	Dimensions (mm x mm x mm)	180X34X80
	Additional features, if any	NA
	List of Items and Quantity of each item included in the offer	NA
OPERATING CONDITIONS / INGRESS PROTECTION	Minimum Operating Temperature	-5 degree Celsius
	Maximum Operating Temperature	55 degree Celsius
	Maximum Operating Humidity at 40 deg C (Rh)	75 percent
	Ingress Protection	IP 40
WARRANTY	Warranty	1 year
CALIBRATION	Calibration Certificate for each Micrometer Provided to the buyer along with supplies	Yes
	Calibration Certificate issuing authority	NPL
टिप्पणी Note:: Seller has given an undertaking that it has made arrangements for getting the stores from an authorized distributor / dealer / channel partner of the OEM of the offered product. At the time of delivery of goods, Seller will provide necessary chain documents (in the form of GST Invoice) to prove that the supplied goods are genuine and are being sourced from an authorized distributor / dealer / channel partner of the OEM. In case of any complaint about genuineness of the supplied products, Seller shall be responsible for providing genuine replacement supplies.		
ईपीबीजी विवरण ePBG Detail		
NA		
नियम और शर्तें Terms and Conditions		
1. General Terms and Conditions- 1.1 This contract is governed by the General Terms and Conditions, conditions stipulated to this Product/Service as provided in the Marketplace. 1.2 This Contract between the Seller and the Buyer, is for the supply of the Goods and/ or Services, detailed in the schedule above, in accordance with the General Terms and Conditions (GTC) unless otherwise superseded by Goods / Services specific Special Terms and Conditions (STC) and/ or BID/Reverse Auction Additional Terms and Conditions (ATC), as applicable		
नोट: यह सिस्टम जनरेटेड फाइल है। कोई हस्ताक्षर की आवश्यकता नहीं है। इस दस्तावेज़ का प्रिंट आउट भुगतान/लेनदेन उद्देश्य के लिए मान्य नहीं है। Note: This is system generated file. No signature is required. Print out of this document is not valid for payment/ transaction purpose.		