

अनुबंध | Contract



अनुबंध क्रमांक | Contract No: GEMC-511687780060111

अनुबंध तिथि | Generated Date : 15-Apr-2024

बोली/आरए/पीबीपी संख्या | Bid/RA/PBP No.: [GEM/2024/B/4579242](#)

संगठन विवरण Organisation Details	खरीदार विवरण Buyer Details
प्रकार Type : Central Government मंत्रालय Ministry : Department of Space विभाग Department : Department of Space संगठन का नाम Organisation Name : indian space research organization कार्यालय क्षेत्र Office Zone: Physical Research Laboratory, Ahmedabad	पद Designation : Purchase and Stores Officer संपर्क नंबर Contact No. : 079-26314115-4115 ईमेल आईडी Email ID : buyer3.ds.gj@gembuyer.in जीएसटीआईएन GSTIN : - पता Address : PHYSICAL RESEARCH LABORATORY, BEHIND GUJARAT UNIVERSITY, OPPOSITE ATIRA, NEAR GUJARAT UNIVERSITY VICE CHANCELLOR BUNGALOW, Navrangpura, AHMEDABAD, GUJARAT, 380009, AHMEDABAD, GUJARAT-380009, India

वित्तीय स्वीकृति विवरण Financial Approval Detail	भुगतान प्राधिकरण विवरण Paying Authority Details
आईएफडी सहमति IFD Concurrence : Yes प्रशासनिक अनुमोदन का पदनाम Designation of Administrative Approval: Competent Authority वित्तीय अनुमोदन का पदनाम Designation of Financial Approval : Competent Authority	Role: PAO भुगतान का तरीका Payment Mode: ISRO पद Designation : Sr. Accounts Officer ईमेल आईडी Email ID : pao3.nagu.adi@gembuyer.in जीएसटीआईएन GSTIN : N पता Address: Physical Research Laboratory, Opposite ATIRA Beside Gujarat University Tower, Near LD Engineering College Navrangpura, AHMEDABAD CITY, GUJARAT-380009, India

विक्रेता विवरण Seller Details
जेम विक्रेता आईडी GeM Seller ID : MHM3230007793656 कंपनी का नाम Company Name : R V POWER संपर्क नंबर Contact No. : 09972355187 ईमेल आईडी Email ID : sales@rv-power.in पता Address : 1172, Dr Rajkumar Rd, Prakash Nagar,, Rajajinagar,, Bangalore, KARNATAKA-560021, - एमएसएमई सत्यापित MSME verified : No एमएसएमई पंजीकरण संख्या MSME Registration number : UDYAM-KR-03-0179588 एमएसएमई सामाजिक श्रेणी MSE Social Category : OBC एमएसएमई लिंग श्रेणी MSE Gender : Male जीएसटीआईएन GSTIN: 29AHOPR5019F1ZZ (R)

*जिसके नाम के पक्ष में GST/TAX इनवॉइस पेश किया जाएगा | GST / Tax invoice to be raised in the name of - Buyer

वितरण निर्देश | Delivery Instructions : NA

उत्पाद विवरण Product Details						
#	आइटम विवरण Item Description	आइटम विवरण Ordered Quantity	इकाई Unit	इकाई मूल्य (INR) Unit Price (INR)	कर विभाजन (INR) Tax Bifurcation (INR)	मूल्य (INR में सभी शुल्क और कर सहित) Price (Inclusive of all Duties and Taxes in INR)
1	उत्पाद का नाम Product Name : HONDA POWER Petrol start, Petrol run Power Generators And Portable Generators ब्रांड Brand : HONDA POWER ब्रांड प्रकार Brand Type : Registered Brand कैटलॉग की स्थिति Catalogue Status: Catalogue not verified by OEM कैसे बेचा जा रहा है Selling As : Reseller not verified by OEM श्रेणी का नाम और चतुर्थांश Category Name & Quadrant : Portable Power Generators (Q3) मॉडल Model: HONDA EU30is एचएसएन कोड HSN Code: HSN not specified by seller	1	pieces	120,500	NA	120,500
कुल ऑर्डर मूल्य Total Order Value (in INR)						120,500

परोक्ष विवरण Consignee Detail						
क्र.सं. S.No	परोक्ष Consignee	वस्तु Item	लॉट नंबर Lot No.	मात्रा Quantity	दिनांक के बाद डिलीवरी शुरू करना है Delivery To Be	वितरण पूरा कब तक करना है Delivery To Be

					Delivery Start After	Completed By
1	<p>पद Designation :- ईमेल आईडी Email ID : con3.nagu.adi@gembuyer.in संपर्क Contact : 079-26314075-4072 जीएसटीआईएन GSTIN :- पता Address : PHYSICAL RESEARCH LABORATORY, BEHIND GUJARAT UNIVERSITY, OPPOSITE ATIRA, NEAR GUJARAT UNIVERSITY VICE CHANCELLOR BUNGALOW, Navrangpura, AHMEDABAD, GUJARAT, 380009, AHMEDABAD, GUJARAT-380009, India</p>	HONDA POWER Petrol start, Petrol run Power Generators And Portable Generators	-	1	15-Apr-2024	30-May-2024

Product Specification for HONDA POWER Petrol start, Petrol run Power Generators And Portable Generators

विनिर्देश Specification	उप-विनिर्देश Sub-Spec	मूल्य Value
RATED OUTPUT / STARTING & RUNNING	Portable Generator type	Petrol start, Petrol run
	Rated Output at unity power factor at STP (VA)	2800
	Starting Type	Electric Self start
	Rated output Voltage	230 V AC
WARRANTY	Warranty (year)	2 year
PERFORMANCE	Efficiency of the alternator (%)	80
	Noise Level of Portable Generator (dB(A))	40
GENERIC	Make and model of engine	GX200T
	Make and model of alternator	HONDA
	Provision of Voltmeter and ammeter in the output circuits	yes
	Dimension of Genset in (LxWxH) (mmxmmxmm)	710 x 482 x 570
	Dry weight (Kg)	62
	Period for which the Generator is capable of delivering declared output	10 hour
	Fuel Tank capacity	12.5 liter
BATTERY	Battery Ah capacity in case of Electric start Generator (Ah)	6
CERTIFICATION / STATUTORY REQUIREMENTS	Type approval Portable Generating Set meeting the requirements of Environmental (Protection) Rules 1986, in respect of noise and emission norms, as described in STC of the Product	yes
	Type approval number and date	ARAI/PGTA/HSPPL
	Availability of Test Report from Central government/NABL/ILAC accredited laboratory to prove conformity to the specification for the Portable Generator Set	Yes
	Test Report number and date	CDOEK0029, 10/02/16
	Name and address of laboratory	Gurgaon-122050

टिप्पणी | Note:: Seller has given an undertaking that it has made arrangements for getting the stores from an authorized distributor / dealer / channel partner of the OEM of the offered product. At the time of delivery of goods, Seller will provide necessary chain documents (in the form of GST Invoice) to prove that the supplied goods are genuine and are being sourced from an authorized distributor / dealer / channel partner of the OEM. In case of any complaint about genuineness of the supplied products, Seller shall be responsible for providing genuine replacement supplies.

खरीदार परिभाषित अतिरिक्त विशिष्टता के लिए | Buyer Defined Additional Specification for HONDA POWER Petrol start, Petrol run Power Generators And Portable Generators

विनिर्देश Specification	मूल्य Value
Emission Standard	shall be as per CPCB notified values as per CC parameter value ((Certification from notified agencies from CPCB is must)
Noise Level of portable generator	86 dB (Certification from notified agencies from CPCB is must)
Low Oil alert system	required (to prevent Engine Seizure due to low oil level)
Dry Weight (in Kgs)	below 65 Kgs
Fuel Tank capacity	Less than 15 Ltrs

ईपीबीजी विवरण | ePBG Detail

सलाहकार बैंक Advisory Bank :	NA
--------------------------------	----

नियम और शर्तें | Terms and Conditions

1. Special terms and conditions- Version:1 effective from 04-05-2020

1.1 In addition to General Terms and Conditions of the GeM following Special T&C shall be applicable for Portable Generator / Generating Set:

1.1.1 Portable AC Generating Set shall comprise of air cooled / liquid cooled 4 stroke single cylinder engine and alternator.

1.1.2 The Portable Generating Set shall comply temp. rise limits given in IS:4722 / IS:13364 with latest amendments.

1.1.3 The Portable Generating Set shall be fitted with fuel tank of a capacity to give continuous operation for minimum 5 hours at rated full load and fuel should not spill out of the lid of the tank due to the vibration.

1.1.4 The Portable Generating Set should have low lubricating oil alert system.

1.1.5 Electric start Generating Sets, where applicable, shall have maintenance free battery and battery Charger with suitable starter. Battery ratings and motor starters shall be compatible with the respective engines of Electric start Generating Sets.

1.1.6 Conformity of Production (COP) and Type Approval Certificate (TAC) declaring make and model of engine/Portable Generator Sets, shall be provided to the user on demand.

1.1.7 Portable Generator Sets of type petrol / kerosen run shall meet the requirements of Environmental Protection Rules 1986 vide notification No. GSR 742 (E) dt. 17.05.2002 and SI. No. 91 dt. 25.09.2000 and all amendments up to date and amendment vide GSR No. 628 (E) dt. 30.08.2001 in respect of noise level norms and provision of Environment protection Rule 1999 for emission standard for Generator set as per Rule 88 (B) effective from 01.06.2001 vide notification No. GSR 682 (E) dt. 05.10.1999 and GSR 535 (E) dt. 07.08.2013 along with all amendments up to date issued by Min. of Environment & Forest, Govt. of India. CPCB Certificate also be provided to the user on demand.

1.1.8 Portable Gen. Sets run by diesel shall meet the requirement of Environmental Protection Rule 1986 as laid down by Min. of Environment & Forest read with GSR 371 (E) dated 17.05.2002 , GSR 520 (E) dated 01.07.2003 , No.448 (E) dated 12.07.2004 , GSR 771 (E) dated 11.12.2013 & GSR 232 (E) Dated 31.03.2014 along with all amendments up to date in respect of noise and emission norms. Portable Generator Set shall also meet all other statutory requirements as notified by Govt. time to time. CPCB Certificate also be provided to the user on demand.

2. General Terms and Conditions-

2.1 This contract is governed by the [General Terms and Conditions](#), conditions stipulated to this Product/Service as provided in the Marketplace.

2.2 This Contract between the Seller and the Buyer, is for the supply of the Goods and/ or Services, detailed in the schedule above, in accordance with the General Terms and Conditions (GTC) unless otherwise superseded by Goods / Services specific Special Terms and Conditions (STC) and/ or BID/Reverse Auction Additional Terms and Conditions (ATC), as applicable

3. Buyer Added Bid Specific Terms and Conditions-

3.1 Generic

OPTION CLAUSE: The Purchaser reserves the right to increase or decrease the quantity to be ordered up to 25 percent of bid quantity at the time of placement of contract. The purchaser also reserves the right to increase the ordered quantity by up to 25% of the contracted quantity during the currency of the contract at the contracted rates. Bidders are bound to accept the orders accordingly.

3.2 Certificates:

Bidder's offer is liable to be rejected if they don't upload any of the certificates / documents sought in the Bid document, ATC and Corrigendum if any.

3.3 Certificates:

The bidder is required to upload, along with the bid, all relevant certificates such as BIS licence, type test certificate, approval certificates and other certificates as prescribed in the Product Specification given in the bid document.

3.4 Scope of Supply:

Scope of supply (Bid price to include all cost components) : Only supply of Goods

3.5 Generic

Bidders are advised to check applicable GST on their own before quoting. Buyer will not take any responsibility in this regards. GST reimbursement will be as per actuals or as per applicable rates (whichever is lower), subject to the maximum of quoted GST %.

3.6 Generic

Data Sheet of the product(s) offered in the bid, are to be uploaded along with the bid documents. Buyers can match and verify the Data Sheet with the product specifications offered. In case of any unexplained mismatch of technical parameters, the bid is liable for rejection.

3.7 Warranty:

Warranty period of the supplied products shall be 2 years from the date of final acceptance of goods or after completion of installation, commissioning & testing of goods (if included in the scope of supply), at consignee location. OEM Warranty certificates must be submitted by Successful Bidder at the time of delivery of Goods. The seller should guarantee the rectification of goods in case of any break down during the guarantee period. Seller should have well established Installation, Commissioning, Training, Troubleshooting and Maintenance Service group in INDIA for attending the after sales service. Details of Service Centres near consignee destinations are to be uploaded along with the bid.

3.8 Service & Support:

Dedicated /toll Free Telephone No. for Service Support : BIDDER/OEM must have Dedicated/toll Free Telephone No. for Service Support.

3.9 Service & Support:

Escalation Matrix For Service Support : Bidder/OEM must provide Escalation Matrix of Telephone Numbers for Service Support.

3.10 Buyer Added Bid Specific ATC:

Buyer Added text based ATC clauses

Conformity of Production (COP) and Type Approval Certificate (TAC) declaring make and model of engine/Portable Generator Sets, shall be provided.

Note: This is system generated file. No signature is required. Print out of this document is not valid for payment/ transaction purpose.