

अनुबंध | Contract



अनुबंध क्रमांक | Contract No: GEMC-511687778366578

अनुबंध तिथि | Generated Date : 16-Apr-2024

बोली/आरए/पीबीपी संख्या | Bid/RA/PBP No.: [GEM/2024/B/4799412](#)

संगठन विवरण Organisation Details	खरीदार विवरण Buyer Details
प्रकार Type : Central PSU	पद Designation : EE CEMENTING
मंत्रालय Ministry : Ministry of Petroleum and Natural Gas	संपर्क नंबर Contact No. : 381-2363231-
विभाग Department : NA	ईमेल आईडी Email ID : buyer537.ongcl.tr@gembuyer.in
संगठन का नाम Organisation Name : Oil and Natural Gas Corporation Limited	जीएसटीआईएन GSTIN : 16AAACO1598A2ZP
कार्यालय क्षेत्र Office Zone: 799014	पता Address : Badarghat Complex, WEST TRIPURA, TRIPURA-799014, India

निरीक्षण का प्रकार Type of Inspection: Post Dispatch	निरीक्षण का स्थान Place of Inspection: Inspection To be conducted at Consignee location
---	--

गुणवत्ता आश्वासन योजना के लिए कृपया बोली देखें | For Quality Assurance Plan please refer to the bid GEM/2024/B/4799412

निरीक्षण एजेंसी / प्राधिकरण Inspection Agency/ Authority: CONCERNED ONGC INDENTOR
निरीक्षण एजेंसी / प्राधिकरण Inspection Agency/ Authority: CONCERNED ONGC INDENTOR
निरीक्षण एजेंसी / प्राधिकरण Inspection Agency/ Authority: CONCERNED ONGC INDENTOR
निरीक्षण एजेंसी / प्राधिकरण Inspection Agency/ Authority: CONCERNED ONGC INDENTOR
निरीक्षण एजेंसी / प्राधिकरण Inspection Agency/ Authority: CONCERNED ONGC INDENTOR
निरीक्षण एजेंसी / प्राधिकरण Inspection Agency/ Authority: CONCERNED ONGC INDENTOR
निरीक्षण एजेंसी / प्राधिकरण Inspection Agency/ Authority: CONCERNED ONGC INDENTOR
निरीक्षण एजेंसी / प्राधिकरण Inspection Agency/ Authority: CONCERNED ONGC INDENTOR
निरीक्षण एजेंसी / प्राधिकरण Inspection Agency/ Authority: CONCERNED ONGC INDENTOR

वित्तीय स्वीकृति विवरण Financial Approval Detail	भुगतान प्राधिकरण विवरण Paying Authority Details
आईएफडी सहमति IFD Concurrence : No	Role: PAO
प्रशासनिक अनुमोदन का पदनाम Designation of Administrative Approval: Level-IV: SE-Cmtg	भुगतान का तरीका Payment Mode: ONGCOnline
वित्तीय अनुमोदन का पदनाम Designation of Financial Approval: DGM (F & A)	पद Designation : DGM Finance
	ईमेल आईडी Email ID : pao53.ongcl.tr@gembuyer.in
	जीएसटीआईएन GSTIN : 16AAACO1598A2ZP
	पता Address: Badarghat Complex, West Tripura, TRIPURA-799014, India

विक्रेता विवरण Seller Details
जेम विक्रेता आईडी GeM Seller ID : 8FD8200001193188
कंपनी का नाम Company Name : DURGA COLOUR & CHEM PVT LTD
संपर्क नंबर Contact No. : 09830053658
ईमेल आईडी Email ID : sales@maxpaints.in
पता Address : Unit-512, Diamond Heritage, 16 Strand Road, Strand Road, Kolkata, WEST BENGAL-700001, -
एमएसएमई सत्यापित MSME verified : Yes
एमएसएमई पंजीकरण संख्या MSME Registration number : UDYAM-WB-10-0004485
एमएसई सामाजिक श्रेणी MSE Social Category : General
एमएसई लिंग श्रेणी MSE Gender : Male
जीएसटीआईएन GSTIN: 19AAACD9379C1ZG (R)

*जिसके नाम के पक्ष में GST/TAX इनवॉइस पेश किया जाएगा | GST / Tax invoice to be raised in the name of - Consignee

वितरण निर्देश | Delivery Instructions : NA

उत्पाद विवरण Product Details	आइटम	इकाई मूल्य	कर विभाजन	मूल्य (INR में सभी शुल्क और कर)
---------------------------------------	------	------------	-----------	---------------------------------

#	आइटम विवरण Item Description	विवरण Ordered Quantity	इकाई Unit	(INR) Unit Price (INR)	(INR) Tax Bifurcation (INR)	सहित Price (Inclusive of all Duties and Taxes in INR)
1	उत्पाद का नाम Product Name : max Enamel , Synthetic, Exterior: (a) Undercoating (b) Finishing Paint Part 1 For Domestic And Decorative Applications 4 Litre ब्रांड Brand : max ब्रांड प्रकार Brand Type : Registered Brand कैटलॉग की स्थिति Catalogue Status : OEM verified catalogue कैसे बेचा जा रहा है Selling As : OEM श्रेणी का नाम और चतुर्थांश Category Name & Quadrant : Enamel, Synthetic, Exterior (A) Under Coating (B) Finishing Paint (V2) as per IS 2932 (Q3) मॉडल Model : Enamel, Synthetic, Exterior एचएसएन कोड HSN Code : HSN not specified by seller	25	container(s)	520	NA	13,000
2	उत्पाद का नाम Product Name : max Enamel , Synthetic, Exterior: (a) Undercoating (b) Finishing Paint Part 1 For Domestic And Decorative Applications 4 Litre ब्रांड Brand : max ब्रांड प्रकार Brand Type : Registered Brand कैटलॉग की स्थिति Catalogue Status : OEM verified catalogue कैसे बेचा जा रहा है Selling As : OEM श्रेणी का नाम और चतुर्थांश Category Name & Quadrant : Enamel, Synthetic, Exterior (A) Under Coating (B) Finishing Paint (V2) as per IS 2932 (Q3) मॉडल Model : Enamel, Synthetic एचएसएन कोड HSN Code : HSN not specified by seller	5	container(s)	520	NA	2,600
3	उत्पाद का नाम Product Name : max Enamel , Synthetic, Exterior: (a) Undercoating (b) Finishing Paint Part 1 For Domestic And Decorative Applications 4 Litre ब्रांड Brand : max ब्रांड प्रकार Brand Type : Registered Brand कैटलॉग की स्थिति Catalogue Status : OEM verified catalogue कैसे बेचा जा रहा है Selling As : OEM श्रेणी का नाम और चतुर्थांश Category Name & Quadrant : Enamel, Synthetic, Exterior (A) Under Coating (B) Finishing Paint (V2) as per IS 2932 (Q3) मॉडल Model : Enamel, Synthetic, Exterior एचएसएन कोड HSN Code : HSN not specified by seller	10	container(s)	500	NA	5,000
4	उत्पाद का नाम Product Name : max Enamel , Synthetic, Exterior: (a) Undercoating (b) Finishing Paint Part 1 For Domestic And Decorative Applications 4 Litre ब्रांड Brand : max ब्रांड प्रकार Brand Type : Registered Brand कैटलॉग की स्थिति Catalogue Status : OEM verified catalogue कैसे बेचा जा रहा है Selling As : OEM श्रेणी का नाम और चतुर्थांश Category Name & Quadrant : Enamel, Synthetic, Exterior (A) Under Coating (B) Finishing Paint (V2) as per IS 2932 (Q3) मॉडल Model : Enamel, Synthetic, Exterior एचएसएन कोड HSN Code : HSN not specified by seller	30	container(s)	520	NA	15,600
5	उत्पाद का नाम Product Name : max Enamel , Synthetic, Exterior: (a) Undercoating (b) Finishing Paint Part 1 For Domestic And Decorative Applications 5 Litre ब्रांड Brand : max ब्रांड प्रकार Brand Type : Registered Brand कैटलॉग की स्थिति Catalogue Status : OEM verified catalogue कैसे बेचा जा रहा है Selling As : OEM श्रेणी का नाम और चतुर्थांश Category Name & Quadrant : Enamel, Synthetic, Exterior (A) Under Coating (B) Finishing Paint (V2) as per IS 2932 (Q3) मॉडल Model : Enamel, Synthetic, Exterior एचएसएन कोड HSN Code : HSN not specified by seller	13	container(s)	650	NA	8,450
6	उत्पाद का नाम Product Name : max Enamel , Synthetic, Exterior: (a) Undercoating (b) Finishing Paint Part 1 For Domestic And Decorative Applications 4 Litre ब्रांड Brand : max ब्रांड प्रकार Brand Type : Registered Brand कैटलॉग की स्थिति Catalogue Status : OEM verified catalogue कैसे बेचा जा रहा है Selling As : OEM श्रेणी का नाम और चतुर्थांश Category Name & Quadrant : Enamel, Synthetic, Exterior (A) Under Coating (B) Finishing Paint (V2) as per IS 2932 (Q3) मॉडल Model : Enamel, Synthetic एचएसएन कोड HSN Code : HSN not specified by seller	25	container(s)	520	NA	13,000
7	उत्पाद का नाम Product Name : max Enamel , Synthetic, Exterior: (a) Undercoating (b) Finishing Paint Part 1 For Domestic And Decorative Applications 4 Litre ब्रांड Brand : max ब्रांड प्रकार Brand Type : Registered Brand कैटलॉग की स्थिति Catalogue Status : OEM verified catalogue कैसे बेचा जा रहा है Selling As : OEM श्रेणी का नाम और चतुर्थांश Category Name & Quadrant : Enamel, Synthetic, Exterior (A) Under Coating (B) Finishing Paint (V2) as per IS 2932 (Q3) मॉडल Model : Enamel, Synthetic एचएसएन कोड HSN Code : HSN not specified by seller	5	container(s)	520	NA	2,600
	उत्पाद का नाम Product Name : max Enamel , Synthetic, Exterior: (a) Undercoating (b) Finishing					

8	Paint Part 1 For Domestic And Decorative Applications 4 Litre ब्रांड Brand : max ब्रांड प्रकार Brand Type : Registered Brand कैटलॉग की स्थिति Catalogue Status: OEM verified catalogue कैसे बेचा जा रहा है Selling As : OEM श्रेणी का नाम और चतुर्थांश Category Name & Quadrant : Enamel, Synthetic, Exterior (A) Under Coating (B) Finishing Paint (V2) as per IS 2932 (Q3) मॉडल Model: Enamel, Synthetic, Exterior एचएसएन कोड HSN Code: HSN not specified by seller	15	container(s)	440	NA	6,600
9	उत्पाद का नाम Product Name : max Metallic Aluminium paint, heat resistant in MS Container ब्रांड Brand : max ब्रांड प्रकार Brand Type : Registered Brand कैटलॉग की स्थिति Catalogue Status: OEM verified catalogue कैसे बेचा जा रहा है Selling As : OEM श्रेणी का नाम और चतुर्थांश Category Name & Quadrant : Aluminium Paint, Heat Resistant as per IS 13183 (Q3) मॉडल Model: Aluminium Paint एचएसएन कोड HSN Code: HSN not specified by seller	40	liter	300	NA	12,000

कुल ऑर्डर मूल्य | Total Order Value (in INR)

78,850

निरीक्षण अधिकारी | Inspection Officer:

नाम | Name: CONCERNED INDENTOR OR ITS AUTHORIZED REPRESENTATIVE
ईमेल | E-mail: notapplicable@contactbuyer.in
संपर्क | Phone: Not Applicable

निरीक्षण अधिकारी | Inspection Officer:

नाम | Name: CONCERNED INDENTOR OR ITS AUTHORIZED REPRESENTATIVE
ईमेल | E-mail: notapplicable@contactbuyer.in
संपर्क | Phone: Not Applicable

निरीक्षण अधिकारी | Inspection Officer:

नाम | Name: CONCERNED INDENTOR OR ITS AUTHORIZED REPRESENTATIVE
ईमेल | E-mail: notapplicable@contactbuyer.in
संपर्क | Phone: Not Applicable

निरीक्षण अधिकारी | Inspection Officer:

नाम | Name: CONCERNED INDENTOR OR ITS AUTHORIZED REPRESENTATIVE
ईमेल | E-mail: notapplicable@contactbuyer.in
संपर्क | Phone: Not Applicable

निरीक्षण अधिकारी | Inspection Officer:

नाम | Name: CONCERNED INDENTOR OR ITS AUTHORIZED REPRESENTATIVE
ईमेल | E-mail: notapplicable@contactbuyer.in
संपर्क | Phone: Not Applicable

निरीक्षण अधिकारी | Inspection Officer:

नाम | Name: CONCERNED INDENTOR OR ITS AUTHORIZED REPRESENTATIVE
ईमेल | E-mail: notapplicable@contactbuyer.in
संपर्क | Phone: Not Applicable

निरीक्षण अधिकारी | Inspection Officer:

नाम | Name: CONCERNED INDENTOR OR ITS AUTHORIZED REPRESENTATIVE
ईमेल | E-mail: notapplicable@contactbuyer.in
संपर्क | Phone: Not Applicable

निरीक्षण अधिकारी | Inspection Officer:

नाम | Name: CONCERNED INDENTOR OR ITS AUTHORIZED REPRESENTATIVE
ईमेल | E-mail: notapplicable@contactbuyer.in
संपर्क | Phone: Not Applicable

निरीक्षण अधिकारी | Inspection Officer:

नाम | Name: CONCERNED INDENTOR OR ITS AUTHORIZED REPRESENTATIVE
ईमेल | E-mail: notapplicable@contactbuyer.in
संपर्क | Phone: Not Applicable

परोक्षिती विवरण | Consignee Detail

क्र.सं. S.No	परोक्षिती Consignee	वस्तु Item	लॉट नंबर Lot No.	मात्रा Quantity	दिनांक के बाद डिलीवरी शुरू करना है Delivery Start After	वितरण पूरा कब तक करना है Delivery To Be Completed By
		max Enamel , Synthetic, Exterior: (a) Undercoating (b) Finishing Paint Part 1 For Domestic And Decorative Applications 4 Litre	-	25	16-Apr-2024	15-Jun-2024

1	<p>पद Designation :- ईमेल आईडी Email ID : con7.ongc.agtl@gembuyer.in संपर्क Contact : 381-2363391-3391 जीएसटीआईएन GSTIN :- पता Address : Central Stores Complex, MM Section, Badarghat, ONGC, WEST TRIPURA, TRIPURA-799014, India</p>	max Enamel , Synthetic, Exterior: (a) Undercoating (b) Finishing Paint Part 1 For Domestic And Decorative Applications 4 Litre	-	5	16-Apr-2024	15-Jun-2024
		max Enamel , Synthetic, Exterior: (a) Undercoating (b) Finishing Paint Part 1 For Domestic And Decorative Applications 4 Litre	-	10	16-Apr-2024	15-Jun-2024
		max Enamel , Synthetic, Exterior: (a) Undercoating (b) Finishing Paint Part 1 For Domestic And Decorative Applications 4 Litre	-	30	16-Apr-2024	15-Jun-2024
		max Enamel , Synthetic, Exterior: (a) Undercoating (b) Finishing Paint Part 1 For Domestic And Decorative Applications 5 Litre	-	13	16-Apr-2024	15-Jun-2024
		max Enamel , Synthetic, Exterior: (a) Undercoating (b) Finishing Paint Part 1 For Domestic And Decorative Applications 4 Litre	-	25	16-Apr-2024	15-Jun-2024
		max Enamel , Synthetic, Exterior: (a) Undercoating (b) Finishing Paint Part 1 For Domestic And Decorative Applications 4 Litre	-	5	16-Apr-2024	15-Jun-2024
		max Enamel , Synthetic, Exterior: (a) Undercoating (b) Finishing Paint Part 1 For Domestic And Decorative Applications 4 Litre	-	15	16-Apr-2024	15-Jun-2024
		max Metallic Aluminium paint, heat resistant in MS Container	-	40	16-Apr-2024	15-Jun-2024

Auto CRAC Days : 60

Product Specification for max Enamel , Synthetic, Exterior: (a) Undercoating (b) Finishing Paint Part 1 For Domestic And Decorative Applications 4 Litre

विनिर्देश Specification	उप-विनिर्देश Sub-Spec	मूल्य Value
ITEM	Item	Enamel , Synthetic, Exterior: (a) Undercoating (b) Finishing Paint Part 1 For Domestic And Decorative Applications
	Uses	For exterior Finishing
SPECIFICATION	Conformity to Specification	IS 2932 latest
	Product is BIS marked	Yes
REQUIREMENT of SYNTHETIC ENAMEL PAINT	Class	Both (Brushing and Air Spraying thinning)
COLOUR	Colour shade of enamel Paint with ISC no	Golden yellow(356)
Shelf Life	Shelf life (in Years)	1

Packing	Packing Size	4 Litre
	Packing Material	Round Paint Tins as per IS 1407
ADVANCE SAMPLE	Agree to provided advance sample(s) for buyer's approval before commencement of bulk supply (Hint: Application in case of orders placed against bid and not applicable in case of Direct Buying)	Yes
TEST REPORT	Availability of Test Report from Central Govt/NABL/ILAC accredited lab to prove conformity to specification	No
	Test report no	NA
	Test report date	NA
	Name of the Lab	NA
	Address of the Lab	NA
	Test Report to be furnished to the buyer on demand	No

Product Specification for max Enamel , Synthetic, Exterior: (a) Undercoating (b) Finishing Paint Part 1 For Domestic And Decorative Applications 4 Litre

विनिर्देश Specification	उप-विनिर्देश Sub-Spec	मूल्य Value
ITEM	Item	Enamel , Synthetic, Exterior: (a) Undercoating (b) Finishing Paint Part 1 For Domestic And Decorative Applications
	Uses	For exterior Finishing
SPECIFICATION	Conformity to Specification	IS 2932 latest
	Product is BIS marked	No
REQUIREMENT of SYNTHETIC ENAMEL PAINT	Class	Both (Brushing and Air Spraying thinning)
COLOUR	Colour shade of enamel Paint with ISC no	Grass green(218)
Shelf Life	Shelf life (in Years)	1
Packing	Packing Size	4 Litre
	Packing Material	Round Paint Tins as per IS 1407
ADVANCE SAMPLE	Agree to provided advance sample(s) for buyer's approval before commencement of bulk supply (Hint: Application in case of orders placed against bid and not applicable in case of Direct Buying)	Yes
TEST REPORT	Availability of Test Report from Central Govt/NABL/ILAC accredited lab to prove conformity to specification	No
	Test report no	NA
	Test report date	NA
	Name of the Lab	NA
	Address of the Lab	NA
	Test Report to be furnished to the buyer on demand	No

Product Specification for max Enamel , Synthetic, Exterior: (a) Undercoating (b) Finishing Paint Part 1 For Domestic And Decorative Applications 4 Litre

विनिर्देश Specification	उप-विनिर्देश Sub-Spec	मूल्य Value
ITEM	Item	Enamel , Synthetic, Exterior: (a) Undercoating (b) Finishing Paint Part 1 For Domestic And Decorative Applications
	Uses	For exterior Finishing
SPECIFICATION	Conformity to Specification	IS 2932 latest
	Product is BIS marked	Yes
REQUIREMENT of SYNTHETIC ENAMEL PAINT	Class	Both (Brushing and Air Spraying thinning)
COLOUR	Colour shade of enamel Paint with ISC no	Black
Shelf Life	Shelf life (in Years)	1

Packing	Packing Size	4 Litre
	Packing Material	Round Paint Tins as per IS 1407
ADVANCE SAMPLE	Agree to provided advance sample(s) for buyer's approval before commencement of bulk supply (Hint: Application in case of orders placed against bid and not applicable in case of Direct Buying)	Yes
TEST REPORT	Availability of Test Report from Central Govt/NABL/ILAC accredited lab to prove conformity to specification	No
	Test report no	NA
	Test report date	NA
	Name of the Lab	NA
	Address of the Lab	NA
	Test Report to be furnished to the buyer on demand	No

Product Specification for max Enamel , Synthetic, Exterior: (a) Undercoating (b) Finishing Paint Part 1 For Domestic And Decorative Applications 4 Litre

विनिर्देश Specification	उप-विनिर्देश Sub-Spec	मूल्य Value
ITEM	Item	Enamel , Synthetic, Exterior: (a) Undercoating (b) Finishing Paint Part 1 For Domestic And Decorative Applications
	Uses	For exterior Finishing
SPECIFICATION	Conformity to Specification	IS 2932 latest
	Product is BIS marked	Yes
REQUIREMENT of SYNTHETIC ENAMEL PAINT	Class	Both (Brushing and Air Spraying thinning)
COLOUR	Colour shade of enamel Paint with ISC no	Oxford blue(105)
Shelf Life	Shelf life (in Years)	1
Packing	Packing Size	4 Litre
	Packing Material	Round Paint Tins as per IS 1407
ADVANCE SAMPLE	Agree to provided advance sample(s) for buyer's approval before commencement of bulk supply (Hint: Application in case of orders placed against bid and not applicable in case of Direct Buying)	Yes
TEST REPORT	Availability of Test Report from Central Govt/NABL/ILAC accredited lab to prove conformity to specification	Yes
	Test report no	TR-68-A-12/22
	Test report date	12.01.2023
	Name of the Lab	Kolkata
	Address of the Lab	Kolkata
	Test Report to be furnished to the buyer on demand	No

Product Specification for max Enamel , Synthetic, Exterior: (a) Undercoating (b) Finishing Paint Part 1 For Domestic And Decorative Applications 5 Litre

विनिर्देश Specification	उप-विनिर्देश Sub-Spec	मूल्य Value
ITEM	Item	Enamel , Synthetic, Exterior: (a) Undercoating (b) Finishing Paint Part 1 For Domestic And Decorative Applications
	Uses	For exterior Finishing
SPECIFICATION	Conformity to Specification	IS 2932 latest
	Product is BIS marked	No
REQUIREMENT of SYNTHETIC ENAMEL PAINT	Class	Both (Brushing and Air Spraying thinning)
COLOUR	Colour shade of enamel Paint with ISC no	White

Shelf Life	Shelf life (in Years)	1
Packing	Packing Size	5 Litre
	Packing Material	Round Paint Tins as per IS 1407
ADVANCE SAMPLE	Agree to provided advance sample(s) for buyer's approval before commencement of bulk supply (Hint: Application in case of orders placed against bid and not applicable in case of Direct Buying)	Yes
TEST REPORT	Availability of Test Report from Central Govt/NABL/ILAC accredited lab to prove conformity to specification	No
	Test report no	NA
	Test report date	NA
	Name of the Lab	NA
	Address of the Lab	NA
	Test Report to be furnished to the buyer on demand	No

Product Specification for max Enamel , Synthetic, Exterior: (a) Undercoating (b) Finishing Paint Part 1 For Domestic And Decorative Applications 4 Litre

विनिर्देश Specification	उप-विनिर्देश Sub-Spec	मूल्य Value
ITEM	Item	Enamel , Synthetic, Exterior: (a) Undercoating (b) Finishing Paint Part 1 For Domestic And Decorative Applications
	Uses	For exterior Finishing
SPECIFICATION	Conformity to Specification	IS 2932 latest
	Product is BIS marked	No
REQUIREMENT of SYNTHETIC ENAMEL PAINT	Class	Both (Brushing and Air Spraying thinning)
COLOUR	Colour shade of enamel Paint with ISC no	Post office red(538)
Shelf Life	Shelf life (in Years)	1
Packing	Packing Size	4 Litre
	Packing Material	Steel Drums (galvanized and ungalvanized) as per IS 2552
ADVANCE SAMPLE	Agree to provided advance sample(s) for buyer's approval before commencement of bulk supply (Hint: Application in case of orders placed against bid and not applicable in case of Direct Buying)	Yes
TEST REPORT	Availability of Test Report from Central Govt/NABL/ILAC accredited lab to prove conformity to specification	No
	Test report no	NA
	Test report date	NA
	Name of the Lab	NA
	Address of the Lab	NA
	Test Report to be furnished to the buyer on demand	Yes

Product Specification for max Enamel , Synthetic, Exterior: (a) Undercoating (b) Finishing Paint Part 1 For Domestic And Decorative Applications 4 Litre

विनिर्देश Specification	उप-विनिर्देश Sub-Spec	मूल्य Value
ITEM	Item	Enamel , Synthetic, Exterior: (a) Undercoating (b) Finishing Paint Part 1 For Domestic And Decorative Applications
	Uses	For exterior Finishing
SPECIFICATION	Conformity to Specification	IS 2932 latest
	Product is BIS marked	No
REQUIREMENT of SYNTHETIC ENAMEL PAINT	Class	Both (Brushing and Air Spraying thinning)

COLOUR	Colour shade of enamel Paint with ISC no	Smoke grey(692)
Shelf Life	Shelf life (in Years)	1
Packing	Packing Size	4 Litre
	Packing Material	Round Paint Tins as per IS 1407
ADVANCE SAMPLE	Agree to provided advance sample(s) for buyer's approval before commencement of bulk supply (Hint: Application in case of orders placed against bid and not applicable in case of Direct Buying)	Yes
TEST REPORT	Availability of Test Report from Central Govt/NABL/ILAC accredited lab to prove conformity to specification	No
	Test report no	NA
	Test report date	NA
	Name of the Lab	NA
	Address of the Lab	NA
	Test Report to be furnished to the buyer on demand	No

Product Specification for max Enamel , Synthetic, Exterior: (a) Undercoating (b) Finishing Paint Part 1 For Domestic And Decorative Applications 4 Litre

विनिर्देश Specification	उप-विनिर्देश Sub-Spec	मूल्य Value
ITEM	Item	Enamel , Synthetic, Exterior: (a) Undercoating (b) Finishing Paint Part 1 For Domestic And Decorative Applications
	Uses	For exterior Finishing
SPECIFICATION	Conformity to Specification	IS 2932 latest
	Product is BIS marked	Yes
REQUIREMENT of SYNTHETIC ENAMEL PAINT	Class	Both (Brushing and Air Spraying thinning)
COLOUR	Colour shade of enamel Paint with ISC no	Red Oxide(446)
Shelf Life	Shelf life (in Years)	1
Packing	Packing Size	4 Litre
	Packing Material	Steel Drums (galvanized and ungalvanized) as per IS 2552
ADVANCE SAMPLE	Agree to provided advance sample(s) for buyer's approval before commencement of bulk supply (Hint: Application in case of orders placed against bid and not applicable in case of Direct Buying)	Yes
TEST REPORT	Availability of Test Report from Central Govt/NABL/ILAC accredited lab to prove conformity to specification	Yes
	Test report no	NA
	Test report date	NA
	Name of the Lab	KOLKATA
	Address of the Lab	KOLKATA
	Test Report to be furnished to the buyer on demand	Yes

Product Specification for max Metallic Aluminium paint, heat resistant in MS Container

विनिर्देश Specification	उप-विनिर्देश Sub-Spec	मूल्य Value
Generic	Grade	Suitable for temperature Up to 250°C
	Finish	Bright, smooth & lustrous
	Colour of Paint	Metallic Aluminium
Physical Properties	Theoretical Spreading Rate	15.0 sq.mtr/ ltr @ 20 microns DFT; 20 sq.mtr/ ltr @ 15 microns DFT
	Method of Application	Brushing
	Drying time (Surface dry, Max)	1-2 hour
	Non-volatile matter, percent by mass, Min	30

	Flash point	Above 23 degC
	Drying time (Hard dry, Max)	24 hour
Packaging & Shelf Life	Packaging Type	MS Container
	Shelf Life	12 month
Certification and Standards	ISO certification number and issued date	12345
	Whether ISI Marked	No
	ISO certification of manufacturer	ISO 9001:2015
	Conformity to Specification	IS: 13183 (1991) or latest
Test Reports	Availability of test report from central Govt/ NABL/ILAC accredited lab covering all parameters	Yes
	Copies of test Reports/certificates and other certifications to be furnished to buyer on demand at time of supplies	Yes
	Test Report Number and date	12345

ईपीबीजी विवरण | ePBG Detail

सलाहकार बैंक Advisory Bank :	NA
ईपीबीजी प्रतिशत (%) ePBG Percentage(%):	NA

नियम और शर्तें | Terms and Conditions

1. General Terms and Conditions-

- 1.1 This contract is governed by the [General Terms and Conditions](#), conditions stipulated to this Product/Service as provided in the Marketplace.
- 1.2 This Contract between the Seller and the Buyer, is for the supply of the Goods and/ or Services, detailed in the schedule above, in accordance with the General Terms and Conditions (GTC) unless otherwise superseded by Goods / Services specific Special Terms and Conditions (STC) and/ or BID/Reverse Auction Additional Terms and Conditions (ATC), as applicable

2. Buyer Added Bid Specific Terms and Conditions-

2.1 Generic

Bidders are advised to check applicable GST on their own before quoting. Buyer will not take any responsibility in this regards. GST reimbursement will be as per actuals or as per applicable rates (whichever is lower), subject to the maximum of quoted GST %.

2.2 Generic

Bidder shall submit the following documents along with their bid for Vendor Code Creation:

- Copy of PAN Card.
- Copy of GSTIN.
- Copy of Cancelled Cheque.
- Copy of EFT Mandate duly certified by Bank.

2.3 Generic

Wherever Essentiality Certificate is applicable (PEL/ML), successful bidder should provide Proforma Invoice for processing for EC application and material should be dispatched after receiving of EC from DGH. In view of the same, an ATC may be incorporated in GeM, viz, "BIDDER/OEM must provide Proforma Invoice for processing for EC application within

14 days from date of issue of GeM Contract and material should be dispatched after receiving of EC from DGH."

2.4 Generic

The buyer organization is an institution eligible for concessional rates of GST as notified by the Government of India. The goods for which bids have been invited fall under classification of GST concession and the conditions for eligibility of concession are met by the institution. A certificate to this effect will be issued by Buyer to the Seller after award of the Contract. Sellers are requested to submit their bids after accounting for the Concessional rate of GST.

Applicable Concessional rate of GST :

12
%

Notification No.and date :
08/2022
dated
13/07/2022

2.5 Scope of Supply:

Scope of supply (Bid price to include all cost components) : Only supply of Goods

2.6 Buyer Added Bid Specific ATC:

Buyer Added text based ATC clauses

1) **RECENT MANUFACTURED PRODUCT** : Bidders shall supply only those products whose date of manufacturing is not older than 6 months from date of opening of

bid.

2) Submission of Invoices:

Supplier shall upload complete set of payment documents either at VIMS (Vendor Invoice Management System) portal (<https://vims ONGC.co.in>) or send to e-mail address (to be mentioned by work center) specially created for invoice receipt in VIMS.

Invoices along with supporting documents can be submitted/uploaded through VIMS Portal (<https://vims ONGC.co.in/>), which is the preferred mode of submission of Invoice. Invoice (PDF digitally signed with class II/ III signature) and supporting documents can be uploaded in VIMS Portal by logging-in with the help of Vendor Code.

However, in case supplier/contractor is not able to submit/upload the Invoice through VIMS portal as mentioned above, Invoice along with supporting documents can also be submitted/uploaded in any of the following way:-

1. EMAIL channel: Invoice (PDF digitally signed with class II/ III signature) and supporting documents can be submitted by sending these documents to a designated email-id: ap_invoices@ONGC.co.in.

Ten (10) digit PO or Contract number should be clearly mentioned in the invoice. For submitting the invoices through VIMS Portal and Email channel, following must be ensured:

- i) Invoices should be system generated and no hand written invoices shall be allowed.
- ii) Invoices need to be scanned at a minimum of 300 dpi, preferably in color.
- iii) Invoices should be in PDF format only.
- iv) For invoices, file name should be kept as "INVxxxxxxx.pdf" (INV must be prefixed for correct categorization of invoice and differentiation from supporting document).
- v) A regular format must be maintained in which invoices are being submitted in ONGC.
- vi) Invoices should be digitally signed with Class - II /III Digital Certificate issued by any licensed CAs.
- vii) In case, Email channel is being followed, separate mail should be sent for each invoice.
- viii) **Invoice should be e-invoice in terms of GST Law or the digitally signed invoice only.**

Supplier shall also upload documents (invoices etc.) and tracking details of the material to be uploaded on GeM portal before the expiry of Delivery period.

नोट: यह सिस्टम जनरेटेड फाइल है। कोई हस्ताक्षर की आवश्यकता नहीं है। इस दस्तावेज़ का प्रिंट आउट भुगतान/लेनदेन उद्देश्य के लिए मान्य नहीं है।

Note: This is system generated file. No signature is required. Print out of this document is not valid for payment/ transaction purpose.