

## अनुबंध | Contract



अनुबंध क्रमांक | Contract No: GEMC-511687710364151

अनुबंध तिथि | Generated Date : 16-Apr-2024

<b>संगठन विवरण   Organisation Details</b>		<b>खरीदार विवरण   Buyer Details</b>				
प्ररूप   Type :	Central PSU	पद   Designation :	CM			
मंत्रालय   Ministry :	Ministry of Finance	संपर्क नंबर   Contact No. :	-			
विभाग   Department :	Department of Financial Services	ईमेल आईडी   Email ID :	buycon2448.sbis.rj@gembuyer.in			
संगठन का नाम   Organisation Name :	State Bank of India (SBI)	जीएसटीआईएन   GSTIN :	-			
कार्यालय क्षेत्र   Office Zone :	JAIPUR	पता   Address :	SBI, RACPC-1, Kailash tower, JAIPUR, RAJASTHAN-302015, India			
<b>वित्तीय स्वीकृति विवरण   Financial Approval Detail</b>		<b>भुगतान प्राधिकरण विवरण   Paying Authority Details</b>				
आईएफडी सहमति   IFD Concurrence :	No	Role:	PAO			
प्रशासनिक अनुमोदन का पदनाम   Designation of Administrative Approval:	Deputy General Manager	भुगतान का तरीका   Payment Mode:	Internet Banking			
वित्तीय अनुमोदन का पदनाम   Designation of Financial Approval :	Chief Manager	पद   Designation :	AGM			
		ईमेल आईडी   Email ID :	pao1100.sbis.rj@gembuyer.in			
		जीएसटीआईएन   GSTIN :	08AAACS8577K1ZP			
		पता   Address:	SBI, RACPC-1, Kailash tower, Jaipur, RAJASTHAN-302015, India			
<b>विक्रेता विवरण   Seller Details</b>						
जेम विक्रेता आईडी   GeM Seller ID :	ACF3200001206957					
कंपनी का नाम   Company Name :	TRIVENI GOYAL ENTERPRISES					
संपर्क नंबर   Contact No. :	09928920534					
ईमेल आईडी   Email ID :	goyaltriveni@gmail.com					
पता   Address :	E-401, Mahima Iris II, Swej Farm, New Sanganer Road, Jaipur, RAJASTHAN-302019, -					
एमएसएमई पंजीकरण संख्या   MSME Registration number :	UDYAM-RJ-17-0276061					
एमएसई सामाजिक श्रेणी   MSE Social Category :	General					
एमएसई लिंग श्रेणी   MSE Gender :	Male					
जीएसटीआईएन   GSTIN:	08ABYPG1794L1ZT (R)					
*जिसके नाम के पक्ष में GST/TAX इनवॉइस पेश किया जाएगा   GST / Tax invoice to be raised in the name of - Buyer						
वितरण निर्देश   Delivery Instructions : NA						
<b>उत्पाद विवरण   Product Details</b>						
#	आइटम विवरण   Item Description	आइटम विवरण   Ordered Quantity	इकाई   Unit	इकाई मूल्य (INR)   Unit Price (INR)	कर विभाजन (INR)   Tax Bifurcation (INR)	मूल्य (INR में सभी शुल्क और कर सहित)   Price (Inclusive of all Duties and Taxes in INR)
1	उत्पाद का नाम   Product Name : KOMPRESS 4-Bay Sprocket Chain Drive Mechanism Mobile Storage Compactors ब्रांड   Brand : KOMPRESS ब्रांड प्रकार   Brand Type : Registered Brand कैटलॉग की स्थिति   Catalogue Status: OEM verified catalogue कैसे बेचा जा रहा है   Selling As : OEM verified Reseller श्रेणी का नाम और चतुर्थांश   Category Name & Quadrant : Mobile Storage Compactors (Q3) मॉडल   Model: MSC1 एचएसएन कोड   HSN Code: HSN not specified by seller	1	pieces	406,990	NA	406,990
कुल ऑर्डर मूल्य   Total Order Value (in INR)						406,990
<b>परेषिती विवरण   Consignee Detail</b>						
क्र.सं.   S.No	परेषिती   Consignee	वस्तु   Item	लॉट नंबर   Lot No.	मात्रा   Quantity	दिनांक के बाद डिलीवरी शुरू करना है   Delivery Start After	वितरण पूरा कब तक करना है   Delivery To Be Completed By
1	पद   Designation : CM ईमेल आईडी   Email ID : buycon2448.sbis.rj@gembuyer.in संपर्क   Contact : - जीएसटीआईएन   GSTIN : -	KOMPRESS 4-Bay Sprocket Chain Drive Mechanism Mobile	-	1	16-Apr-2024	31-May-2024

**Product Specification for KOMPRESS 4-Bay Sprocket Chain Drive Mechanism Mobile Storage Compactors**

विनिर्देश   Specification	उप-विनिर्देश   Sub-Spec	मूल्य   Value
	Category Note	Compactors i.e. Mobile / Movable Storage Systems of configuration as per detailed specifications. One quantity / piece of offered configuration include specified / offered number of Rows of Single Faced Fixed end unit, Single Faced Movable end Unit and double sided / double faced movable Dual unit covering all bays. Prices quoted are for the entire solution comprising of end units and specified numbers of movable units and the corresponding quantities of Rails, Drive Mechanisms and all other components necessary to make the Compactor / Mobile Storage System operational. The price includes the cost of installation and commissioning of the entire unit at consignee site (excluding the cost of Civil Work which would be got done by the Consignee at his own cost as per design and layout plan provided by the seller).
	Number of Bays (One bay represents one storage almirah / body in one row - Please see representative layout diagram for understanding) (=A)	4-Bay
	Type of Drive	Sprocket Chain Drive Mechanism
	Number of Single Faced Fixed / Static Rows (=B) (Units / Cabinets open at one side (with or without doors) and closed on other side - covering all bays) - (Please see representative layout diagram for understanding)	0
	Number of Single Faced Movable Rows (=C) (Units / Cabinet open at one side (with or without doors) and closed on other side covering all bays) (Please see representative layout diagram for understanding)	0
	Number of Double Faced / Dual / Twin Movable Rows (= D) (open on both sides (with or without doors) covering all bays) (Total number of available Bodies /Almirahs = $A \times (B + C + 2D)$ )	1
GENERIC	Number of Shelves in Each Almirah / Body of the single faced fixed / static bodies	4 Shelves/5 Compartments
	Number of Shelves in Each Almirah / Body of the double faced movable bodies	4 Shelves/5 Compartments
	Number of Shelves in Each Almirah / Body of the single faced movable bodies	4 Shelves/5 Compartments
	Load Carrying Capacity of Each Shelf of the single faced fixed / static bodies in Kg	70 kg
	Load Carrying Capacity of Each Shelf of the Movable bodies in Kg	70 kg
	Load bearing capacity of under structure and base frame	1200 Kg
	Delivery Condition of Movable Storage System File	Knock down
	Free Assembly and Installation Commissioning of knocked down supply	Yes
	Shelves in the cabinets	Adjustable
	Wheels / Bearings - Every Base frame fitted with (The bearing used should be heavy duty - self aligning	MS wheels

	Number of pairs of Wheels in Every Base frame	3
	Minimum number of pairs of Bearings in Every Base frame	6
	Drive cover included on Body	YES
	Indexing arrangement	2 MM thick clear transparent acrylic sheet and having other dimension of 155MM/106MM
	Anti rust treatment	YES
	Stud	Main and add on construction
GUIDE RAIL	Number of guide rail rows	3
	Number of 915 mm Rail Pieces per Rail Row	4
	Number of 1830 mm Rails Pieces per Rail Row	8
	Number of 2745 mm Rails Pieces per Rail Row	3
	Guide rail provided with	Square bar Stopper (to stop derailment of unit)
DOORS and LOCKING	Separate Door Provided with each Cabinet / Body / Almirah	NO
	Total Number of Almirahs / Bodies	10
	Total Number of Almirahs / Bodies with Door	10
	Central Locking System for locking entire compactor unit	YES
	Safety Lock for each Movable Body	YES
	Separate door lock for each section	NO
	Fitting of stopper	Fitted to the rail
	Handle	High Quality polyurathene(PU) with three attractive arms, Wheel Type
MATERIAL	M S Sheet Thickness of the Cabinet Body (mm)	0.8 mm thick CRC sheet conforming to Grade D of IS 513/2008 latest
	M S Sheet Thickness of the Shelf Panels (mm)	0.8 mm thick CRC sheet conforming to Grade D of IS 513/2008 latest
	M S Sheet Thickness of the Door Panels (mm)	0.8 mm Continuously pre-painted galvanised steel sheets with protective film 40-45 Micron as per IS 14146
	Height of base frame $\pm 2$ (mm)	120 mm
	Height of track and moving clearance $\pm 2$ (mm)	35 mm
	Material of Stud	PVC stud between bodies
	Material of base frame – should be one piece welded frame (proper antirust surface treatment )	Hot Rolled Sheet 3.15MM thick Confmg. to IS:1079/Latest
	Material of guide rail	Round bar of 30 mm diameter fit into a U shaped channel with flanges on both sides
	Material of 'C' Channel	H R Sheet 3.15MM thick confmg. to IS:1079/Latest
	Drive cover material	1MM thick CRCA confmg. to IS:513/Latest and box type construction
	Number of Folds in Shelf Panels	10 Nos.
	Overall Height of the Cabinet from the ground in mm $\pm 20$ (mm)	2130 mm
	Depth of the single faced fixed / static bodies Cabinet $\pm 10$ (mm)	450 mm
	Depth of the single faced movable bodies Cabinet $\pm 10$ (mm)	450 mm

DIMENSION	Depth of the movable bodies Cabinet ±10(mm)	915 mm
	Width of the single faced fixed / static bodies Cabinet in mm (± 5 mm) - THIS IS WIDTH OF EACH SECTION OR EACH BAY) Overall width of entire compactor will be this width multiplied by number of bays	915 mm
	Width of the movable bodies Cabinet in mm (± 5 mm) - THIS IS WIDTH OF EACH SECTION OR EACH BAY) Overall width of entire compactor will be this width multiplied by number of bays	915 mm
	Minimum Excess Rail Length in addition to Filing Cabinet Covering ( For Aisle working) (mm)	915 mm
	Pitch of all the shelves (+/- 2 MM)	25.4 mm
	Aisle space inside of units	760 mm
	Height of Drive cover unit ± 10 mm	1100 mm
	Depth of Drive cover unit ± 10 mm	N.A.
	Width of Drive cover unit of single faced fixed/movable ± 10 mm	N.A.
	Width of Drive cover unit of Double faced movable ± 10 mm	315 mm
	PAINT	Paint
Colour of Paint		AS PER BUYER CHOICE
WARRANTY	Warranty Period IN NUMBER OF YEARS	1 - Year
CERTIFICATION	Test reports to be furnished to buyer on demand	YES
	OEM of offered product having BIFMA membership	YES
	OEM of offered product is ISO 9001:2015 certified	YES
	OEM of offered product is ISO 14001:2015 certified	YES
	OEM of offered product is ISO 18001:2007/45001:2018 certified	YES
	Green guard certification	YES
<b>विक्रेता विशिष्टता दस्तावेज़   Seller Specification Document:</b>		
1. <a href="#">Applicable Drawing Document</a>	mkp.gem.gov.in/uploaded_documents/cms/tp/home_offi_of64586874_organobi/51/16/877/CategorySc hema/gem_dgsnd_drawing_document/2019/1/16/representative-drawing-of-mobile-storage_2019-01-16-10-39-16_9d6a2f10ff69cd78478c2958c64018ae.pdf	
<b>ईपीबीजी विवरण   ePBG Detail</b>		
NA		
<b>नियम और शर्तें   Terms and Conditions</b>		
1. General Terms and Conditions-		

1.1 This contract is governed by the [General Terms and Conditions](#), conditions stipulated to this Product/Service as provided in the Marketplace.

1.2 This Contract between the Seller and the Buyer, is for the supply of the Goods and/ or Services, detailed in the schedule above, in accordance with the General Terms and Conditions (GTC) unless otherwise superseded by Goods / Services specific Special Terms and Conditions (STC) and/ or BID/Reverse Auction Additional Terms and Conditions (ATC), as applicable

नोट: यह सिस्टम जनरेटेड फाइल है। कोई हस्ताक्षर की आवश्यकता नहीं है। इस दस्तावेज़ का प्रिंट आउट भुगतान/लेनदेन उद्देश्य के लिए मान्य नहीं है।

Note: This is system generated file. No signature is required. Print out of this document is not valid for payment/ transaction purpose.