

अनुबंध | Contract



अनुबंध क्रमांक | Contract No: GEMC-511687786175715

अनुबंध तिथि | Generated Date : 17-Apr-2024

| संगठन विवरण Organisation Details | खरीदार विवरण Buyer Details |
|---|---|
| प्ररूप Type : State PSU | पद Designation : Assistant Engineer |
| मंत्रालय Ministry : - | संपर्क नंबर Contact No. : - |
| विभाग Department : MADHYANCHAL VIDYUT VITARAN NIGAM LIMITED | ईमेल आईडी Email ID : buyer35.mvnl.up@gembuyer.in |
| संगठन का नाम Organisation Name : MVVNL | जीएसटीआईएन GSTIN : - |
| कार्यालय क्षेत्र Office Zone : 4 A GOKHALE MARG LUCKNOW | पता Address : 33/11 K.V. Electricity Substation 1st Floor Sector-5 Gomtinagar, Lucknow., LUCKNOW, UTTAR PRADESH-226010, India |

| वित्तीय स्वीकृति विवरण Financial Approval Detail | भुगतान प्राधिकरण विवरण Paying Authority Details |
|---|---|
| आईएफडी सहमति IFD Concurrence : No | Role: PAO |
| प्रशासनिक अनुमोदन का पदनाम Designation of Administrative Approval: MD | भुगतान का तरीका Payment Mode: Offline |
| वित्तीय अनुमोदन का पदनाम Designation of Financial Approval: MD | पद Designation : Executive Engineer |
| | ईमेल आईडी Email ID : ddo37.mvnl.up@gembuyer.in |
| | जीएसटीआईएन GSTIN : 09AAECM0108J1Z0 |
| | पता Address : Indralok Hydrel Colony, Manas Nagar Krishna Nagar Lucknow, Lucknow, UTTAR PRADESH-226023, India |

| विक्रेता विवरण Seller Details |
|--|
| जेम विक्रेता आईडी GeM Seller ID : QKUA210001931415 |
| कंपनी का नाम Company Name : PRAYAG TRADING COMPANY |
| संपर्क नंबर Contact No. : 08172949690 |
| ईमेल आईडी Email ID : PTCGDA2021@REDIFFMAIL.COM |
| पता Address : VILLAGE-PATISA,VIULLAGE-PATISA,BANSGAON,BB SINGH, Gonda, UTTAR PRADESH-271126, - |
| एमएसएमई पंजीकरण संख्या MSME Registration number : UDYAM-UP-31-0011774 |
| एमएसई सामाजिक श्रेणी MSE Social Category : General |
| एमएसई लिंग श्रेणी MSE Gender : Male |
| जीएसटीआईएन GSTIN : 09BHEPT0757R1ZG (R) |

*जिसके नाम के पक्ष में GST/TAX इनवॉइस पेश किया जाएगा | GST / Tax invoice to be raised in the name of - Consignee

वितरण निर्देश | Delivery Instructions : NA

| # | आइटम विवरण Item Description | आइटम विवरण Ordered Quantity | इकाई Unit | इकाई मूल्य (INR) Unit Price (INR) | कर विभाजन (INR) Tax Bifurcation (INR) | मूल्य (INR में सभी शुल्क और कर सहित) Price (Inclusive of all Duties and Taxes in INR) |
|--|--|-------------------------------|-------------|-------------------------------------|---|---|
| 1 | उत्पाद का नाम Product Name : SHRIVASTAVA CHAIR Executive Table with Both side pedestal unit ब्रांड Brand : SHRIVASTAVA CHAIR ब्रांड प्रकार Brand Type : Registered Brand कैटलॉग की स्थिति Catalogue Status : OEM verified catalogue कैसे बेचा जा रहा है Selling As : OEM verified Reseller श्रेणी का नाम और चतुर्थांश Category Name & Quadrant : Executive Table (V2) (Q3) मॉडल Model : RKE1010 एचएसएन कोड HSN Code : HSN not specified by seller | 3 | pieces | 30,650 | NA | 91,950 |
| कुल ऑर्डर मूल्य Total Order Value (in INR) | | | | | | 91,950 |

| क्र.सं. S.No | परोक्षी Consignee | वस्तु Item | लॉट नंबर Lot No. | मात्रा Quantity | दिलोक के बाद डिलीवरी शुरू करना है Delivery Start After | वितरण पूरा कब तक करना है Delivery To Be Completed By |
|----------------|--|--------------|--------------------|-------------------|--|--|
| | पद Designation : Junior Engineer Civil ईमेल आईडी Email ID : con55.mvnl.up@gembuyer.in | | | | | |

| | | | | | | |
|---|---|--|---|---|-------------|-------------|
| 1 | संपर्क Contact : - जीएसटीआईएन GSTIN : - पता Address : 33/11 K.V. Electricity Substation 1st Floor Sector-5 Gomtinagar, Lucknow., LUCKNOW, UTTAR PRADESH-226010, India | SHRIVASTAVA CHAIR Executive Table with Both side pedestal unit | - | 3 | 17-Apr-2024 | 01-Jun-2024 |
| Product Specification for SHRIVASTAVA CHAIR Executive Table with Both side pedestal unit | | | | | | |
| विनिर्देश Specification | उप-विनिर्देश Sub-Spec | मूल्य Value | | | | |
| GENERIC | Structure /Frame of table | Gable end and modesty panel | | | | |
| | Frame type | Freestanding | | | | |
| | Accessories /Optional requirement for table | Metal Cable Tray with cut-outs for Face Plates below the table top and Snake Riser wherever required | | | | |
| | The type of Storage provided | Both side pedestal unit | | | | |
| | Keyboard tray | Not provided | | | | |
| | Footrest | Not Provided | | | | |
| | Mode of supply | Assembled Ready To Use | | | | |
| MATERIAL | Tabletop Material | Prelaminated particle board(Wood Product) of grade II type II of IS 12823/Lates | | | | |
| | Thickness of table top material (± 1 mm) | 36 mm | | | | |
| | Gable end material | Prelaminated particles board(wood product) of grade II type III of IS 12823/Latest | | | | |
| | The thickness of the gable end | 36 mm | | | | |
| | Modesty panel material | Three Layer Prelaminated particles board(wood product) of grade II type III of IS 12823/Latest | | | | |
| | The thickness of the modesty panel material | 36 mm | | | | |
| | Gable end and modesty panel plain side | Edge to be banded with PVC tape 2 mm thick with the help of hot melt glue | | | | |
| | Table top edges | Edge to be banded with PVC tape 2 mm thick with the help of hot melt glue | | | | |
| | Leg Material | NA | | | | |
| | The thickness of the Leg material | NA | | | | |
| | Beam Material | CRC 40 mm x 40 mm Square Pipe with Powder Coated | | | | |
| Number of buffers provided | 6 Numbers at the bottom | | | | | |
| DIMENSION | Width of tabletop ±10 mm | 2400 mm | | | | |
| | Depth of table ±10 mm | 1650 mm | | | | |
| | Height of table ±10 mm | 760 mm | | | | |
| | Size (L x W) /diameter of leg material ± 5 mm | 60 x 30 (mm) | | | | |
| EXTENDED RETURN UNIT | ERU unit consists of | 1 drawer,2 drawers,3 drawers,4 drawers,1 storage unit with shutter,2 storage units with shutter,1 storage unit without shutter,No ERU | | | | |
| | ERU top material | Particleboard with veneer face coated with clear lacquer | | | | |
| | ERU top material thickness ± 2 mm | 40 mm | | | | |
| | Width of ERU unit ± 10 mm | 1800 mm | | | | |
| | Depth of ERU unit ± 5 mm | 580 mm | | | | |
| | Height of ERU unit ± 5 mm | 750 mm | | | | |
| | ERU side panel material | Prelaminated particle board with veneer and PU coating finish | | | | |
| | ERU side panel Thickness ± 2 mm | 25 mm | | | | |
| | Number of lockable castors at the bottom | 8 numbers | | | | |
| | Size of lockable castors ± 2 mm | Diameter 40 mm and height 55 mm | | | | |
| | Type of storage lock system | Independent lock | | | | |
| | Drawer /storage shutter pull-up mechanism | Groove type | | | | |
| | ERU outer Surface Finish | Laminate in color with swede finish 0.6-0.8 mm thickness of type S, F or P having index no.3.2.3 conforming to IS 2046/Latest with having balancing laminate of 0.5 mm thick on another side | | | | |
| ERU shade | Oak | | | | | |

| | | |
|------------------------------|---|---|
| PEDESTAL UNIT | Total Number of drawers /storage in Pedestal units | One drawer,Two drawers,Three drawers,Four drawers,One storage,Two storage,No Pedestal unit |
| | Complete body fascia and drawer material in Pedestal Unit | Three layers of Prelaminated particle board(Wood Product) of grade II type II of IS 12823/Latest |
| | Thickness of the complete body fascia & drawer material | 25 mm |
| | Material for back panel in pedestal unit | Commercial Block Board BWP grade Conforming to IS 1659 |
| | Back Panel Thickness in Pedestal Unit | 18 mm |
| | Drawer Bottom Material | Three layers of Prelaminated particle board(Wood Product) of grade II type II of IS 12823/Latest |
| | Drawer Bottom Material Thickness | 18 mm |
| | Provision of Castor in Pedestal unit | With |
| | Lock provided (for pedestal unit) | Central lock |
| | Pedestal handle material | Brass |
| | Pedestal outer finish | Laminate in color with matt finish 0.6 - 0.8 mm thickness of type S, F or P having index no.3.2.3 conforming to IS 2046/Latest with having balancing laminate of 0.5 mm thick on another side |
| | Pedestal shade | Oak |
| | Width of Pedestal unit in mm (±10 mm) | 900 mm |
| | Depth of pedestal unit ±10mm | 560 mm |
| Height of pedestal unit ±5mm | 775 mm | |
| KEYBOARD TRAY | Material of keyboard tray and Right angle L-type supporting bracket | NA |
| | Material thickness of keyboard tray ±1mm | NA |
| | Fixing of supporting bracket | NA |
| | Length of telescopic channel ± 10 mm | NA |
| | Keyboard height±10mm | NA |
| | Keyboard front width±10mm | NA |
| FOOTREST | Keyboard depth±10mm | NA |
| | Material of footrest | NA |
| | Material thickness of footrest ±2mm | NA |
| | Height of footrest ±10mm | NA |
| | Width of footrest ±10mm | NA |
| COLOUR AND FINISH | Depth of footrest ±10mm | NA |
| | Table top finish | Laminate in color with matt finish 0.6-0.8mm thickness of type S, F or P having index no.3.2.3 conforming to IS 2046/Latest with having balancing laminate of 0.5mm thick on another side |
| | Tabletop shade | Oak |
| WARRANTY | Table /ERU /Pedestal Panel Plain Side | All exposed edges sealed with 2 mm PVC edge banding tape and all unexposed edges sealed with 0.6mm edge banding tape pressed at 200 degrees C with hot melt glue |
| | Warranty period | 1 Year |
| CERTIFICATION | Test reports to be furnished to the buyer on demand | No |
| | The product has BIFMA certification | No |
| | OEM of the offered product is ISO 9001:2015 certified | No |
| | OEM of the offered product is ISO 14001:2015 certified | No |
| | OEM of the offered product is ISO 45001:2018 certified | Yes |
| | The product has GREENGUARD certification | No |
| | The product has Green Pro certification | No |

NA

नियम और शर्तें | Terms and Conditions

1. General Terms and Conditions-

1.1 This contract is governed by the [General Terms and Conditions](#), conditions stipulated to this Product/Service as provided in the Marketplace.

1.2 This Contract between the Seller and the Buyer, is for the supply of the Goods and/ or Services, detailed in the schedule above, in accordance with the General Terms and Conditions (GTC) unless otherwise superseded by Goods / Services specific Special Terms and Conditions (STC) and/ or BID/Reverse Auction Additional Terms and Conditions (ATC), as applicable

नोट: यह सिस्टम जनरेटेड फाइल है। कोई हस्ताक्षर की आवश्यकता नहीं है। इस दस्तावेज़ का प्रिंट आउट भुगतान/लेनदेन उद्देश्य के लिए मान्य नहीं है।

Note: This is system generated file. No signature is required. Print out of this document is not valid for payment/ transaction purpose.