

अनुबंध | Contract



अनुबंध क्रमांक | Contract No: GEMC-511687705440424

अनुबंध तिथि | Generated Date : 18-Apr-2024

बोली/आरए/पीबीपी संख्या | Bid/RA/PBP No.: [GEM/2024/B/4485202](#)

| संगठन विवरण Organisation Details | | खरीदार विवरण Buyer Details | |
|------------------------------------|---------------------------------------------|------------------------------|-------------------------------------------------------------------------------------------------------------------------|
| प्रकृत्या Type : | Central Autonomous | पद Designation : | Junior Assistant |
| मंत्रालय Ministry : | Ministry of Education | संपर्क नंबर Contact No. : | 0512-2597275- |
| विभाग Department : | Department of Higher Education | ईमेल आईडी Email ID : | buyer95.iitk.up@gembuyer.in |
| संगठन का नाम Organisation Name : | Indian Institute of Technology (IIT) Kanpur | जीएसटीआईएन GSTIN : | 09AAAJI0169A1ZN |
| कार्यालय क्षेत्र Office Zone: | | पता Address : | Central Store & Purchase Section, IIT Kanpur, GT Road, Kalyanpur 208016 (UP), KANPUR NAGAR, UTTAR PRADESH-208016, India |

| वित्तीय स्वीकृति विवरण Financial Approval Detail | | भुगतान प्राप्तिकरण विवरण Paying Authority Details | |
|----------------------------------------------------|------|-----------------------------------------------------|--------------------------------------------------------------|
| आईएफडी सहमति IFD Concurrence : | No | Role: | PAO |
| प्रशासनिक अनुमोदन का पदनाम | DoRD | भुगतान का तरीका | Offline |
| Designation of Administrative Approval: | | Payment Mode: | |
| वित्तीय अनुमोदन का पदनाम | DoRD | पद Designation : | Assistant Registrar |
| Designation of Financial Approval : | | ईमेल आईडी Email ID : | pao4.iitk.up@gembuyer.in |
| | | जीएसटीआईएन GSTIN : | N |
| | | पता Address: | GT Road, Kalyanpur, KANPUR CITY, UTTAR PRADESH-208016, India |

| विक्रेता विवरण Seller Details | |
|-----------------------------------------------------|--------------------------------------------------------------------------------|
| जेम विक्रेता आईडी GeM Seller ID : | 36DB180000096193 |
| कंपनी का नाम Company Name : | Gera Ventures |
| संपर्क नंबर Contact No. : | 09999788488 |
| ईमेल आईडी Email ID : | geraventures@gmail.com |
| पता Address : | 5A/18, Room No.A, Ground Floor, Front Side Tilak Nagar, Delhi, Delhi-110018, - |
| एमएसएमई सत्यापिति MSME verified : | No |
| एमएसएमई पंजीकरण संख्या MSME Registration number : | UDYAM-DL-11-0012098 |
| एमएसई सामाजिक श्रेणी MSE Social Category : | General |
| एमएसई लिंग श्रेणी MSE Gender : | Female |
| जीएसटीआईएन GSTIN: | 07AAKFG1385Q1ZR (B), (R), (M) |

*जिसके नाम के पक्ष में GST/TAX इनवॉइस पेश किया जाएगा | GST / Tax invoice to be raised in the name of - Consignee

| वितरण निर्देश Delivery Instructions : NA | |
|--------------------------------------------|--|
| उत्पाद विवरण Product Details | |

| # | आइटम विवरण Item Description | आइटम विवरण Ordered Quantity | इकाई Unit | इकाई मूल्य (INR) Unit Price (INR) | कर विभाजन (INR) Tax Bifurcation (INR) | मूल्य (INR में सभी शुल्क और कर सहित) Price (Inclusive of all Duties and Taxes in INR) |
|----------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------|-------------|-------------------------------------|-----------------------------------------|-----------------------------------------------------------------------------------------|
| 1 | उत्पाद का नाम Product Name : MEDICOTRONICS--MEDICOTRONICS INDIA LLP ECG Machine 12 Channel ब्रांड Brand : MEDICOTRONICS--MEDICOTRONICS INDIA LLP ब्रांड प्रकार Brand Type : Unregistered Brand कैटलॉग की स्थिति Catalogue Status: OEM verified catalogue कैसे बेचा जा रहा है Selling As : OEM verified Reseller श्रेणी का नाम और चतुर्भूति Category Name & Quadrant : Electrocardiography (ECG) Machine (V2) (Q2) मॉडल Model: CARDIOMIN12C एचएसएन कोड HSN Code: HSN not specified by seller | 1 | pieces | 108,000 | NA | 108,000 |
| कुल ऑर्डर मूल्य Total Order Value (in INR) | | | | | | 108,000 |

| परेष्ठी विवरण Consignee Detail | | | | | |
|----------------------------------|---------------------|--------------|--------------------|-------------------|------------------------------------------------------------|
| क्र.सं. S.No | परेष्ठी Consignee | वस्तु Item | लॉट नंबर Lot No. | मात्रा Quantity | दिनांक के बाद डिलीवरी शुरू करना है Delivery Start After |
| | | | | | दिनांक पर पूरा कर तक करना है Delivery To Be Completed By |

| | | | | | | |
|---|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|---|---|-------------|-------------|
| 1 | पद Designation :- ईमेल आईडी Email ID : con1.iitk.up@gembuyer.in संपर्क Contact : 0512-2597316- जीएसटीआईएन GSTIN : 09AAAJI0169A3ZL पता Address : Central Store & Purchase Section, IIT Kanpur, GT Road, Kalyanpur 208016 (UP), KANPUR NAGAR, UTTAR PRADESH-208016, India | MEDICOTRONICS-- MEDICOTRONICS INDIA LLP ECG Machine 12 Channel | - | 1 | 18-Apr-2024 | 02-Jun-2024 |
|---|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|---|---|-------------|-------------|

Product Specification for MEDICOTRONICS--MEDICOTRONICS INDIA LLP ECG Machine 12 Channel

| विवरण Specification | उप-विवरण Sub-Spec | मूल्य Value |
|-----------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------|
| GENERAL FEATURES | Product Description | ECG Machine |
| | Purpose | An ECG is a noninvasive routine examination of the electrical activity of the heart that is used to reflect underlying heart conditions |
| PRODUCT INFORMATION | Operating modes of ECG Machine | Automatic, Manual and Rhythm |
| | ECG machine should have ECG lead annotation facility | Yes |
| | Leads which is in ECG machine should be able to acquire simultaneously and interpret them | 12 |
| | Number of channels | 12 Channel |
| | ECG machine should acquire lead ECG for both adult and pediatric patients | Yes |
| | The ECG machine should have facility to show lead fail indication | Yes |
| | The ECG machine should have facility to show lead reversal indication | Yes |
| | The ECG machine should have facility to show the impedance to quality check of connection | Yes |
| | Acquisition time for ECG Machine in sec | 10 sec |
| | Digital sampling rate for Pacemaker spike detection | 40000 s/sec/channel |
| | Recording of digital sampling for pacemaker | 1000 s/sec/channel |
| | ECG machine should have real time colour backlit display of ECG waveforms with signal qualify indication for each lead | Yes |
| | ECG machine should have frequency filters | Artifact, AC and low and high pass frequency filters |
| | Number of ECGs which can be store in ECG Machine | 100 to 150 |
| PRINTER | ECG machine should have full screen preview of ECG report for quality assessment checks prior to print | Yes |
| | Type of inbuilt screen | TFT |
| | Size of screen in inches | 7 |
| | Display resolution of ECG machine in pixels | 640 x 480 |
| | ECG machine should have interpretation facility of the amplitudes, duration and morphologies of ECG waveforms and associated rhythm for adult and pediatric patient | Yes |
| | ECG machine should have alphanumeric keyboard for patient data entry | Hard keys |
| | Availability of latest interpretation software | Yes |
| BATTERY | Wireless acquisition module with RF technology | No |
| | System should have the dedicated software to download the ECG form machine in PDF format | Yes |
| | Printer Type | Thermal Printer |
| | Recorder Paper Size | A4 Size |
| BATTERY | Recorder Speed | 5 mm/sec |
| | Resolution of digital array printer | 200 dpi x 500 dpi |
| | Number of Thermal paper | 500 |
| | ECG machine report format | Report formats of 3x4, 6x2, Rhythm for up to selected leads, 12 lead extended measurement, 1 minute of continuous waveform data for 1 selected lead |
| BATTERY | Provision of Battery | Yes |
| | Battery Type | Built in Rechargeable Battery |
| | Battery capacity of continuous rhythm recording on single charge (minutes) | 60 |
| | Battery capacity | 30 ECG or 30 minutes of continuous rhythm recording on single charge |

| | | |
|--------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------|
| | Connectivity to ECG Machine | LAN |
| | Storage on external portable memories | USB support |
| | The individual patient lead should be change without replacing the whole patient cable assembly | Yes |
| ENVIRONNMENTS PARAMETERS | Operating temperature and humidity | Temperature of 10 to 40 degree Celsius and Relative Humidity of 15 to 90% |
| POWER SUPPLY | Power input | 220-240 V AC, 50 Hz fitted with Indian plug |
| ACCESSORIES | ECG Machine 12 leads with interpretation | 1 |
| | Patient Cable | Not provided |
| | Chest Electrodes Adult (set of Six) | 1 |
| | Chest Electrodes Paediatric (set of Six) | Not provided |
| | Limb Electrodes | Not provided |
| | Power cable for charging | Yes |
| | Supplied with Clip electrode | Yes |
| | Compatible trolley provided | No |
| CERTIFICATION & REPORTS | Compliance to Medical Device Rules (MDR) 2017 as amended till date | Yes |
| | Availability of valid drug license for the product issued from the competent authority defined under Drugs and Cosmetic Act 1940 and Rules made there under as amended till date | Yes |
| | Valid Drug License Number | MFD/MD/2023/000074 |
| | Manufacturing unit certification | ISO:13485 (Latest) |
| | Additional voluntary certification available | RMD/DeD/23/Zo-5353/373 |
| | Availability of Test Report for each supplied batch/product as per Medical Device Rules (MDR) 2017 as amended till date | Yes |
| | Compliance to Safety Standards | IS 13450:Part 2:Sec 25 / IEC 60601-2-25 |
| | Submission of all necessary certifications, licenses and test reports to the buyer at the time of bid submission and/or along with supplies as per buyer requirement | Yes |
| WARRANTY | Warranty (Option of comprehensive warranty is available through bidding only, which if opted will supersede normal warranty in the catalogue) | 3 year |
| ADDITIONAL REQUIREMENTS | Additional Requirements | NA |
| Miscellaneous Parameters | User/Technical/Maintenance manuals to be supplied in English in hard and soft copy | Yes |
| | The Principal Manufacturer must have direct Presence/approved service center In India | Yes |
| | Installation and demonstration of equipment and training to be provided after completing supplies before acceptance | Yes |

खरीदार परिभाषित अतिरिक्त विशेषता के लिए | Buyer Defined Additional Specification for MEDICOTRONICS--MEDICOTRONICS INDIA LLP ECG Machine 12 Channel

| विवरण Specification | मूल्य Value |
|-----------------------|--------------------------------------------------------------|
| Specification | Refer to Buyer Added/Uploaded Bid specific Scope of Work/ATC |

ईपीबीजी विवरण | ePBG Detail

| | |
|--------------------------------------------|----|
| सलाहकार बैंक Advisory Bank : | NA |
| ईपीबीजी प्रतिशेष (%) ePBG Percentage(%): | NA |

नियम और शर्तें| Terms and Conditions

1. Special terms and conditions- Version:1 effective from 23-08-2023

1.1 1. All Provisions of Drugs and Cosmetics Act, 1940 and Rules (including Medical Device Rule 2017) made there under as amended till date will always be applicable. This will include all notifications issued by Central Drugs Standard Control Organization (CDSCO), Ministry of Health & Family Welfare (MoHFW) and Department of

Pharmaceuticals (DOP), Ministry of Chemicals & Fertilizers time to time in this regard.

2. The sellers are registered on GeM based on self-declaration of valid Drug License, product certification, test reports etc. However, buyers must check and validate the details at their end for all applicable licenses and certifications e.g., validity and authenticity/genuineness of drug license, product certification, manufacturer certification/licenses, test reports etc.
3. In case of authorized resellers/distributors, it will be the legal & regulatory liability of the manufacturer to ensure that their resellers/distributors are operating in compliance with all relevant laws and regulations and are properly licensed to sell the manufacturer's products, including verifying the validity and authenticity of drug license held by them.
4. The price offered by the seller/bidder shall not, in any case exceed the DPCO/NPPA controlled price or price fixed by State Government, if any. The seller must reduce the prices if there is any reduction in DPCO/NPPA ceiling price or price fixed by State Government, if any.
5. Any other Terms and Conditions which is not included or at variance with the conditions specified in STC/GTC, may be added by the buyer through Additional Terms and Conditions (ATC) in the bid to ensure items are procured from authentic/validated source with appropriate and applicable quality. The above terms and conditions are in reverse order of precedence i.e. ATC shall supersede specific STC which shall supersede General Terms and Conditions ("GTC"), whenever there are any conflicting provisions.
6. Comprehensive warranty: Comprehensive warranty shall include preventive maintenance including calibration as per technical/ service /operational manual of the manufacturer, service charges and spares. During the warranty period commencing from date of the successful completion of warranty period, Service personnel shall visit each consignee site as recommended in the manufacturer's technical/ service /operational manual, at least once in six months. warranty shall not be including the consumables. Further there will be 98% uptime warranty during warranty period on 24 (hrs) X 7 (days) X 365 (days) basis, with penalty, to extend warranty period by double the downtime period.
7. Service centres: Details of Service outlets in India to render services for equipment to be furnished to buyer/consignees with complete address, telephone numbers, e mails etc at time of making the supplies. It shall be the responsibility of seller to ensure that authorized service centres are available to cater to the areas where supplies are made within reasonable distance from where the service calls can be handled. Details of toll-free numbers for service call and online registration of service requests also to be provided buyer/consignee at the time of supplies.
8. Source of supply: It shall be responsibility of seller to provide Documents regarding source of equipments such as copy of Performa invoice or any other documents to establish that the products supplied are manufactured by OEM indicated and sourced from them.
9. Packing and Marking: Medical equipments being very delicate and sensitive packing for the goods should be strong and durable enough to withstand transit including transhipment (if any), rough handling, open storage etc. without any damage, deterioration etc. The size, weights and volumes of the packing cases, remoteness of the final destination of the goods, availability or otherwise of transport and handling facilities at all points during transit up to final destination. Quality of packing, the manner of marking within & outside the packages and provision of accompanying documentation shall take into consideration the type of medical equipments being supplied. The accessories shall be suitably labelled and packed. Each of the package shall be marked on three sides with indelible paint of proper quality: indicating contract number and date, brief description of goods including quantity, Packing list reference number, country of origin of goods and any other relevant details.
10. Spare Parts: Seller shall provide materials, information etc. pertaining to spare parts manufactured and supplied by the OEM. It shall be ensured that the required spares are available for purchase at least for 10 years from date of supplies. In case due to any reasons the production of the spare parts is discontinued sufficient advance notice should be given to the buyer/consignee before such discontinuation to provide adequate time to purchase the required spare parts etc. Further, OEM and their service centres/dealers shall carry sufficient inventories to assure ex-stock supply of consumables and spares for the equipments so that the same are available. OEM or reseller shall always accord most favoured client status to the buyer/consignee and shall give the most competitive price for spares and consumables of its machines/equipments supplied.
11. Installation, Training, Manuals: Seller shall be responsible to carry out Installation & commissioning, Supervision and Demonstration of the goods. They shall provide required jigs and tools for assembly, minor civil works for the completion of the installation and Training of Consignee's representatives for operating and maintaining the equipment and supplying required number of operation & maintenance manual for the goods. In case the category parameters are specifying any requirements regarding the installations, training and manuals the same shall also be applicable.
12. Electrical safety checking: Sellers are required to make sure that they furnish the list of equipments for carrying out routine and preventive maintenance to buyer/consignee. They should make sure to periodically check the electrical safety aspects as per BIS Safety Standards or equivalent. In case they do not have required equipment for such testing should ensure that the equipments checked for electrical safety compliance through labs with facilities for such checking during every preventive maintenance call.
13. Software: All software updates should be provided free of cost during warranty period.

2. General Terms and Conditions-

- 2.1 This contract is governed by the [General Terms and Conditions](#), conditions stipulated to this Product/Service as provided in the Marketplace.
- 2.2 This Contract between the Seller and the Buyer, is for the supply of the Goods and/ or Services, detailed in the schedule above, in accordance with the General Terms and Conditions (GTC) unless otherwise superseded by Goods / Services specific Special Terms and Conditions (STC) and/ or BID/Reverse Auction Additional Terms and Conditions (ATC), as applicable

3. Buyer Added Bid Specific Terms and Conditions-

3.1 Generic

OPTION CLAUSE: The Purchaser reserves the right to increase or decrease the quantity to be ordered up to 25 percent of bid quantity at the time of placement of contract. The purchaser also reserves the right to increase the ordered quantity by up to 25% of the contracted quantity during the currency of the contract at the contracted rates. Bidders are bound to accept the orders accordingly.

3.2 Generic

Bidders are advised to check applicable GST on their own before quoting. Buyer will not take any responsibility in this regards. GST reimbursement will be as per actuals or as per applicable rates (whichever is lower), subject to the maximum of quoted GST %.

3.3 Generic

Bidders shall quote only those products (Part of Service delivery) in the bid which are not obsolete in the market and has at least 2 years residual market life i.e. the offered product shall not be declared end-of-life by the OEM before this period.

3.4 Generic

Bidder financial standing: The bidder should not be under liquidation, court receivership or similar proceedings, should not be bankrupt. Bidder to upload undertaking to this effect with bid.

3.5 Generic

Experience Criteria: The Bidder or its OEM {themselves or through reseller(s)} should have regularly, manufactured and supplied same or similar Category Products to any Central / State Govt Organization / PSU / Public Listed Company for 3 years before the bid opening date. Copies of relevant contracts to be submitted along with bid in support of having supplied some quantity during each of the year. In case of bunch bids, the primary product having highest value should meet this criterion.

3.6 Generic

Data Sheet of the product(s) offered in the bid, are to be uploaded along with the bid documents. Buyers can match and verify the Data Sheet with the product specifications offered. In case of any unexplained mismatch of technical parameters, the bid is liable for rejection.

3.7 Generic

Installation, Commissioning, Testing, Configuration, Training (if any - which ever is applicable as per scope of supply) is to be carried out by OEM / OEM Certified resource or OEM

authorised Reseller.

3.8 Generic:

Manufacturer Authorization: Wherever Authorised Distributors/service providers are submitting the bid, Authorisation Form /Certificate with OEM/Original Service Provider details such as name, designation, address, e-mail Id and Phone No. required to be furnished along with the bid

3.9 Generic:

Supplier shall ensure that the Invoice is raised in the name of Consignee with GSTIN of Consignee only.

3.10 Generic:

Without prejudice to Buyer's right to price adjustment by way of discount or any other right or remedy available to Buyer, Buyer may terminate the Contract or any part thereof by a written notice to the Seller, if:

- i) The Seller fails to comply with any material term of the Contract.
- ii) The Seller informs Buyer of its inability to deliver the Material(s) or any part thereof within the stipulated Delivery Period or such inability otherwise becomes apparent.
- iii) The Seller fails to deliver the Material(s) or any part thereof within the stipulated Delivery Period and/or to replace/rectify any rejected or defective Material(s) promptly.
- iv) The Seller becomes bankrupt or goes into liquidation.
- v) The Seller makes a general assignment for the benefit of creditors.
- vi) A receiver is appointed for any substantial property owned by the Seller.
- vii) The Seller has misrepresented to Buyer, acting on which misrepresentation Buyer has placed the Purchase Order on the Seller.

3.11 Generic:

1. The Seller shall not assign the Contract in whole or part without obtaining the prior written consent of buyer.
2. The Seller shall not sub-contract the Contract in whole or part to any entity without obtaining the prior written consent of buyer.
3. The Seller shall, notwithstanding the consent and assignment/sub-contract, remain jointly and severally liable and responsible to buyer together with the assignee/ sub-contractor, for and in respect of the due performance of the Contract and the Sellers obligations there under.

3.12 Generic:

While generating invoice in GeM portal, the seller must upload scanned copy of GST invoice and the screenshot of GST portal confirming payment of GST.

3.13 Scope of Supply:

Scope of supply (Bid price to include all cost components) : Supply Installation Testing Commissioning of Goods and Training of operators and providing Statutory Clearances required (if any)

3.14 Turnover:

Bidder Turn Over Criteria: The minimum average annual financial turnover of the bidder during the last three years, ending on 31st March of the previous financial year, should be as indicated in the bid document. Documentary evidence in the form of certified Audited Balance Sheets of relevant periods or a certificate from the Chartered Accountant / Cost Accountant indicating the turnover details for the relevant period shall be uploaded with the bid. In case the date of constitution / incorporation of the bidder is less than 3 year old, the average turnover in respect of the completed financial years after the date of constitution shall be taken into account for this criteria.

3.15 Turnover:

OEM Turn Over Criteria: The minimum average annual financial turnover of the OEM of the offered product during the last three years, ending on 31st March of the previous financial year, should be as indicated in the bid document. Documentary evidence in the form of certified Audited Balance Sheets of relevant periods or a certificate from the Chartered Accountant / Cost Accountant indicating the turnover details for the relevant period shall be uploaded with the bid. In case the date of constitution / incorporation of the OEM is less than 3 year old, the average turnover in respect of the completed financial years after the date of constitution shall be taken into account for this criteria. In case of bunch bids, the OEM of CATEGORY RELATED TO primary product having highest bid value should meet this criterion.

3.16 OEM:

IMPORTED PRODUCTS: In case of imported products, OEM or Authorized Seller of OEM should have a registered office in India to provide after sales service support in India. The certificate to this effect should be submitted.

3.17 Service & Support:

Availability of Service Centres: Bidder/OEM must have a Functional Service Centre in the State of each Consignee's Location in case of carry-in warranty. (Not applicable in case of goods having on-site warranty). If service center is not already there at the time of bidding, successful bidder / OEM shall have to establish one within 30 days of award of contract. Payment shall be released only after submission of documentary evidence of having Functional Service Centre.

3.18 Service & Support:

Dedicated /toll Free Telephone No. for Service Support : BIDDER/OEM must have Dedicated/toll Free Telephone No. for Service Support.

3.19 Service & Support:

Escalation Matrix For Service Support : Bidder/OEM must provide Escalation Matrix of Telephone Numbers for Service Support.

3.20 Certificates:

Bidder's offer is liable to be rejected if they don't upload any of the certificates / documents sought in the Bid document, ATC and Corrigendum if any.

3.21 Certificates:

ISO 9001: The bidder or the OEM of the offered products must have ISO 9001 certification.

3.22 Certificates:

Material Test Certificate Should Be Sent Along with The Supply. The Material Will Be Checked by Buyer's Lab & the Results of the Lab will be the Sole Criteria for Acceptance of the Item.

3.23 Warranty:

Warranty period of the supplied products shall be as given in specifications from the date of final acceptance of goods or after completion of installation, commissioning & testing of goods (if included in the scope of supply), at consignee location. OEM Warranty certificates must be submitted by Successful Bidder at the time of delivery of Goods. The seller should guarantee the rectification of goods in case of any break down during the guarantee period. Seller should have well established Installation, Commissioning, Training, Troubleshooting and Maintenance Service group in INDIA for attending the after sales service. Details of Service Centres near consignee destinations are to be uploaded along with the bid.

3.24 Financial Criteria:

NET WORTH: Net Worth of the OEM should be positive as per the last audited financial statement.

3.25 Buyer Added Bid Specific ATC:

Buyer Added text based ATC clauses

1. Ensure to specify the Make & Model of the offered Item.

2. Mere Reproduction of asked specification without any supporting official / printed brochure of the offered product may lead to rejection of bid.

3. Quotations may be submitted only by the 'Original Equipment Manufacturer' or their 'Authorized Dealers'. Quotations from other than Authorized Dealers or Resellers will not be considered.

4. Participating bidders can ignore the Make/Model/Brand name (if mentioned anywhere in bid document) while participating the bid. Bidders can quote for equivalent products in the bid.

5. Buyer organization is an Institution which is registered with the Department of Scientific & Industrial Research (DSIR) for purposes of availing of Custom Duty Exemptions in terms of regular notifications of GOI (refer to the order issued) so the institute is eligible for Custom Duty Exemptions. CDEC* will be provided (Only If Applicable)

***CDEC will be given only for the imported item's value which is exclusive of GST.**

(Although No GST Exemption Certificate will be provided as GST exemption is discontinued by the GOI)

6. This Item Consists Various Components/Parts/Sub Parts/Accessories (See Specifications for Full details) where BID is floated for 01 SET (So the Prices should be quoted accordingly that consist of all in 01 Set Prices)

3.26 Buyer Added Bid Specific ATC:

Buyer uploaded ATC document [Click here to view the file.](#)

पुराँ/ उपभोग्य सामग्रियों के लिए प्रस्तावित मूल्य | Price Offered for Spares / Consumables:

[पुराँ/ उपभोग्य सामग्रियों के दस्तावेज लिंक के लिए प्रस्तावित मूल्य | Price Offered for Spares / Consumables Document link](#)

नोट: यह सिस्टम जनरेटेड फाइल है। कोई हस्ताक्षर की आवश्यकता नहीं है। इस दस्तावेज का प्रिंट आउट भुगतान/लेनदेन उद्देश्य के लिए मान्य नहीं है।

Note: This is system generated file. No signature is required. Print out of this document is not valid for payment/ transaction purpose.