

## अनुबंध | Contract



अनुबंध क्रमांक | Contract No: GEMC-511687797748499

अनुबंध तिथि | Generated Date : 22-Apr-2024

बोली/आरए/पीबीपी संख्या | Bid/RA/PBP No.: [GEM/2024/B/4615703](#)

संगठन विवरण   Organisation Details	खरीदार विवरण   Buyer Details
प्रकार   Type : Central PSU मंत्रालय   Ministry : Ministry of Power विभाग   Department : PATRATU VIDYUT UTPADAN NIGAM Limited संगठन का नाम   Organisation Name : PATRATU VIDYUT UTPADAN NIGAM Limited कार्यालय क्षेत्र   Office Zone: JHARKHAND	पद   Designation : MANAGER1 संपर्क नंबर   Contact No. : 06553-215027- ईमेल आईडी   Email ID : buycon6.ntpc.ranchi@gembuyer.in जीएसटीआईएन   GSTIN : 20AAICP3718K1ZH पता   Address : ADM Building, PVUNL, P.O.- Patratu, Distt- Ramgarh, RAMGARH, JHARKHAND-829119, India

वित्तीय स्वीकृति विवरण   Financial Approval Detail	भुगतान प्राधिकरण विवरण   Paying Authority Details
आईएफडी सहमति   IFD Concurrence : No प्रशासनिक अनुमोदन का पदनाम   Designation of Administrative Approval: AGM वित्तीय अनुमोदन का पदनाम   Designation of Financial Approval: DGM	Role: PAO भुगतान का तरीका   Payment Mode: Offline पद   Designation : Sr Manager ईमेल आईडी   Email ID : pay1.ntpc.ranchi@gembuyer.in जीएसटीआईएन   GSTIN : 20AAICP3718K1ZH पता   Address: ADM Building, PVUNL, P.O.- Patratu, Distt- Ramgarh, Hazaribag, JHARKHAND-829119, India

विक्रेता विवरण   Seller Details
जेम विक्रेता आईडी   GeM Seller ID : 1A89180000095862 कंपनी का नाम   Company Name : KINJAL ELECTRICALS PVT LTD संपर्क नंबर   Contact No. : 09891440251 ईमेल आईडी   Email ID : info2020kinjal@gmail.com पता   Address : 151/64, Sahibabad South Border, G.T. Road, Chikamberpur, ghaziabad, Ghaziabad, UTTAR PRADESH-201001, - एमएसएमई सत्यापित   MSME verified : Yes एमएसएमई पंजीकरण संख्या   MSME Registration number : UDYAM-UP-29-0002629 एमएसई सामाजिक श्रेणी   MSE Social Category : General एमएसई लिंग श्रेणी   MSE Gender : Male जीएसटीआईएन   GSTIN: 07AAACK1301K1ZZ (B), 09AAACK1301K1ZV (R), (M)

\*जिसके नाम के पक्ष में GST/TAX इनवॉइस पेश किया जाएगा | GST / Tax invoice to be raised in the name of - Consignee

वितरण निर्देश | Delivery Instructions : NA

#	आइटम विवरण   Item Description	आइटम विवरण   Ordered Quantity	इकाई   Unit	इकाई मूल्य (INR)   Unit Price (INR)	कर विभाजन (INR)   Tax Bifurcation (INR)	मूल्य (INR में सभी शुल्क और कर सहित)   Price (Inclusive of all Duties and Taxes in INR)
1	उत्पाद का नाम   Product Name : KINJAL Miniature Circuit Breaker 10 1 P ब्रांड   Brand : KINJAL ब्रांड प्रकार   Brand Type : Registered Brand कैटलॉग की स्थिति   Catalogue Status: OEM verified catalogue कैसे बेचा जा रहा है   Selling As : OEM श्रेणी का नाम और चतुर्थांश   Category Name & Quadrant : MCB - Miniature Circuit - Breakers for A.C. Operation as per IS / IEC 60898 (Part 1) (Q2) मॉडल   Model: KINJAL 10A SP MCB C TYPE एचएसएन कोड   HSN Code: HSN not specified by seller	100	pieces	80	NA	8,000
2	उत्पाद का नाम   Product Name : KINJAL Miniature Circuit Breaker 16 1 P ब्रांड   Brand : KINJAL ब्रांड प्रकार   Brand Type : Registered Brand कैटलॉग की स्थिति   Catalogue Status: OEM verified catalogue कैसे बेचा जा रहा है   Selling As : OEM श्रेणी का नाम और चतुर्थांश   Category Name & Quadrant : MCB - Miniature Circuit - Breakers for A.C. Operation as per IS / IEC 60898 (Part 1) (Q2) मॉडल   Model: KINJAL 16A SP MCB C TYPE एचएसएन कोड   HSN Code: HSN not specified by seller	100	pieces	80	NA	8,000
3	उत्पाद का नाम   Product Name : KINJAL 240 Volts 50 Hz Residual Current Operated Circuit -Breakers ब्रांड   Brand : KINJAL ब्रांड प्रकार   Brand Type : Registered Brand कैटलॉग की स्थिति   Catalogue Status: OEM verified catalogue कैसे बेचा जा रहा है   Selling As : OEM	25	pieces	750	NA	18,750

	श्रेणी का नाम और चतुर्थांश   Category Name & Quadrant : RCCB - Residual Current Operated Circuit - Breakers as per IS 12640 (Q3) मॉडल   Model: RCCB 25A 2 POLE KINJAL एचएसएन कोड   HSN Code: HSN not specified by seller					
4	उत्पाद का नाम   Product Name : KINJAL 415 Volts 50 Hz Residual Current Operated Circuit -Breakers ब्रांड   Brand : KINJAL ब्रांड प्रकार   Brand Type : Registered Brand कैटलॉग की स्थिति   Catalogue Status: OEM verified catalogue कैसे बेचा जा रहा है   Selling As : OEM श्रेणी का नाम और चतुर्थांश   Category Name & Quadrant : RCCB - Residual Current Operated Circuit - Breakers as per IS 12640 (Q3) मॉडल   Model: RCCB 63A 4 POLE KINJAL एचएसएन कोड   HSN Code: HSN not specified by seller	10	pieces	1,100	NA	11,000

कुल ऑर्डर मूल्य   Total Order Value (in INR)						45,750
--	--	--	--	--	--	--------

परेषिती विवरण   Consignee Detail						
----------------------------------	--	--	--	--	--	--

क्र.सं.   S.No	परेषिती   Consignee	वस्तु   Item	लॉट नंबर   Lot No.	मात्रा   Quantity	दिनांक के बाद डिलीवरी शुरू करना है   Delivery Start After	वितरण पूरा कब तक करना है   Delivery To Be Completed By
1	पद   Designation : - ईमेल आईडी   Email ID : buycon11.ntpc.lko@gembuyer.in संपर्क   Contact : - जीएसटीआईएन   GSTIN : - पता   Address : ADM Building, PVUNL, P.O.- Patratu, Distt- Ramgarh, RAMGARH, JHARKHAND-829119, India	KINJAL Miniature Circuit Breaker 10 1 P	-	100	22-Apr-2024	06-Jun-2024
		KINJAL Miniature Circuit Breaker 16 1 P	-	100	22-Apr-2024	06-Jun-2024
		KINJAL 240 Volts 50 Hz Residual Current Operated Circuit - Breakers	-	25	22-Apr-2024	06-Jun-2024
		KINJAL 415 Volts 50 Hz Residual Current Operated Circuit - Breakers	-	10	22-Apr-2024	06-Jun-2024

Product Specification for KINJAL Miniature Circuit Breaker 10 1 P						
---	--	--	--	--	--	--

विनिर्देश   Specification	उप-विनिर्देश   Sub-Spec	मूल्य   Value
STANDARDS	Conformity of the specification	as per IS/IEC 60898 : PART 1:2015 latest
	Product ISI Marked	Yes
	If, ISI marked , BIS License number must be declared by OEM/Supplier	8521270
RATING	No. of pole (hint: "P" - Pole, "PP" Protected Pole)	1 P
	Rated voltage (in Volts)	240 / 415 V, AC
	Rated Current (in Ampere)	10
	Instantaneous tripping current type	C
	Rated Short circuit capacity (in Ampere)	10000
CONSTRUCTION	Provision of steel sheet enclosure duly pretreated stove enamelled/powder coated for MCBs	Without enclosure
	Additional requirement	NA
CERTIFICATION	Availability of type test report from Govt. Lab/ NABL/ ILAC	Yes. as per IS/IEC 60898 : PART 1:2015 latest
	Test report number and date - Must declare	NTH 2016/00216-A
	Name and address of Lab - Must declare	29.09.2016
	Agreed to furnish all the test reports and certificates to buyer on demand	Yes

उत्पाद का बीआईएस लाइसेंस   BIS license of the product: 8521270						
--	--	--	--	--	--	--

Product Specification for KINJAL Miniature Circuit Breaker 16 1 P						
---	--	--	--	--	--	--

विनिर्देश   Specification	उप-विनिर्देश   Sub-Spec	मूल्य   Value
STANDARDS	Conformity of the specification	as per IS/IEC 60898 : PART 1:2015 latest
	Product ISI Marked	Yes
	If, ISI marked , BIS License number must be declared by OEM/Supplier	8521270

RATING	No. of pole (hint: "P" - Pole, "PP" Protected Pole)	1 P
	Rated voltage (in Volts)	240 / 415 V, AC
	Rated Current (in Ampere)	16
	Instantaneous tripping current type	C
	Rated Short circuit capacity (in Ampere)	10000
CONSTRUCTION	Provision of steel sheet enclosure duly pretreated stove enamelled/powder coated for MCBs	Without enclosure
	Additional requirement	NA
CERTIFICATION	Availability of type test report from Govt. Lab/ NABL/ ILAC	Yes. as per IS/IEC 60898 : PART 1:2015 latest
	Test report number and date - Must declare	NTH/EL/2016/00216-A
	Name and address of Lab - Must declare	NATIONAL TEST HOUSE
	Agreed to furnish all the test reports and certificates to buyer on demand	Yes

उत्पाद का बीआईएस लाइसेंस | BIS license of the product: 8521270

### Product Specification for KINJAL 240 Volts 50 Hz Residual Current Operated Circuit -Breakers

विनिर्देश   Specification	उप-विनिर्देश   Sub-Spec	मूल्य   Value
GENERIC	Residual Current Operated Circuit -Breakers for Household and Similar Uses conforming to	IS: 12640 (Part 1) :2008 /IEC61008-I :1996 latest IS: 12640 (Part 1) :2008 /IEC61008-I :1996 latest IS: 12640 (Part 1) :2008 /IEC61008-I :1996 latest
	ISI marked	Yes
	If ISI marked Yes CM/L Number must declare	NA
	RCCB type	Type AC
	Rated voltage	240
	Rated frequency	50 Hz
	Number of poles	2
	Rated Current (in Ampere)	25
	Rated residual operating current (in Ampere)	0.03
	Rated residual making and breaking capacity	500 A
	Rated conditional short circuit current and Rated conditional residual short circuit current	10000 kA
	Rated impulse withstand voltage	4 kV
	Time delay	without time delay
	Degree of protection as per IS 12640-I:2008	IP20
	Enclosed type	Unenclosed
	EMC Compliance	No
Warranty	1 Year	
CERTIFICATIONS	Availability of Type Test Report from Central Govt./NABL/ILAC accredited lab to prove conformity to specification	Yes
	Test report number	NA
	Test report date	NA
	Name of Lab	NA
	Address of Lab	NA
	All the test reports shall furnish by seller to buyer/consignee on demand	Yes

उत्पाद का बीआईएस लाइसेंस | BIS license of the product: 7007958

### Product Specification for KINJAL 415 Volts 50 Hz Residual Current Operated Circuit -Breakers

विनिर्देश   Specification	उप-विनिर्देश   Sub-Spec	मूल्य   Value
	Residual Current Operated Circuit -Breakers for Household and Similar Uses conforming to	IS: 12640 (Part 1) :2008 /IEC61008-I :1996 latest IS: 12640 (Part 1) :2008 /IEC61008-I :1996 latest IS: 12640 (Part 1) :2008 /IEC61008-I :1996 latest
	ISI marked	Yes
	If ISI marked Yes CM/L Number must declare	NON ISI ITEM

GENERIC	RCCB type	Type AC
	Rated voltage	415
	Rated frequency	50 Hz
	Number of poles	4
	Rated Current (in Ampere)	63
	Rated residual operating current (in Ampere)	0.03
	Rated residual making and breaking capacity	630 A
	Rated conditional short circuit current and Rated conditional residual short circuit current	6000 kA
	Rated impulse withstand voltage	4 kV
	Time delay	without time delay
	Degree of protection as per IS 12640-I:2008	IP20
	Enclosed type	Unenclosed
	EMC Compliance	Yes
	Warranty	1 Year
CERTIFICATIONS	Availability of Type Test Report from Central Govt./NABL/ILAC accredited lab to prove conformity to specification	Yes
	Test report number	NA
	Test report date	NA
	Name of Lab	NA
	Address of Lab	NA
	All the test reports shall furnish by seller to buyer/consignee on demand	Yes

उत्पाद का बीआईएस लाइसेंस | BIS license of the product: 7007958

#### शुद्धिपत्र | Corrigendum

- तक बढ़ाया गया | Extended Upto : 2024-03-06 15:00:00
- तक बढ़ाया गया | Extended Upto : 2024-03-13 15:00:00
- तक बढ़ाया गया | Extended Upto : 2024-03-22 15:00:00

#### ईपीबीजी विवरण | ePBG Detail

सलाहकार बैंक   Advisory Bank :	NA
ईपीबीजी प्रतिशत (%)   ePBG Percentage(%):	NA

#### नियम और शर्तें | Terms and Conditions

##### 1. General Terms and Conditions-

- This contract is governed by the [General Terms and Conditions](#), conditions stipulated to this Product/Service as provided in the Marketplace.
- This Contract between the Seller and the Buyer, is for the supply of the Goods and/ or Services, detailed in the schedule above, in accordance with the General Terms and Conditions (GTC) unless otherwise superseded by Goods / Services specific Special Terms and Conditions (STC) and/ or BID/Reverse Auction Additional Terms and Conditions (ATC), as applicable

##### 2. Buyer Added Bid Specific Terms and Conditions-

###### 2.1 Generic

Data Sheet of the product(s) offered in the bid, are to be uploaded along with the bid documents. Buyers can match and verify the Data Sheet with the product specifications offered. In case of any unexplained mismatch of technical parameters, the bid is liable for rejection.

###### 2.2 Scope of Supply.

Scope of supply (Bid price to include all cost components) : Only supply of Goods

###### 2.3 Buyer Added Bid Specific ATC:

Buyer Added text based ATC clauses

##### Alternate Mode of Payment for Micro Small & Medium Enterprises (MSMEs)-

Trade Receivables e-Discounting System (TReDS) is a regulatory framework put in place by the Reserve Bank of India under the Payment and Settlement Systems Act 2007 (PSS Act) to facilitate the financing of trade receivables (invoices) of MSMEs through invoice financing by multiple financiers.

The Reserve Bank of India has granted approval to (i) Mynd Solutions Pvt Limited, (ii) A.TReDS Ltd. and (iii) Receivables Exchange of India Ltd to s

et up and operate TReDS platform. The name of respective TReDS platform of the above-mentioned entities are M1xchange, Invoicemart and RXIL.

Presently, PVUNL is transacting with M1xchange. MSME Vendors may choose M1xchange platforms as an alternate payment mechanism.

For queries/ details, the vendor may directly contact M1xchange

**M1XCHANGE:-** URL: <https://m1xchange.com> Toll free No.: 1800-103-7261.

The aforesaid provision may not be applicable for payments envisaged through "Letter of Credit (LC)" or "Escrow Account" or "A separate account with a Scheduled Bank at Site".

नोट: यह सिस्टम जनरेटेड फाइल है। कोई हस्ताक्षर की आवश्यकता नहीं है। इस दस्तावेज़ का प्रिंट आउट भुगतान/लेनदेन उद्देश्य के लिए मान्य नहीं है।

Note: This is system generated file. No signature is required. Print out of this document is not valid for payment/ transaction purpose.