अनुबंध|Contract



अनुबंध क्रमांक | Contract No: GEMC-511687704156969

अनुबंध तिथि | Generated Date : 22-Apr-2024

बोली/आरए/पीबीपी संख्या|Bid/RA/PBP No.: <u>GEM/2024/B/4802273</u>

संगठन विवरण|Organisation Details

प्ररूप|Type: Central PSU मंत्रालय|Ministry: Ministry of Power

विभाग | Department : NA

संगठन का नाम|Organisation Name : NTPC Limited

कार्यालय क्षेत्र|Office Zone: Cc-eoc Noida खरीदार विवरण|Buyer Details

पद | Designation : HR 10

संपर्क नंबर|Contact No.:

ईमेल आईडी|Email ID : buycon624.nl.cg@gembuyer.in

जीएसटीआईएन|GSTIN:

Engineering Office Complex, Plot No.-A -8A, Sector-24, NOIDA पता|Address: GAUTAM BUDDHA NAGAR, UTTAR PRADESH-201301, India

वित्तीय स्वीकृति विवरण | Financial Approval Detail

आईएफडी सहमति|IFD Concurrence:

प्रशासनिक अनुमोदन का पदनाम|

Designation of Administrative Approval:

वित्तीय अनुमोदन का पदनाम। Designation of Financial Approval :

DGM (FINANCE)

AGM (HR-C&P)

भुगतान प्राधिकरण विवरण|Paying Authority Details

CONSIGNEE Role:

विक्रैता विवरण|Seller Details

जेम विकेता आर्दडी। GeM Seller ID · X747220006436149 कंपनी का नाम|Company Name : ARP TECHNOLOGIES संपर्क नंबर|Contact No. : 09899593275 ईमेल आईडी|Email ID : arpit8997@gmail.com

B-304, Amrapali Green Apartment, , Shipra Mall Road, , Indirapuram, , पता| Address :

GHAZIABAD, UTTAR PRADESH-201014, -

एमआईआई स्थिति| MII Status : एमएसएमई सत्यापित|MSME verified : Nο

एमएसएमई पंजीकरण संख्या|MSME Registration number : UDYAM-UP-29-0048604

एमएसई सामाजिक श्रेणी|MSE Social Category : General एमएसई लिंग श्रेणी|MSE Gender : Male

09NRFPS8428M1ZL (R) जीएसटीआईएन|GSTIN:

*जिसके नाम के पक्ष में GST/TAX इनवॉइस पेश किया जाएगा|GST / Tax invoice to be raised in the name of - Consignee

वितरण निर्देश | Delivery Instructions : NA

उत्पाद विवरण|Product Details

#	आइटम विवरण Item Description	आइटम विवरण Ordered Quantity	इकाई Unit	इकाई मूल्य (INR) Unit Price (INR)	कर विभाजन (INR) Tax Bifurcation (INR)	गूरव (INR में सभी शुल्क और कर सहित) Price (Inclusive of all Duties and Taxes in INR)
1	उत्पाद का नाम Product Name : VOLTRIQ Professional Large Format Display, Size 108 cm Non Touch Screen ब्रांड Brand : VOLTRIQ ब्रांड Brand : VOLTRIQ ब्रांड प्रकार Brand Type : Registered Brand कैटलॉग की स्थिति Catalogue Status: Catalogue not verified by OEM कैसे बेचा जा रहा है Selling As : OEM verified Reseller श्रेणी का नाम और चतुर्याश Category Name & Quadrant : Professional Large Format Display (Q2) मॉडल Model: VI4350LFD एचएसएन कोड HSN Code: HSN not specified by seller	4	pieces	21,650	NA	86,600
2	उत्पाद का नाम Product Name : ICT charges for Professional Large Format Display ब्रांड Brand : NA ब्रांड प्रकार Brand Type : Unbranded कैटलॉग की स्थिति Catalogue Status: Catalogue not verified by OEM कैसे बेचा जा रहा है Selling As : Reseller not verified by OEM श्रेणी का नाम और चतुर्धांश Category Name & Quadrant : Addon Services for bid (Q3) मॉडल Model: ICT एचएसएन कोड HSN Code: HSN not specified by seller	4	pieces	2,200	NA	8,800
कुल	कुल ऑर्डर मूल्य Total Order Value (in INR)				95,400	

परेषिती विवरण	Consignee	Detail
---------------	-----------	--------

वितरण पूरा कब दिनांक के बाद तक करना है| डिलीवरी शुरू

मल्य

Designation : - ल आईडी Email ID : buycon84.nl.dl@gembuyer.in कं Contact : - एसटीआईएन GSTIN : - 1 Address : NTPC BHAWAN,CORE 7,FIRST FLOOR,SCOPE COMPLEX,7 STITUTIONAL AREA,LODHI ROAD,NEW DELHI 110003, Central Delhi, 0003, 0UTH EAST DELHI, DELHI-110003, India ecification for VOLTRIQ Professional Large Format Dis fication उप-विनिर्देश Sub-Spec Technology Screen Size (Diagonal) Minimum (cm) Screen Type Panel Technology Orientation Native Resolution (Pixels) Aspect Ratio Brightness (Nits) Minimum Native Contrast Ratio (Minimum)	VOLTRIQ Professional Large Format Display, Size 108 cm Non Touch Screen	n Touch Scr	een .	LED E 108 Non In Pla	O6-Jun-2024 Value Backlit Fouch
ecification for VOLTRIQ Professional Large Format Dis fication उप-विनिर्देश Sub-Spec Technology Screen Size (Diagonal) Minimum (cm) Screen Type Panel Technology Orientation Native Resolution (Pixels) Aspect Ratio Brightness (Nits) Minimum	play, Size 108 cm Noi	n Touch Scr	reen	LED E 108 Non In Pla	Backlit Fouch
Technology Screen Size (Diagonal) Minimum (cm) Screen Type Panel Technology Orientation Native Resolution (Pixels) Aspect Ratio Brightness (Nits) Minimum	play, Size 108 cm Noi	n Touch Scr	reen	LED E 108 Non In Pla	Backlit Fouch
Technology Screen Size (Diagonal) Minimum (cm) Screen Type Panel Technology Orientation Native Resolution (Pixels) Aspect Ratio Brightness (Nits) Minimum				LED E 108 Non In Pla	Backlit Fouch
Screen Size (Diagonal) Minimum (cm) Screen Type Panel Technology Orientation Native Resolution (Pixels) Aspect Ratio Brightness (Nits) Minimum				108 Non Tin Pla	Гouch
Screen Type Panel Technology Orientation Native Resolution (Pixels) Aspect Ratio Brightness (Nits) Minimum				Non ¹	
Panel Technology Orientation Native Resolution (Pixels) Aspect Ratio Brightness (Nits) Minimum				In Pla	
Native Resolution (Pixels) Aspect Ratio Brightness (Nits) Minimum				Portr	ine switching (ir.
Aspect Ratio Brightness (Nits) Minimum					ait and Landscap
Brightness (Nits) Minimum				3840	x 2160 (UHD)
				16:9	
Native Contrast Ratio (Minimum)	Brightness (Nits) Minimum				
	Native Contrast Ratio (Minimum)				
Viewing Angle (Horizontal:Vertical)					78
Response Time (milli seconds)		6			
Bezel width (mm)				8	
Number of Speakers				2	
Arrangement of Speakers				Inbui	lt
Wattage of Speaker (with maximum 10% THD) (Watt)				20	
Output Port for audio output if internal speakers are not th	ere			Availa	able
VGA Port					vailable
HDMI Port				Availa	
DVI-D Port					vailable
					vailable
USB Port				Availa	
RS 232C Port					vailable
-					vailable
					7
					and Wall
					and Wan
					113994
·					' AC, 50 Hz
nimensions (r x R) (cm x cm)					х У
W - 1 - W >				7.1	
	RS 232C Port RJ 45 In built Sinage Software Power Consumption in Operating Mode (Maximum) (Watt) Power Consumption in Sleep Mode (Maximum) (Watt) Duty Cycle Mounting arrangement BIS Registration under CRS of Meity If Yes, BIS Registration number ROHS Compliance Power Supply Operating Temperature Range (Degree C) Operating Humidity (%RH) Dimensions (L X B) (cm x cm)	RJ 45 In built Sinage Software Power Consumption in Operating Mode (Maximum) (Watt) Power Consumption in Sleep Mode (Maximum) (Watt) Duty Cycle Mounting arrangement BIS Registration under CRS of Meity If Yes, BIS Registration number ROHS Compliance Power Supply Operating Temperature Range (Degree C) Operating Humidity (%RH) Dimensions (L X B) (cm x cm)	In built Sinage Software Power Consumption in Operating Mode (Maximum) (Watt) Power Consumption in Sleep Mode (Maximum) (Watt) Duty Cycle Mounting arrangement BIS Registration under CRS of Meity If Yes, BIS Registration number ROHS Compliance Power Supply Operating Temperature Range (Degree C) Operating Humidity (%RH) Dimensions (L X B) (cm x cm) Weight (Kg)	RJ 45 In built Sinage Software Power Consumption in Operating Mode (Maximum) (Watt) Power Consumption in Sleep Mode (Maximum) (Watt) Duty Cycle Mounting arrangement BIS Registration under CRS of Meity If Yes, BIS Registration number ROHS Compliance Power Supply Operating Temperature Range (Degree C) Operating Humidity (%RH) Dimensions (L X B) (cm x cm)	RJ 45 In built Sinage Software Not A Power Consumption in Operating Mode (Maximum) (Watt) Power Consumption in Sleep Mode (Maximum) (Watt) Duty Cycle 24 x 7 Mounting arrangement Table BIS Registration under CRS of Meity Yes If Yes, BIS Registration number ROHS Compliance Power Supply Operating Temperature Range (Degree C) Operating Humidity (%RH) Dimensions (L X B) (cm x cm)

On Site OEM Warranty (Year)	5
-----------------------------	---

হিম্মণী Note:: Seller has given an undertaking that it has made arrangements for getting the stores from an authorized distributor / dealer / channel partner of the OEM of the offered product. At the time of delivery of goods, Seller will provide necessary chain documents (in the form of GST Invoice) to prove that the supplied goods are genuine and are being sourced from an authorized distributor / dealer / channel partner of the OEM. In case of any complaint about genuineness of the supplied products, Seller shall be responsible for providing genuine replacement supplies.

उपरोक्त मद के लिए स्थापना कमीशनिंग और परीक्षण (आईसीटी) विवरण|Installation Commissioning and Testing (ICT) details for the above item::

% of Product Cost Payable on Product Delivery	90 %
Min Cost Allocation for ICT as a % of product cost	10 %
Number of days allowed for ICT after site readiness communication to seller	10 Days

शुद्धिपत्र|Corrigendum

1. तक बढ़ाया गया|Extended Upto: 2024-04-05 14:00:00

खरीदार द्वारा जोड़ी गई बोली का विशिष्ट अतिरिक्त कार्य|Buyer added Bid Specific Additional Scope of Work

क्र.सं S.No	दस्तावेज़ का शीर्षक Document Title	विवरण Description	लागू आईआरओ सामान Applicable i.r.o. Items
1	Specification View	Other Specifications	Professional Large Format Display(4)

मूल्य द्विभाजन एक्सेल फ़ाइल विवरण|Price Bifurcation Excel File details: Price BOQ Sheet

ईपीबीजी विवरण | ePBG Detail

सलाहकार बैंक Advisory Bank :	NA
ईपीबीजी प्रतिशत (%) ePBG Percentage(%):	NA

नियम और शर्तें|Terms and Conditions

- 1. General Terms and Conditions-
- 1.1 This contract is governed by the General Terms and Conditions, conditions stipulated to this Product/Service as provided in the Marketplace.
- 1.2 This Contract between the Seller and the Buyer, is for the supply of the Goods and/ or Services, detailed in the schedule above, in accordance with the General Terms and Conditions (GTC) unless otherwise superseded by Goods / Services specific Special Terms and Conditions (STC) and/ or BID/Reverse Auction Additional Terms and Conditions (ATC), as applicable
- 2. Buyer Added Bid Specific Terms and Conditions-
- 2.1 Generic.

OPTION CLAUSE: The Purchaser reserves the right to increase or decrease the quantity to be ordered up to 25 percent of bid quantity at the time of placement of contract. The purchaser also reserves the right to increase the ordered quantity by up to 25% of the contracted quantity during the currency of the contract at the contracted rates. Bidders are bound to accept the orders accordingly.

2.2 Buyer Added Bid Specific ATC:

Buyer Added text based ATC clauses

- 1. Only Class-1 bidder is eligible to participate in this tender.
- 2. Bidder has to sign & submit all documents as per ATC.
- 3. Bidder has to submit price break up as per price BOQ sheet provided with the bid. $\label{eq:bolder}$

2.3 Buyer Added Bid Specific ATC:

Buyer uploaded ATC document Click here to view the file.

नोट: यह सिस्टम जनरेटेड फाइल है। कोई हस्ताक्षर की आवश्यकता नहीं है। इस दस्तावेज़ का प्रिट आउट भुगतान/लेनदेन उद्देश्य के लिए मान्य नहीं है।

Note: This is system generated file. No signature is required. Print out of this document is not valid for payment/ transaction purpose.