

अनुबंध | Contract



अनुबंध क्रमांक | Contract No: GEMC-511687732453533

अनुबंध तिथि | Generated Date : 22-Apr-2024

संगठन विवरण Organisation Details		खरीदार विवरण Buyer Details				
प्ररूप Type :	Central Government	पद Designation :	ASSISTANT1			
मंत्रालय Ministry :	Ministry of Health and Family Welfare	संपर्क नंबर Contact No. :	011-23404499-			
विभाग Department :	Department of Health and Family Welfare	ईमेल आईडी Email ID :	mk.saxena72@rmlh.nic.in			
संगठन का नाम Organisation Name :	N/A	जीएसटीआईएन GSTIN :	-			
कार्यालय क्षेत्र Office Zone :	Dr. Ram Manohar Lohia Hospital, New Delhi	पता Address :	dr. ram manohar lohia hospital baba kharak singh marg new delhi, NEW DELHI, DELHI-110001, India			
वित्तीय स्वीकृति विवरण Financial Approval Detail		भुगतान प्राधिकरण विवरण Paying Authority Details				
आईएफडी सहमति IFD Concurrence :	Yes	Role:	DDO			
प्रशासनिक अनुमोदन का पदनाम Designation of Administrative Approval:	Medical Superintendent	भुगतान का तरीका Payment Mode:	PFMS			
वित्तीय अनुमोदन का पदनाम Designation of Financial Approval :	MEDICAL SUPERINTENDENT	पद Designation :	SENIOR ACCOUNTS OFFICER			
		ईमेल आईडी Email ID :	sanjay.kr67@gov.in			
		जीएसटीआईएन GSTIN :	N			
		पता Address:	dr. ram manohar lohia hospital baba kharak singh marg new delhi, CENTRAL DELHI, DELHI-110001, India			
विक्रेता विवरण Seller Details						
जेम विक्रेता आईडी GeM Seller ID :	8244190000712074					
कंपनी का नाम Company Name :	KAPISH SURGICAL SCIENTIFIC MFG. CO.					
संपर्क नंबर Contact No. :	09811360060					
ईमेल आईडी Email ID :	kapishsurgical@gmail.com					
पता Address :	12,KATRA LACHU SINGH,ASHOK BAZAAR,CHANDNI CHOWK, Central Delhi, DELHI-110006, -					
एमएसएमई पंजीकरण संख्या MSME Registration number :	-					
जीएसटीआईएन GSTIN:	07AEWPG0514K1ZD (B) , (R)					
*जिसके नाम के पक्ष में GST/TAX इनवॉइस पेश किया जाएगा GST / Tax invoice to be raised in the name of - Consignee						
वितरण निर्देश Delivery Instructions : NA						
उत्पाद विवरण Product Details						
#	आइटम विवरण Item Description	आइटम विवरण Ordered Quantity	इकाई Unit	इकाई मूल्य (INR) Unit Price (INR)	कर विभाजन (INR) Tax Bifurcation (INR)	मूल्य (INR में सभी शुल्क और कर सहित) Price (Inclusive of all Duties and Taxes in INR)
1	उत्पाद का नाम Product Name : Dynamic Hydraulic Actuator (Pump/Compressor Operated) ICU Bed ब्रांड Brand : Dynamic ब्रांड प्रकार Brand Type : Registered Brand कैटलॉग की स्थिति Catalogue Status: OEM verified catalogue कैसे बेचा जा रहा है Selling As : OEM verified Reseller श्रेणी का नाम और चतुर्थांश Category Name & Quadrant : ICU Bed (Q3) मॉडल Model: DHF-916 एचएसएन कोड HSN Code: HSN not specified by seller	2	pieces	159,999	NA	319,998
कुल ऑर्डर मूल्य Total Order Value (in INR)						319,998
परिष्ठी विवरण Consignee Detail						
क्र.सं. S.No	परिष्ठी Consignee	वस्तु Item	लॉट नंबर Lot No.	मात्रा Quantity	दिनांक के बाद डिलीवरी शुरू करना है Delivery Start After	वितरण पूरा कब तक करना है Delivery To Be Completed By
1	पद Designation : STORE KEEPER ईमेल आईडी Email ID : meena.harikesh@rmlh.nic.in संपर्क Contact : 011-23404667-4667 जीएसटीआईएन GSTIN : -	Dynamic Hydraulic Actuator	-	2	22-Apr-2024	07-May-2024

पता | Address : dr. ram manohar lohia hospital baba kharak singh marg
new delhi,
NEW DELHI, DELHI-110001, India

(Pump/Compressor
Operated) ICU Bed

Product Specification for Dynamic Hydraulic Actuator (Pump/Compressor Operated) ICU Bed

विनिर्देश Specification	उप-विनिर्देश Sub-Spec	मूल्य Value
	Purpose	ICU Bed are required to be used in Intensive Care Unit for comfort of Patient & facilitate comfortable transfer to & from Emergency/ OT/ Ward etc. & also to carry out point of care process including Radio-logical procedure at bed side
	Type of ICU Bed Actuator	Hydraulic Actuator (Pump/Compressor Operated)
	Type of mechanism for functioning or controlling angular motion of bed part	Electro-Mechanical (Motorized)
	Type of mechanism for functioning or controlling Height of bed	Electro-Mechanical (Motorized)
	Number of section provided in Bed Top	4
	Base frame and support frame should be fabricated using metallic square / rectangular section of adequate cross section and thickness to provide high structural strength and stability	Yes
	Bed top perforated	Yes
	Bed should have radio translucent top (X-Ray translucent)	Yes
	Availability side panel/Side safety guard	Yes
	Type of side panel	Swing Up Down type
	Number of Side panel	2
	Availability Head & Foot panel/Board	Yes
	Shape of Head & Foot panel /Board	B-type shape
	Type of Head & foot Panel	Detachable type
	Material of head and foot panel	ABS (acrylonitrile-butadiene styrene)
	Availability of good grip for head/foot or side panel	Yes
	Slots for IV rod at four corners provided	Yes
	Number of hooks provided in IV rod	2
	Availability of rectangular telescopic tube box housing for tension spring	Yes
	Degree Angle & Height indicator shall be provided at both foot & head side	Yes
	X-Ray film holder used from	One side
	Type of X-Ray Film holder	Cassette Based System
	Power of motor in HP(for non motorized put NA)	0.5 hp
	Better quality bearing should be used	Yes
	Availability of patient constraint belt provided on both side of bed	yes
	Availability of Noiseless, non rusting swivel castor wheel/ roller with for easy Mobility & Steering	yes
	Facility of braking and locking mechanism provided in castor roller	Yes
	Number of castor to which braking system provided	2
	Availability Corner buffer in all four corner to protect patient from collision shock	Yes
Performance Parameter	Safe working load capacity of ICU bed in kg	200
	Facility of instant non powered/mechanical CPR(Cardiopulmonary Resuscitation) release at the head end for emergency	Yes
	Lilen Holder/Urine Bag holder provided	Yes
	Accessory Rail Provided at all four side of bed	Yes
	Mattress provided with ICU bed	Yes
	ICU mattress must X-ray translucent	Yes
	Mattress foam of the Bed should be with Anti Microbial agent incorporated into all components that assists in Prohibiting growth of bacteria & fungi and easy to clean	Yes

	Mattress shall be made of High resilient & bio-density foam	Yes
	Mattress should be translucent to allow radiography using portable X-ray machines	Yes
	Mattress should be made in cube cut design & independent cubes promote air flow to reduce moisture	Yes
	Material for ICU Bed Mattress	PU Foam
	Maximum thickness of Mattress in mm with tolerance of ± 2 mm	100
	Approx foam Density for Head/sacrum in kg/m ³ tolerance	40
	Approx foam Density for Heel in kg/m ³	30
	Therapeutic Weight limit for mattress in kg	150
	Operating temperature & humidity for ICU bed	10 -40 Deg C and relative humidity of 15-90%
	Power Supply (as appropriate fitted with Indian plug)	Single phase 230 Volt, 50 Hz (AC Supply)
	Facility of Resettable overcurrent breaker shall be fitted for protection	Yes
	ICU Bed frame and top must be Rust Proof	Yes
	Type of powder/Paint coating done to ICU Bed frame,top & side panel	Epoxy Polyester Coating 50-60 microns
	ICU Bed should be made up of high quality metal, pretreated with materials providing good finish, scratch resistant, bacteriostatic coating	Yes
	Process used for pre chemically treatment of metallic bed component	Dip tank processes
	Facility of easily cleaning /maintenance to ICU Bed	Yes
	Warranty (Option of comprehensive warranty is available through bidding only, which if opted will supersede normal warranty in the catalogue)	3
	Product instruction manual shall be supplied	Yes
	Standard Tool Kit for maintenance and Trouble Shooting to be provided with ICU bed	Yes
	Demonstration of working to be provided after completing supplies before Acceptance	Yes
Standard Parameter	Conformity to standard for safety & electromagnetic compatibility	IEC-60601-1-2:2001 Standard or IS-13450
Dimensional & Material Parameter	Material for the frame of bed	MS
	Material for side railing/ Side Safety guard	ABS Plastic
	Material for Head & Foot Panel/Board	ABS Plastic
	Material for Bed top Section	SS
	Material of wheels	Polyester
	Material for IV rod with chromium plated	SS
	Maximum Adjustable Back Rest Angle in Degree	0-70
	Maximum Adjustable Knee Rest Angle in Degree	0-40
	Diameter of Castor Roller in mm	130-150
	Maximum Trendlenburg Angle in Degree with tolerance ± 2 degree	15
	Maximum Reverse Trendlenburg Angle in Degree with tolerance ± 2 degree	15
	Bed height adjustability range in mm	500-900
	Mean coil diameter of tension spring used in counter weight mechanism in mm	40
	Spring coil diameter used in counter weight mechanism in mm	6
	Clearance between Bed Base frame and Floor surface in mm	120
	Length of bed in mm with 2% tolerance	2100-2200
	Width of bed in mm with 2% tolerance	950-1000
	Weight of ICU Bed in Kg	180
	Spares ICU Bed Mainframe supplied	Not supplied

Additional Parameters	Spares Pair of Bed Ends, detachable supplied	Not supplied
	Spares Collapsible side rails supplied	Not supplied
	Spares IV Rods supplied	Not Supplied
	Spares Mattress similar to one supplied with ICU bed	not supplied
Reports	Certifications for Product	US FDA
	Electric Shock Protection level-Class-B/class-1	Yes
	Availability of ISO certification with manufacturer	Yes
	ISO certification Number and Date if ISO certificate not available then put NA	305022120833Q Dated: - 08-12-2022
	Copies of test Reports/certificates and other certifications to be furnished to buyer on demand at time of supplies	Yes

ईपीबीजी विवरण | ePBG Detail

NA

नियम और शर्तें | Terms and Conditions

1. Special terms and conditions- Version:4 effective from 09-01-2024

- 1.1
- All Provisions of Drugs and Cosmetics Act, 1940 and Rules made there under as amended till date will always be applicable. This will include all notifications issued by Central Drugs Standard Control Organisation (CDSCO), Ministry of Health & Family Welfare (MoHFW) and Department of Pharmaceuticals (DOP), Ministry of Chemicals & Fertilizers time to time in this regard.
 - The sellers are registered on GeM based on self-declaration of valid Drug License, product certification, test reports etc. However, buyers must check and validate the details at their end for all applicable licenses and certifications e.g., validity and authenticity/genuineness of drug license, product certification, manufacturer certification/licenses, test reports etc.
 - The price offered by the seller shall not, in any case exceed the DPCO controlled price, if any, fixed by the Central/State Government, the Maximum Retail Price (MRP) and the selling price. The seller must reduce the prices if there is any reduction in DPCO ceiling price, if any.
 - Comprehensive warranty: Comprehensive warranty shall include preventive maintenance including calibration as per technical/ service /operational manual of the manufacturer, service charges and spares. During the warranty period commencing from date of the successful completion of warranty period, Service personnel shall visit each consignee site as recommended in the manufacturer's technical/ service /operational manual, at least once in six months. warranty shall not be including the consumables. Further there will be 98% uptime warranty during warranty period on 24 (hrs) X 7 (days) X 365 (days) basis, with penalty, to extend warranty period by double the downtime period.
 - Service centres: Details of Service outlets in India to render services for equipment to be furnished to buyer/consignees with complete address, telephone numbers, e mails etc at time of making the supplies. It shall be the responsibility of seller to ensure that authorized service centres are available to cater to the areas where supplies are made within reasonable distance from where the service calls can be handled. Details of toll-free numbers for service call and online registration of service requests also to be provided buyer/consignee at the time of supplies.
 - Source of supply: It shall be responsibility of seller to provide Documents regarding source of equipments such as copy of Performa invoice or any other documents to establish that the products supplied are manufactured by OEM indicated and sourced from them.
 - Packing and Marking: Medical equipments being very delicate and sensitive packing for the goods should be strong and durable enough to withstand transit including transshipment (if any), rough handling, open storage etc. without any damage, deterioration etc. The size, weights and volumes of the packing cases, remoteness of the final destination of the goods, availability or otherwise of transport and handling facilities at all points during transit up to final destination,. Quality of packing, the manner of marking within & outside the packages and provision of accompanying documentation shall take into consideration the type of medical equipments being supplied. The accessories shall be suitably labelled and packed. Each of the package shall be marked on three sides with indelible paint of proper quality: indicating contract number and date, brief description of goods including quantity, Packing list reference number, country of origin of goods and any other relevant details.
 - Spare Parts: Seller shall provide materials, information etc. pertaining to spare parts manufactured and supplied by the OEM. It shall be ensured that the required spares are available for purchase at least for 10 years from date of supplies. In case due to any reasons the production of the spare parts is discontinued sufficient advance notice should be given to the buyer/consignee before such discontinuation to provide adequate time to purchase the required spare parts etc. Further, OEM and their service centres/dealers shall carry sufficient inventories to assure ex-stock supply of consumables and spares for the equipments so that the same are available. OEM or reseller shall always accord most favoured client status to the buyer/consignee and shall give the most competitive price for spares and consumables of its machines/equipments supplied.
 - Installation, Training, Manuals: Seller shall be responsible to carry out Installation & commissioning, Supervision and Demonstration of the goods. They shall provide required jigs and tools for assembly, minor civil works for the completion of the installation and Training of Consignee's representatives for operating and maintaining the equipment and supplying required number of operation & maintenance manual for the goods. In case the category parameters are specifying any requirements regarding the installations, training and manuals the same shall also be applicable.
 - Electrical safety checking: Sellers are required to make sure that they furnish the list of equipments for carrying out routine and preventive maintenance to buyer/consignee. They should make sure to periodically check the electrical safety aspects as per BIS Safety Standards or equivalent. In case they do not have required equipment for such testing should ensure that the equipments checked for electrical safety compliance through labs with facilities for such checking during every preventive maintenance call.
 - Software: All software updates should be provided free of cost during warranty period.
 - Any other Terms and Conditions which is not included or at variance with the conditions specified in STC/GTC, may be added by the buyer through Additional Terms and Conditions in the bid to ensure items are procured from authentic/validated source with appropriate and applicable quality. The above terms and conditions are in reverse order of precedence i.e. ATC shall supersede specific STC which shall supersede General Terms and Conditions ("GTC"), whenever there are any conflicting provisions.f

2. General Terms and Conditions-

- This contract is governed by the [General Terms and Conditions](#), conditions stipulated to this Product/Service as provided in the Marketplace.
- This Contract between the Seller and the Buyer, is for the supply of the Goods and/ or Services, detailed in the schedule above, in accordance with the General Terms and Conditions (GTC) unless otherwise superseded by Goods / Services specific Special Terms and Conditions (STC) and/ or BID/Reverse Auction Additional Terms and Conditions

(ATC), as applicable

नोट: यह सिस्टम जनरेटेड फाइल है। कोई हस्ताक्षर की आवश्यकता नहीं है। इस दस्तावेज़ का प्रिंट आउट भुगतान/लेनदेन उद्देश्य के लिए मान्य नहीं है।

Note: This is system generated file. No signature is required. Print out of this document is not valid for payment/ transaction purpose.