

अनुबंध | Contract



अनुबंध क्रमांक | Contract No: GEMC-511687701220256

अनुबंध तिथि | Generated Date : 25-Apr-2024

बोली/आरए/पीबीपी संख्या | Bid/RA/PBP No.: [GEM/2024/B/4749666](#)

संगठन विवरण Organisation Details	खरीदार विवरण Buyer Details
प्रकार Type : Central PSU मंत्रालय Ministry : Ministry of Power विभाग Department : NORTH EASTERN ELECTRIC POWER Corporation Limited संगठन का नाम Organisation Name : NORTH EASTERN ELECTRIC POWER Corporation Limited कार्यालय क्षेत्र Office Zone : Guwahati	पद Designation : Secondary User संपर्क नंबर Contact No. : 361-2201618- ईमेल आईडी Email ID : arupsaikia.neepco@nic.in जीएसटीआईएन GSTIN : - पता Address : NEEPCO Bhawan, R G Baruah Road, Sunderpur., KAMRUP, ASSAM-781005, India

वित्तीय स्वीकृति विवरण Financial Approval Detail	भुगतान प्राधिकरण विवरण Paying Authority Details
आईएफडी सहमति IFD Concurrence : No प्रशासनिक अनुमोदन का पदनाम Designation of Administrative Approval : CGM (Tech) वित्तीय अनुमोदन का पदनाम Designation of Financial Approval : CGM (Tech)	Role: CONSIGNEE

विक्रेता विवरण Seller Details
जेम विक्रेता आईडी GeM Seller ID : 2BCF190000902843 कंपनी का नाम Company Name : N.G. MERCANTILE PRIVATE LIMITED संपर्क नंबर Contact No. : 09707762000 ईमेल आईडी Email ID : afc_001@yahoo.com पता Address : 1ST Floor, ITAG PLAZA, G.S. ROAD, ABC, Kamrup, ASSAM-781005, - एमएसएमई सत्यापित MSME verified : No एमएसएमई पंजीकरण संख्या MSME Registration number : - जीएसटीआईएन GSTIN: 18AACCN3004A1Z8 (R)

*जिसके नाम के पक्ष में GST/TAX इनवॉइस पेश किया जाएगा | GST / Tax invoice to be raised in the name of - Buyer

वितरण निर्देश | Delivery Instructions : null

उत्पाद विवरण Product Details (PAC)						
#	आइटम विवरण Item Description	आइटम विवरण Ordered Quantity	इकाई Unit	इकाई मूल्य (INR) Unit Price (INR)	कर विभाजन (INR) Tax Bifurcation (INR)	मूल्य (INR में सभी शुल्क और कर सहित) Price (Inclusive of all Duties and Taxes in INR)
1	उत्पाद का नाम Product Name : GODREJ INTERIO Executive Table with One side pedestal unit ब्रांड Brand : GODREJ INTERIO ब्रांड प्रकार Brand Type : Registered Brand कैटलॉग की स्थिति Catalogue Status : Catalogue not verified by OEM कैसे बेचा जा रहा है Selling As : OEM verified Reseller श्रेणी का नाम और चतुर्थांश Category Name & Quadrant : Executive Table (V2) (Q3) मॉडल Model : GODREJ INTERIO ARISTO MAIN TABLE 2100x2250x750 एचएसएन कोड HSN Code : 94032090	1	pieces	111,700	NA	111,700
2	उत्पाद का नाम Product Name : GODREJ INTERIO Revolving Chair with Synchronic tilt mechanism ब्रांड Brand : GODREJ INTERIO ब्रांड प्रकार Brand Type : Registered Brand कैटलॉग की स्थिति Catalogue Status : OEM verified catalogue कैसे बेचा जा रहा है Selling As : OEM verified Reseller श्रेणी का नाम और चतुर्थांश Category Name & Quadrant : Revolving Chair (V3) (Q2) मॉडल Model : GODREJ INTERIO LA SEDE HIGH BACK CHAIR एचएसएन कोड HSN Code : 94032090	1	pieces	43,700	NA	43,700
कुल ऑर्डर मूल्य Total Order Value (in INR)						155,400

परोक्षिती विवरण Consignee Detail						
क्र.सं. S.No	परोक्षिती Consignee	वस्तु Item	लॉट नंबर Lot No.	मात्रा Quantity	दिलीवरी के बाद डिलीवरी शुरू करना है Delivery Start	वितरण पूरा कब तक करना है Delivery To Be Completed

					After	By
1	पद Designation :- ईमेल आईडी Email ID : arupsaikia.neepco@nic.in संपर्क Contact : 361-2201618- जीएसटीआईएन GSTIN :- पता Address : NEEPCO Bhawan, R G Baruah Road, Sunderpur., KAMRUP, ASSAM-781005, India	GODREJ INTERIO Executive Table with One side pedestal unit	-	1	25-Apr-2024	09-Jun-2024
		GODREJ INTERIO Revolving Chair with Synchronic tilt mechanism	-	1	25-Apr-2024	09-Jun-2024

Product Specification for GODREJ INTERIO Executive Table with One side pedestal unit

विनिर्देश Specification	उप-विनिर्देश Sub-Spec	मूल्य Value
GENERIC	Structure /Frame of table	Gable end and modesty panel
	Frame type	Freestanding
	Accessories /Optional requirement for table	Metal Cable Tray with cut-outs for Face Plates below the table top and Snake Riser wherever required
	The type of Storage provided	One side pedestal unit
	Keyboard tray	Not provided
	Footrest	Not Provided
	Mode of supply	Knocked Down To Be Assembled At Consignee Site By The Seller
MATERIAL	Tabletop Material	MDF board of grade SBG II of IS 12406/Latest
	Thickness of table top material (± 1 mm)	25 mm
	Gable end material	Flat single-layer Prelaminated MDF board conforming to having designation PLMDF-23 of IS 14587/Latest
	The thickness of the gable end	25 mm
	Modesty panel material	Flat single-layer Prelaminated MDF board conforming to having designation PLMDF-23 of IS 14587/Latest
	The thickness of the modesty panel material	25 mm
	Gable end and modesty panel plain side	Edge to be banded with PVC tape 2 mm thick with the help of hot melt glue
	Table top edges	Edge to be banded with PVC tape 2 mm thick with the help of hot melt glue
	Leg Material	NA
	The thickness of the Leg material	NA
	Beam Material	CRC 40 mm x 40 mm Square Pipe with Powder Coated
	Number of buffers provided	4 Numbers at the bottom
DIMENSION	Width of tabletop ±10 mm	2100 mm
	Depth of table ±10 mm	1050 mm
	Height of table ±10 mm	750 mm
	Size (L x W) /diameter of leg material ± 5 mm	NA
EXTENDED RETURN UNIT	ERU unit consists of	1 storage unit with shutter
	ERU top material	MDF board as per IS: 12406 with pigmented PU coating on both sides
	ERU top material thickness ± 2 mm	25 mm
	Width of ERU unit ± 10 mm	1400 mm
	Depth of ERU unit ± 5 mm	450 mm
	Height of ERU unit ± 5 mm	650 mm
	ERU side panel material	MDF board as per IS: 12406 with pigmented PU coating on both sides
	ERU side panel Thickness ± 2 mm	25 mm
	Number of lockable castors at the bottom	NA
	Size of lockable castors ± 2 mm	NA
	Type of storage lock system	Central locking system
	Drawer /storage shutter pull-up mechanism	Push type
	ERU outer Surface Finish	Laminate in color with swede finish 0.6-0.8 mm thickness of type S, F or P having index no.3.2.3 conforming to IS 2046/Latest with having balancing laminate of 0.5 mm thick on another side

	ERU shade	Oak
PEDESTAL UNIT	Total Number of drawers /storage in Pedestal units	Three drawers
	Complete body fascia and drawer material in Pedestal Unit	MDF board of grade SBG II of IS 12406/Latest
	Thickness of the complete body fascia & drawer material	25 mm
	Material for back panel in pedestal unit	MDF board of grade SBG II of IS 12406/Latest
	Back Panel Thickness in Pedestal Unit	11 mm
	Drawer Bottom Material	MDF board of grade SBG II of IS 12406/Latest
	Drawer Bottom Material Thickness	11 mm
	Provision of Castor in Pedestal unit	Without
	Lock provided (for pedestal unit)	Central lock
	Pedestal handle material	Aluminum
	Pedestal outer finish	Laminate in color with swede finish 0.6 - 0.8 mm thickness of type S, F or P having index no.3.2.3 conforming to IS 2046/Latest with having balancing laminate of 0.5 mm thick on another side
	Pedestal shade	Oak
	Width of Pedestal unit in mm (± 10 mm)	700 mm
	Depth of pedestal unit ± 10 mm	500 mm
Height of pedestal unit ± 5 mm	280 mm	
KEYBOARD TRAY	Material of keyboard tray and Right angle L-type supporting bracket	NA
	Material thickness of keyboard tray ± 1 mm	NA
	Fixing of supporting bracket	NA
	Length of telescopic channel ± 10 mm	NA
	Keyboard height ± 10 mm	NA
	Keyboard front width ± 10 mm	NA
	Keyboard depth ± 10 mm	NA
FOOTREST	Material of footrest	NA
	Material thickness of footrest ± 2 mm	NA
	Height of footrest ± 10 mm	NA
	Width of footrest ± 10 mm	NA
	Depth of footrest ± 10 mm	NA
COLOUR AND FINISH	Table top finish	Laminate in color with swede finish 0.6-0.8mm thickness of type S, F or P having index no.3.2.3 conforming to IS 2046/Latest with having balancing laminate of 0.5mm thick on another side
	Tabletop shade	Oak
	Table /ERU /Pedestal Panel Plain Side	All exposed edges sealed with 2 mm PVC edge banding tape and all unexposed edges sealed with 0.6mm edge banding tape pressed at 200 degrees C with hot melt glue
WARRANTY	Warranty period	1 Year
CERTIFICATION	Test reports to be furnished to the buyer on demand	Yes
	The product has BIFMA certification	No
	OEM of the offered product is ISO 9001:2015 certified	Yes
	OEM of the offered product is ISO 14001:2015 certified	Yes
	OEM of the offered product is ISO 45001:2018 certified	Yes
	The product has GREENGUARD certification	Yes
	The product has Green Pro certification	Yes

Product Specification for GODREJ INTERIO Revolving Chair with Synchronic tilt mechanism

विनिर्देश Specification	उप-विनिर्देश Sub-Spec	मूल्य Value
GENERAL REQUIREMENT	Tilt mechanism	Synchronic tilt mechanism
	Locking mechanism	Tilt limiter
	Armrest type and arm movement Hint: The buyer may indicate the number of 'Up' and 'Down' arm movements at the time of bid creation	Adjustable (up and down)
	Seat depth adjustment	Adjustable
	Backrest type	Tilting type
	Backrest support type	Contoured Back
	Headrest type	Without headrest
	Revolving mechanism	Designed with 360 degree-revolving type and upright locking
	Height adjustments	Pneumatic
	Additional requirement I	NA
	Additional requirement II	NA
	Additional requirement III	NA
MATERIAL AND MATERIAL THICKNESS	Pedestal Base	Aluminium die Cast
	Twin wheel castor material	Nylon
	Number of twin wheel castor	5 Nos.
	Minimum diameter of twin wheel castor	50 mm
	Armrest Material	PU molded over plastic inner
	Seat base material	Hot pressed plywood
	Seat material	PU foam
	Minimum density of foam used in seat	30 kg per cubic meter
	Minimum thickness of PU foam used in seat	30 mm
	Seat upholstery material	Leather
	Backrest base frame material	Hot pressed plywood
	Padding at backrest	PU foam
	The minimum density of foam used in the backrest	30 kg per cubic meter
	Minimum thickness of PU foam used in backrest	30 mm
	Backrest upholstery material	Leather
	Upholstery material thickness /fabric substance used in seat /backrest	0.7 to 1.5 mm (for leather /leatherette)
DIMENSION	Minimum seat height from floor surface	400 mm
	Minimum Seat height adjustment	Up to 100 mm
	Minimum width of seat	450 mm
	Minimum depth of seat	450 mm
	Minimum width of backrest	450 mm
	Backrest height	High back (551 and above)
	Minimum thickness of MS Plate Joining the understructure with Seat	2 mm
	Minimum pedestal size (diameter)	650 mm
COLOUR AND FINISH	Upholstered material seat color	Black
	Upholstered material backrest color	Black
	Finish of exposed metal parts	Chrome plated
WARRANTY	Warranty period in number of years	1-Year
TESTING AND CERTIFICATION	Green Pro Certification issued by CII	Yes
	BIFMA membership	Yes

खरीदार परिभाषित अतिरिक्त विशेषता के लिए | Buyer Defined Additional Specification for GODREJ INTERIO Revolving Chair with Synchronic tilt mechanism

विनिर्देश Specification	मूल्य Value
Colour	Brown

ईपीबीजी विवरण | ePBG Detail

सलाहकार बैंक Advisory Bank :	NA
ईपीबीजी प्रतिशत (%) ePBG Percentage(%):	NA

नियम और शर्तें | Terms and Conditions

1. General Terms and Conditions-

- 1.1 This contract is governed by the [General Terms and Conditions](#), conditions stipulated to this Product/Service as provided in the Marketplace.
- 1.2 This Contract between the Seller and the Buyer, is for the supply of the Goods and/ or Services, detailed in the schedule above, in accordance with the General Terms and Conditions (GTC) unless otherwise superseded by Goods / Services specific Special Terms and Conditions (STC) and/ or BID/Reverse Auction Additional Terms and Conditions (ATC), as applicable

2. Buyer Added Bid Specific Terms and Conditions-

2.1 *Generic*

OPTION CLAUSE: The Purchaser reserves the right to increase or decrease the quantity to be ordered up to 25 percent of bid quantity at the time of placement of contract. The purchaser also reserves the right to increase the ordered quantity by up to 25% of the contracted quantity during the currency of the contract at the contracted rates. Bidders are bound to accept the orders accordingly.

2.2 *Certificates:*

ISO 9001: The bidder or the OEM of the offered products must have ISO 9001 certification.

2.3 *Service & Support:*

Availability of Service Centres: Bidder/OEM must have a Functional Service Centre in the State of each Consignee's Location in case of carry-in warranty. (Not applicable in case of goods having on-site warranty). If service center is not already there at the time of bidding, successful bidder / OEM shall have to establish one within 30 days of award of contract. Payment shall be released only after submission of documentary evidence of having Functional Service Centre.

2.4 *Service & Support:*

Dedicated /toll Free Telephone No. for Service Support : BIDDER/OEM must have Dedicated/toll Free Telephone No. for Service Support.

2.5 *Service & Support:*

Escalation Matrix For Service Support : Bidder/OEM must provide Escalation Matrix of Telephone Numbers for Service Support.

नोट: यह सिस्टम जनरेटेड फाइल है। कोई हस्ताक्षर की आवश्यकता नहीं है। इस दस्तावेज़ का प्रिंट आउट भुगतान/लेनदेन उद्देश्य के लिए मान्य नहीं है।

Note: This is system generated file. No signature is required. Print out of this document is not valid for payment/ transaction purpose.