

## अनुबंध | Contract



अनुबंध क्रमांक | Contract No: GEMC-511687770781246

अनुबंध तिथि | Generated Date : 29-Apr-2024

<b>संगठन विवरण   Organisation Details</b>		<b>खरीदार विवरण   Buyer Details</b>				
प्ररूप   Type :	Central Government	पद   Designation :	Deputy Divisional Manager PLI			
मंत्रालय   Ministry :	Ministry of Communications	संपर्क नंबर   Contact No. :	0364-2226430-			
विभाग   Department :	Department of Posts	ईमेल आईडी   Email ID :	ddmpli.ne@indiapost.gov.in			
संगठन का नाम   Organisation Name :	North East Postal Circle Shillong Meghalaya	जीएसटीआईएन   GSTIN :	17AAALS5131Q2ZI			
कार्यालय क्षेत्र   Office Zone:	Shillong	पता   Address :	O/o Chief Postmaster General North East Circle, Shillong - 793 001, EAST KHASI HILLS, MEGHALAYA-793001, India			
<b>वित्तीय स्वीकृति विवरण   Financial Approval Detail</b>		<b>भुगतान प्राधिकरण विवरण   Paying Authority Details</b>				
आईएफडी सहमति   IFD Concurrence :	No	Role:	PAO			
प्रशासनिक अनुमोदन का पदनाम   Designation of Administrative Approval:	DPS	भुगतान का तरीका   Payment Mode:	Offline			
वित्तीय अनुमोदन का पदनाम   Designation of Financial Approval :	DPS	पद   Designation :	Senior Postmaster Shillong General Post Office			
		ईमेल आईडी   Email ID :	shillongppo@indiapost.gov.in			
		जीएसटीआईएन   GSTIN :	-			
		पता   Address:	O/o Sr. Superintendent of Post Offices, Meghalaya Division, Shillong, East Khasi hills, MEGHALAYA-793001, India			
<b>विक्रेता विवरण   Seller Details</b>						
जेम विक्रेता आईडी   GeM Seller ID :	518D180000662206					
कंपनी का नाम   Company Name :	M/S A D ENTERPRISE					
संपर्क नंबर   Contact No. :	08794968905					
ईमेल आईडी   Email ID :	arundeb75@gmail.com					
पता   Address :	C/O A.D.ENTERPRISE,0,RYNDAH S.O,RYNDAH LAPALANG, EAST KHASI HILLS, MEGHALAYA-793006, -					
एमएसएमई पंजीकरण संख्या   MSME Registration number :	-					
जीएसटीआईएन   GSTIN:	17APKPD6593E1ZQ (B) , (R) , (B)					
<b>*जिसके नाम के पक्ष में GST/TAX इनवॉइस पेश किया जाएगा   GST / Tax invoice to be raised in the name of - Buyer</b>						
<b>वितरण निर्देश   Delivery Instructions : NA</b>						
<b>उत्पाद विवरण   Product Details</b>						
#	आइटम विवरण   Item Description	आइटम विवरण   Ordered Quantity	इकाई   Unit	इकाई मूल्य (INR)   Unit Price (INR)	कर विभाजन (INR)   Tax Bifurcation (INR)	मूल्य (INR में सभी शुल्क और कर सहित)   Price (Inclusive of all Duties and Taxes in INR)
1	उत्पाद का नाम   Product Name : Unbranded Non Powered Direct Drive-on Rear Wheels Bimanual Wheel Chair with Fixed Seat Height ब्रांड   Brand : NA ब्रांड प्रकार   Brand Type : Unbranded कैटलॉग की स्थिति   Catalogue Status: Catalogue not verified by OEM कैसे बेचा जा रहा है   Selling As : Reseller not verified by OEM श्रेणी का नाम और चतुर्थांश   Category Name & Quadrant : Wheel Chairs (V2) (Q3) मॉडल   Model: PARTH WT FOLDABLE एचएसएन कोड   HSN Code: HSN not specified by seller	1	pieces	7,300	NA	7,300
कुल ऑर्डर मूल्य   Total Order Value (in INR)						7,300
<b>परेषिती विवरण   Consignee Detail</b>						
क्र.सं.   S.No	परेषिती   Consignee	वस्तु   Item	लॉट नंबर   Lot No.	मात्रा   Quantity	दिनांक के बाद डिलीवरी शुरू करना है   Delivery Start After	वितरण पूरा कब तक करना है   Delivery To Be Completed By
1	पद   Designation : Deputy Divisional Manager PLI ईमेल आईडी   Email ID : ddmpli.ne@indiapost.gov.in संपर्क   Contact : 0364-2226430- जीएसटीआईएन   GSTIN : 17AAALS5131Q2ZI	Unbranded Non Powered Direct Drive-on Rear Wheels Bimanual	-	1	29-Apr-2024	14-May-2024

पता|Address : O/o Chief Postmaster General North East Circle, Shillong  
- 793 001,  
EAST KHASI HILLS, MEGHALAYA-793001, India

Wheel Chair with Fixed  
Seat Height

**Product Specification for Unbranded Non Powered Direct Drive-on Rear Wheels Bimanual Wheel Chair with Fixed Seat Height**

विनिर्देश Specification	उप-विनिर्देश Sub-Spec	मूल्य Value
	Low voltage Alarm	NA
	Hand Rim Outside Diameter (mm)	NA
	Material of Seat	LEATHERETE
	Total weight of Wheel Chair (Kg)	107
	Foot rest Material	MS
	Range of Seat Height Adjustment (mm)	NA
	Battery Charger output current rating (Amps)	NA
	Density of Cushion material on armrest,seat and Backrest (Kg/m3)	NA
	Leg Guard Width (mm)	360
	Back rest with Cushion	No
	Hardness of Axle (HRC)	55-62
	Hand rim Tube thickness (mm)	NA
	Front castor Dia (mm)	210
	Cushion on Seat	Without
	Front castor Swivel Type	Yes
	Overall Width in unfolded condition of wheel chair (mm)	680
	Leg guard type	Swinging
	Slope of Seat (Degree)	7.8
	Type of Back rest	Foldable
	Overall Length (mm)	1020
	Type of Wheel Hub	MS SOLID
	Hand Rim Material	NA
	Foldable	Yes
	Overall Width in folded condition of the wheelchair (mm)	NA
	Leg Guard Thickness (mm)	25
	Types of Wheel Chairs	Non Powered Direct Drive-on Rear Wheels Bimanual
	Material of Handle	NA
	Frame tube thickness (mm)	2
	Material of Arm Rest	CUSHION PAD
	Material of Hand Grip	NA
	Material of Cushion on armrest, Seat and Backrest	NA
	Clearance of frame from floor (mm)	60
	Battery Voltage Rating (Volts)	NA
	Dia of Axle (mm)	12
	Overall Height (mm)	1300
	Range of Width Adjustment (mm)	0
	Length of Foot Rest (mm)	190
	Loading Capacity (Kg)	130
	Rear Wheel Rim Material	ALLOY
	Thickness of Arm Rest (mm)	30
	Battery Charger Input Supply Voltage (Volts)	NA
	Battery Type	NA
	Battery Capacity Rating (AH)	NA
	Rear wheel tyre tread width (mm)	100

Ungrouped

Material of Axle	MS
Arm rest Type	Fixed
Cushion Material Thickness (mm)	110
Seat Depth (mm)	490
Material of Folding Mechanism	LEATHRETE
Diameter of Tube/ thickness of flat of folding mechanism (mm)	NA
Type of Braking System	MANUAL
Rear wheel rim thickness (mm)	NA
Distance between seat and foot rest (mm)	390
Foot rest surface finish anti slip type	Yes
Clearance of footrest from floor (mm)	165
Seat Cushion Material	LEATHRETE
Motor power rating (Watts)	NA
Finish of Aluminium casts	Anodized
Hand Rim	With
Handle for push/pull action of Wheel Chair	Yes
Thickness of Seat (mm)	50
Slope of the backrest with respect to floor (Degree)	36
Foot rest thickness (mm)	15
Width of foot rest (mm)	340
Rear wheel tyre type	Solid mag wheels with alloy in Rims
Battery Charger output voltage rating (Volts)	NA
Arm rest height from seat (mm)	230
Cushion on Arm rest	With
Number of Speeds (No)	NA
Greadability (Degree)	NA
Material of Back rest	LEATHERETE
Thickness of Cushion material of Arm rest (mm)	30
Material of frame	MS
Types of foot rest	Swinging with Height Adjustment
Speed max (Kmph)	NA
Warranty (Years)	1
Frame tube Dia (mm)	50.25
Width of wheel chair	Adjustable
Seat Height	Fixed
Seat hight from floor at the front (mm)	590
Speed Selector	NA
Thickness of back rest (mm)	70
Leg guard Material	RUBBER PAD
Painting of mild steel components	Powder Coated
Product Code Number	NA
Drawing available on web	No
Drawing Number	NA
Product code available on web	No

**टिप्पणी | Note::** Seller has given an undertaking that it has made arrangements for getting the stores from an authorized distributor / dealer / channel partner of the OEM of the offered product. At the time of delivery of goods, Seller will provide necessary chain documents (in the form of GST Invoice) to prove that the supplied goods are genuine and are being sourced from an authorized distributor / dealer / channel partner of the OEM. In case of any complaint about genuineness of the supplied products, Seller shall be responsible for providing genuine replacement supplies.

NA

## नियम और शर्तें | Terms and Conditions

## 1. Special terms and conditions- Version:1 effective from 18-10-2022

## 1.1

1. Comprehensive warranty: Comprehensive warranty shall include preventive maintenance including calibration as per technical/ service /operational manual of the manufacturer, service charges and spares. During the warranty period commencing from date of the successful completion of warranty period, Service personnel shall visit each consignee site as recommended in the manufacturer's technical/ service /operational manual, at least once in six months. warranty shall not be including the consumables. Further there will be 98% uptime warranty during warranty period on 24 (hrs) X 7 (days) X 365 (days) basis, with penalty, to extend warranty period by double the downtime period.
2. Service centres: Details of Service outlets in India to render services for equipment to be furnished to buyer/consignees with complete address, telephone numbers, e mails etc at time of making the supplies. It shall be the responsibility of seller to ensure that authorized service centres are available to cater to the areas where supplies are made within reasonable distance from where the service calls can be handled. Details of toll-free numbers for service call and online registration of service requests also to be provided buyer/consignee at the time of supplies.
3. Source of supply: It shall be responsibility of seller to provide Documents regarding source of equipments such as copy of Performa invoice or any other documents to establish that the products supplied are manufactured by OEM indicated and sourced from them.
4. Packing and Marking: Medical equipments being very delicate and sensitive packing for the goods should be strong and durable enough to withstand transit including transshipment (if any), rough handling, open storage etc. without any damage, deterioration etc. .The size, weights and volumes of the packing cases, remoteness of the final destination of the goods, availability or otherwise of transport and handling facilities at all points during transit up to final destination,. Quality of packing, the manner of marking within & outside the packages and provision of accompanying documentation shall take into consideration the type of medical equipments being supplied. The accessories shall be suitably labelled and packed. Each of the package shall be marked on three sides with indelible paint of proper quality: indicating contract number and date, brief description of goods including quantity, Packing list reference number, country of origin of goods and any other relevant details.
5. Spare Parts: Seller shall provide materials, information etc. pertaining to spare parts manufactured and supplied by the OEM. It shall be ensured that the required spares are available for purchase at least for 10 years from date of supplies. In case due to any reasons the production of the spare parts is discontinued sufficient advance notice should be given to the buyer/consignee before such discontinuation to provide adequate time to purchase the required spare parts etc. Further, OEM and their service centres/dealers shall carry sufficient inventories to assure ex-stock supply of consumables and spares for the equipments so that the same are available. OEM or reseller shall always accord most favoured client status to the buyer/consignee and shall give the most competitive price for spares and consumables of its machines/equipments supplied.
6. Installation, Training, Manuals: Seller shall be responsible to carry out Installation & commissioning, Supervision and Demonstration of the goods. They shall provide required jigs and tools for assembly, minor civil works for the completion of the installation and Training of Consignee's representatives for operating and maintaining the equipment and supplying required number of operation & maintenance manual for the goods. In case the category parameters are specifying any requirements regarding the installations, training and manuals the same shall also be applicable.
7. Electrical safety checking: Sellers are required to make sure that they furnish the list of equipments for carrying out routine and preventive maintenance to buyer/consignee .They should make sure to periodically check the electrical safety aspects as per BIS Safety Standards or equivalent .In case they do not have required equipment for such testing should ensure that the equipments checked for electrical safety compliance through labs with facilities for such checking during every preventive maintenance call.
8. Software: All software updates should be provided free of cost during warranty period.
9. Any other Terms and Conditions which is not included or at variance with the conditions specified in STC/GTC, may be added by the buyer through Additional Terms and Conditions in the bid to ensure items are procured from authentic/validated source with appropriate and applicable quality. The above terms and conditions are in reverse order of precedence i.e. ATC shall supersede specific STC which shall supersede General Terms and Conditions ("GTC"), whenever there are any conflicting provisions.

## 2. General Terms and Conditions-

- 2.1 This contract is governed by the [General Terms and Conditions](#), conditions stipulated to this Product/Service as provided in the Marketplace.
- 2.2 This Contract between the Seller and the Buyer, is for the supply of the Goods and/ or Services, detailed in the schedule above, in accordance with the General Terms and Conditions (GTC) unless otherwise superseded by Goods / Services specific Special Terms and Conditions (STC) and/ or BID/Reverse Auction Additional Terms and Conditions (ATC), as applicable

नोट: यह सिस्टम जनरेटेड फाइल है। कोई हस्ताक्षर की आवश्यकता नहीं है। इस दस्तावेज़ का प्रिंट आउट भुगतान/लेनदेन उद्देश्य के लिए मान्य नहीं है।

Note: This is system generated file. No signature is required. Print out of this document is not valid for payment/ transaction purpose.