

अनुबंध | Contract



अनुबंध क्रमांक | Contract No: GEMC-511687794039443

अनुबंध तिथि | Generated Date : 30-Apr-2024

संगठन विवरण | Organisation Details

प्ररूप | Type : Central Government
मंत्रालय | Ministry : Ministry of Communications
विभाग | Department : Department of Posts
संगठन का नाम | Organisation Name : Chhattisgarh Postal Circle Department of Posts
कार्यालय क्षेत्र | Office Zone: Chief Postmaster General ,cg Circle Raipur-492001

खरीदार विवरण | Buyer Details

पद | Designation : Supdt of Post Offices
संपर्क नंबर | Contact No. : 0777-4299210-
ईमेल आईडी | Email ID : dosurguja.cg@indiapost.gov.in
जीएसटीआईएन | GSTIN : 22AAAGP0811K1ZP
O/o Supdt. of Post Surguja Division 1st Floor, Head Post
पता | Address : Office Building Ambikapur Chhattisgarh , Pin No. 497001, SURGUJA, CHHATTISGARH-497001, India

वित्तीय स्वीकृति विवरण | Financial Approval Detail

आईएफडी सहमति | IFD Concurrence : No
प्रशासनिक अनुमोदन का पदनाम | Designation of Administrative Approval: Supdt. Of Post Offices Surguja Dn
वित्तीय अनुमोदन का पदनाम | Designation of Financial Approval : Supdt. Of Post Offices Surguja Dn

भुगतान प्राधिकरण विवरण | Paying Authority Details

Role: PAO
भुगतान का तरीका | Payment Mode: Offline
पद | Designation : Postmaster Ambikapur HO
ईमेल आईडी | Email ID : dwesh.10130188@gov.in
जीएसटीआईएन | GSTIN : 22AAAGP0811K1ZP
O/o Supdt. of Post Surguja Division 1st Floor, Head Post
पता | Address: Office Building Ambikapur Chhattisgarh , Pin No. 497001, Surguja, CHHATTISGARH-497001, India

विक्रेता विवरण | Seller Details

जेम विक्रेता आईडी | GeM Seller ID : R0G6220006306292
कंपनी का नाम | Company Name : R K Enterprises
संपर्क नंबर | Contact No. : 08950965451
ईमेल आईडी | Email ID : v1567w@gmail.com
पता | Address : 12,Agrawal city,Mahalpara, Baikunthpur,Baikunthpur, Koriya, CHHATTISGARH-497335, -
एमएसएमई पंजीकरण संख्या | MSME Registration number : UDYAM-CG-11-0002258
एमएसई सामाजिक श्रेणी | MSE Social Category : General
एमएसई लिंग श्रेणी | MSE Gender : Female
जीएसटीआईएन | GSTIN: 22EBWPS0205N1Z9 (R)

*जिसके नाम के पक्ष में GST/TAX इनवॉइस पेश किया जाएगा | GST / Tax invoice to be raised in the name of - Consignee

वितरण निर्देश | Delivery Instructions : NA

उत्पाद विवरण | Product Details

#	आइटम विवरण Item Description	आइटम विवरण Ordered Quantity	इकाई Unit	इकाई मूल्य (INR) Unit Price (INR)	कर विभाजन (INR) Tax Bifurcation (INR)	मूल्य (INR में सभी शुल्क और कर सहित) Price (Inclusive of all Duties and Taxes in INR)
1	उत्पाद का नाम Product Name : KAPSUN Plastic Body Floor Standing with integral caster wheels Mosquito Breeding Proof Desert Cooler ब्रांड Brand : KAPSUN ब्रांड प्रकार Brand Type : Registered Brand कैटलॉग की स्थिति Catalogue Status: Catalogue not verified by OEM कैसे बेचा जा रहा है Selling As : Reseller not verified by OEM श्रेणी का नाम और चतुर्थांश Category Name & Quadrant : MOSQUITO BREEDING PROOF DESERT COOLER (Q3) मॉडल Model: KAPSON एचएसएन कोड HSN Code: HSN not specified by seller	1	pieces	14,999.44	NA	14,999.44

कुल ऑर्डर मूल्य | Total Order Value (in INR)

14,999.44

परोक्षी विवरण | Consignee Detail

क्र.सं. S.No	परोक्षी Consignee	वस्तु Item	लॉट नंबर Lot No.	मात्रा Quantity	दिनांक के बाद डिलीवरी शुरू करना है Delivery Start After	वितरण पूरा कब तक करना है Delivery To Be Completed By
		पद Designation : Supdt of Post Offices				

1	ईमेल आईडी Email ID : dosurguja.cg@indiapost.gov.in संपर्क Contact : 0777-4299210- जीएसटीआईएन GSTIN : 22AAAGP0811K1ZP पता Address : O/o Supdt. of Post Surguja Division 1st Floor, Head Post Office Building Ambikapur Chhattisgarh , Pin No. 497001, SURGUJA, CHHATTISGARH-497001, India	KAPSUN Plastic Body Floor Standing with integral caster wheels Mosquito Breeding Proof Desert Cooler	-	1	30-Apr-2024	15-May-2024
Product Specification for KAPSUN Plastic Body Floor Standing with integral caster wheels Mosquito Breeding Proof Desert Cooler						
विनिर्देश Specification		उप-विनिर्देश Sub-Spec		मूल्य Value		
CAPACITY / TYPE	Nominal Air Capacity (Cubic meter per hour)		5000			
	Maximum Power Consumption at zero static pressure		350 Watts for 5000 nominal capacity			
	Type of Air Cooler Body		Plastic Body			
	Type of Fitting		Floor Standing with integral caster wheels			
DESIGN APPROVAL / CERTIFICATION	Design Approval agency		Not approved by any agency			
	Design Approavl letter number		NA			
	Design Approval letter Date		NA			
	Conformity to Indian Standrad		Generally conforming to IS: 3315 latest			
	Availability of the Type test report from Central Gov/ NABL/ ILAC accredited lab proving/showing conformity to the specification		No			
	Test Report Number		NA			
	Test Report Date		NA			
	Name & address of the Lab		NA			
	Availability of the test certificate from CIPET for Plastic Body regarding suitability for coolers		NA for steel Body			
	CIPET Test Report Number		NA			
	CIPET Test Report Date		NA			
GENERIC	Overall Demension (HxDxW)(mm x mm x mm)		1500x850x450			
	Sump Tank Capacity (minimum)		100 Liters for 5000 nominal capacity			
	Lid for Sump Tank / Water Tank		Sump / Water Tank completely covered with a Lid to prevent the entry of mosquitoes in to the water tank			
	Material of Filter panel, Grill,Top of cooler body, cabinet, sump tank and Lid of the Sump / Water Tank (for Steel Body Cooler)		"Galvanized steel sheet (ISI marked to IS 277 latest) with zinc coating not less than 100 gms/sq.meter for steel Body Cooler; NA for Plastic Body"			
	Sheet Thickness (nominal) for Filter panel, Grill, Top of cooler body, cabinet and Lid of the Sump / Water Tank (for Steel Body Cooler)		NA for Plastic Body			
	Sump Tank Sheet Thickness (nominal) (for Steel Body Cooler)		NA for Plastic Body			
	All internal surfaces Painted with Water Resistant paint to IS 9862 latest		NA for Plastic Body			
	Body Material of the Plastic Body Cooler		Weather Proof and Fire Retardant Plastic			
	Thickness of Body of the Plastic Body Cooler (mm)		8			
	Drop Test for the Plastic Body Cooler		Withstands drop from 3 meter height without any damage			
	Drain Plug material		Brass / SS			
	Fan Size		500 mm for 5000 nominal capacity			
	Blade Material		Aluminum (for 5000 nominal capacity)			
	Fire Retardant Plastic		Yes			
	Fan Motor		ISI marked to IS: 996 latest			
	Fan Motor RPM		1400			
	Fan Motor Speeds		3			
	Power Factor		1			
	Submersible Pump		Generally conforming to IS:11951 latest			
	Filter Pads		Honeycomb pads			
	Filter Pads completely covered with Mosquito net cloth		Yes			
	Thickness of Filter Pad		15 millimeter			
	Wire Guard for Pads		Yes			
	Water Level Indicator		Yes			

	Minimum length of ISI marked connecting cable with 3-pin moulded Plug Top, 5/6amps	2.5 meter
	Location of the Water Collecting Chamber	At the Bottom
	Float Valve installation With NCDC Cooler	Without
	Any Other Feature	NA
WARRANTY	WARRANTY	1 year
टिप्पणी Note:: Seller has given an undertaking that it has made arrangements for getting the stores from an authorized distributor / dealer / channel partner of the OEM of the offered product. At the time of delivery of goods, Seller will provide necessary chain documents (in the form of GST Invoice) to prove that the supplied goods are genuine and are being sourced from an authorized distributor / dealer / channel partner of the OEM. In case of any complaint about genuineness of the supplied products, Seller shall be responsible for providing genuine replacement supplies.		
ईपीबीजी विवरण ePBG Detail		
NA		
नियम और शर्तें Terms and Conditions		
1. General Terms and Conditions-		
1.1 This contract is governed by the General Terms and Conditions , conditions stipulated to this Product/Service as provided in the Marketplace.		
1.2 This Contract between the Seller and the Buyer, is for the supply of the Goods and/ or Services, detailed in the schedule above, in accordance with the General Terms and Conditions (GTC) unless otherwise superseded by Goods / Services specific Special Terms and Conditions (STC) and/ or BID/Reverse Auction Additional Terms and Conditions (ATC), as applicable		
नोट: यह सिस्टम जनरेटेड फाइल है। कोई हस्ताक्षर की आवश्यकता नहीं है। इस दस्तावेज़ का प्रिंट आउट भुगतान/लेनदेन उद्देश्य के लिए मान्य नहीं है।		
Note: This is system generated file. No signature is required. Print out of this document is not valid for payment/ transaction purpose.		