अनुबंध|Contract



अनुबंध क्रमांक|Contract No: GEMC-511687753364837

अनुबंध तिथि| Generated Date : 30-Apr-2024

संगठन विवरण|Organisation Details

प्ररूप|Type : State Government

मंत्रालय|Ministry :

Medical Health and Family Welfare Department Uttar

विभाग|Department : Pradesh

संगठन का नाम|Organisation

Name:

कार्यालय क्षेत्र|Office Zone: shahjahanpur

खरीदार विवरण|Buyer Details

पद | Designation : acmo संपर्क नंबर | Contact No. : 05842-222273-

ईमेल आईडी|Email ID : buyer1.hd.szp@gembuyer.in

जीएसटीआईएन|GSTIN: -

पता|Address : Cmo Shahjanpur Old District Uttar Pradesh-242001,

SHAHJAHANPUR, UTTAR PRADESH-242001, India

प्रत्य

वित्तीय स्वीकृति विवरण|Financial Approval Detail

आईएफडी सहमति IFD Concurrence : No

प्रशासनिक अनुमोदन का पदनाम|

 $Designation \ of \ Administrative \ Approval:$

वित्तीय अनुमोदन का पदनाम|

Designation of Financial Approval :

cmo shahjahanpur

cmo shahjahanpur

भुगतान प्राधिकरण विवरण|Paying Authority Details

Role: PAO

भुगतान का तरीका| Payment Mode: पद|Designation : chief pharmacist ईमेल आईडी|Email ID : pawangpt23@gmail.com

जीएसटीआईएन|GSTIN : -

पता|Address: Cmo Shahjanpur Old District Uttar Pradesh-242001, Shahjahanpur, UTTAR PRADESH-242001, India

विक्रैता विवरण|Seller Details

जेम विक्रैता आईडी|GeM Seller ID : 75E5180000387152

कंपनी का नाम|Company Name : M/S DHROOV MEDICAL AGENCY

संपर्क नंबर|Contact No.: 09369124611

ईमेल आईडी|Email ID : ankitgpt123@gmail.com

पता| Address : M/S DHROOV MEDICAL AGENCY,NEAR GANDHAK FACTORY,BIBIZAI,

Shahjahanpur, UTTAR PRADESH-242001, -

एमएसएमई पंजीकरण संख्या|MSME Registration number :

जीएसटीआईएन|GSTIN: 09ASCPG5322R1ZE (R), (G)

*जिसके नाम के पक्ष में GST/TAX इनवॉइस पेश किया जाएगा|GST / Tax invoice to be raised in the name of - Buyer

वितरण निर्देश | Delivery Instructions : NA

उत्पाद विवरण|Product Details

| # | आइटम विवेरण Item Description | आइटम विवरण Ordered Quantity | इकाई Unit | इकाई मूल्य (INR) Unit Price (INR) | कर विभाजन (INR) Tax Bifurcation (INR) | भूत्य (INR में सभी शुल्क और कर सहिते) Price (Inclusive of all Duties and Taxes in INR) |
|----|---|---------------------------------------|----------------|---|--|--|
| 1 | उत्पाद का नाम Product Name : Unbranded CTG Machine (Cardio Tocography) -Fetal Monitor Trolley mounted 60 hrs storage memory ब्रांड Brand : NA ब्रांड प्रकार Brand Type : Unbranded कैटलॉग की स्थिति Catalogue Status: Catalogue not verified by OEM कैसे बेचा जा रहा है Selling As : Reseller not verified by OEM श्रेणी का नाम और चतुर्थाश Category Name & Quadrant : CTG Machine (Cardio Tocography) - Fetal Monitor (Q3) मॉडल Model: NIDEK FM150 एचएसएन कोड HSN Code: HSN not specified by seller | 60 | pieces | 8,333 | NA | 499,980 |
| कु | कुल ऑर्डर मूल्य Total Order Value (in INR) | | | | | 499,980 |

परेषिती विवरण|Consignee Detail

| क्र.सं. S.No | परेषिती Consignee | वस्तु Item | लॉट नंबर Lot No. | मात्रा Quantity | दिनांक के बाद डिलीवरी शुरू करना है Delivery Start After | वितरण पूरा कब तक करना है Delivery To Be Completed By |
|--------------|--|---|----------------------|-----------------|--|--|
| 1 | पद Designation : acmo ईमेल आईडी Email ID : buyer1.hd.szp@gembuyer.in संपर्क Contact : 05842-222273- जीएसटीआईएन GSTIN : - | Unbranded CTG Machine (Cardio Tocography) -Fetal Monitor Trolley | - | 60 | 30-Apr-2024 | 15-May-2024 |

| · · | ss : Cmo Shahjanpur Old District Uttar Pradesh-242001, mounted 60 hrs storage MNPUR, UTTAR PRADESH-242001, India memory | e | | | |
|---|--|--|--|--|--|
| Product Specifica | tion for Unbranded CTG Machine (Cardio Tocography) -Fetal Monit | tor Trolley mounted 60 hrs storage memory | | | |
| र्वेनिर्देश Specificatior | उप-विनिर्देश Sub-Spec | मूल्य Value | | | |
| GENERAL FEATURES | Product description | CTG Machine (Cardio Tocography)-Fetal Monitor | | | |
| | Туре | Trolley mounted | | | |
| | Clinical purpose | For recording and analyzing the Fetal Heart Rate (FHR) and contractions of uterus during antepartum and intrapartum period | | | |
| | Advanced digital signal process | Yes | | | |
| | Toco and Maternally sensed fetal movements are detected both manually | Yes | | | |
| | Facility of twin monitoring | Yes | | | |
| | Display of FHR upto twins FHR1, FHR2 and Toco | Yes | | | |
| | Heart rate offset mode to visually distinguish between the heart rates of twins with ability to offset the secondary FHR by atleast 20bpm | Yes | | | |
| | Capable to simultaneously provide integrated fetal heart rate (FHR) and Uterine activity | Yes | | | |
| | Blinking correspondence to each beat | Yes | | | |
| | In-built / Separate Acoustic Stimulator with a separate marker on the graph for acoustic stimulators | Yes | | | |
| | Ultrasound transducer for measuring fetal heart rate with auto correlation | Yes | | | |
| | Pulse Doppler transducer frequency (MHz) | =<1.5 | | | |
| | Pulse Doppler with 7 to 9 elements/crystal design for better sensitivity | 10 to 12 | | | |
| | Transducer should be waterproof | Yes | | | |
| | Fetal Heart Rate measurements Range (BPM) | 30 to 240 | | | |
| | FHR measurement tolerance (BPM) | +/-1 | | | |
| PROCUCT & FUNCTIONAL REQUIREMENTS | Intensity of ultrasound transducer(mW/Sq Cm) | 5 | | | |
| | User adjustable audio visual alaram for fetal heart rate (FHR) | Yes | | | |
| | High alarm range (bpm) | 160 to 180 | | | |
| | Low alarm range (bpm) | 90 to 120 | | | |
| | Auto timer for NST tracing | Yes | | | |
| | External Toco transducer unit, sealed waterproof and designed with guard ring to reduce maternal respiration artifact | Yes | | | |
| | Strain gauge sensor element for measuring uterine tone contraction | Yes | | | |
| | Toco Transducer measurement range, (Units) | 0 to 100 | | | |
| | Resolution for transducer measurement, (Units) | +/-1 | | | |
| | Recorder for Fetal Heart Rate and Uterine contractions | Yes | | | |
| | Computerized trace interpretation should be provided for antepartum monitoring of high risk pregnancies | Yes | | | |
| | Digital display or waveform of Tabular/Graphical data of the patient containing the details viz Patient Name, ID, date and time for minium of 24 hours | Yes | | | |
| | Suitable trolley with castor wheels, cover and locking facility with provision for parking the transducer etc | Yes | | | |
| | Size (LxWxH) (mmxmmxmm) | 320x350x85 | | | |
| | Weight (Kg) | 3.4 | | | |
| ELECTRICAL REQUIREMENTS | Power supply | 220+/-10% V, 50/60 Hz, AC Single phase | | | |
| | Input power (Watts) | 42 | | | |
| | In-built rechargeable battery | Yes | | | |
| | Type of battery | Li-ion | | | |
| | Battery back up (hrs) | 3 | | | |
| | Auto power off when machine is not in use for more than a preset time (minutes) | Yes | | | |
| | Colour screen monitor type | тет | | | |
| | Flat panel display, tiltable and foldable | Yes | | | |

| Displaymonitor are (min) 10.12 1 | | Touch screen display | No |
|--|---------------------|--|---|
| Type of printer Setscable Print speed for real time traces (Cnivminute) 1,2,3 | | Display monitor size (inch) | 10-12 |
| Selectable Print speed for real time traces (Circleminuse) 1,2,4 | | Built-in Printer to print patient data & Test Results | Yes |
| LEASE INTERPACE Print media sheet size (remonen) 160 LEASE INTERPACE Patient data storage and urend graph for 48 to 72 hrs with fast printing facility of storage data. "Yes PARTICIPATE printing seed for printing seed data (Crivininute) 152 PARTICIPATE printing seed data (Crivininute) 152 Hernit Chart printing width (mm) 152 Hernity for storage of records (hm) 60 Membry for storage of records (hm) 7 Membry for storage of records (hm) 2 Membry for storage of records (hm) 1 Membry for storage of records (hm) 1 Print proble to the form should be compatible with white diconnection system for central and problems of problems (hm) 1 Feed Simulator (No) 1 1 Feed Simulator (No) 1 1 Prover Collec (No) 3 2 POWE Collec (No) 1 1 POWE Collec (No) 1 1 POWE Collec (No) <td< td=""><td></td><td>Type of printer</td><td>High resolution Thermal printer</td></td<> | | Type of printer | High resolution Thermal printer |
| Print media sheet size (menumn) 1.00 1 | | Selectable Print speed for real time traces (Cm/minute) | 1,2,3 |
| USER INTERFACE Patient data stronge and rend groph for 48 to 72 hrs with fast printing facility of seried data Patient data stronge and rend groph for 48 to 72 hrs with fast printing facility of seried data Patient data Pa | | Print media | Z folded Thermo sensitive paper |
| Part March 1998 (Part of the data storage and trend graph for 4d to 2 Pres with fast printing facility of 2 President data (Cmirminute) 3 3 (Part of 1998) (Part of 1998 | LISED INTEDEACE | Print media sheet size (mmxmm) | 160 |
| HR Chart printing width (mm) 152 Tooc Chart printing width (mm) 152 Tooc Chart printing width (mm) 152 Memory for strange of records firs) 60 Memory for strange of records firs) 60 Machine should be compatible with wiredess connection system for central monatoring 765 Machine should be compatible with wiredess connection system for central association 4765 Machine should be compatible with wired connection system for central association 4765 Machine should be compatible with wired connection system for central 4765 Machine should be compatible with wired connection system for central 4765 Machine should be compatible with wired connection system for central 4765 Machine should be compatible with wired connection system for central 4765 Machine should be compatible with wired connection system for central 4765 Machine should be compatible with wired connection system for central 4765 Machine should be compatible with wired connection system for central 4765 Machine should be compatible with wired connection system for central 4765 Machine should be compatible with wired connection system for central 4765 Machine should be compatible with wired connection system for central 4765 Machine should be compatible with wired connection system for central 4765 Machine should be compatible with wired connection system for central 4765 Machine should be compatible with wired connection system for central 4765 Machine should be compatible with wired connection system for central 4765 Machine should be compatible with wired connection system for central 4765 Machine should be compatible with wired connection system for central 4765 Machine should be connected and support should be connected and 4765 Machine should be compatible with wired season system for central 4765 Machine should be connected and should be connected and should be central 4765 Machine should be connected and to provide on the buyer on demand 4765 Machine should be connected and to sprovide on the buyer on demand 4765 Machine should be connected and to spr | OSEK INVENTACE | | Yes |
| Foci Chart printing width (num) 50 compatible with wireless connection system for central monitoring Machine should be compatible with wireless connection system for central monitoring Machine should be compatible with wireless connection system for central monitoring Machine should be compatible with wireless connection system for central monitoring Machine should be compatible with wireless connection system for central values of the product of the p | | Fast print speed for printing stored data (Cm/minute) | 3 |
| Hermitoring for storage of records (ins) in this institute compatitive with wiredess connection system for central monitoring which should be compatitive with wired connection system for central monitoring which should be compatitive with wired connection system for central monitoring which should be compatitive with wired connection system for central monitoring which should be compatitive with wired connection system for central part of the should be compatitive with wired connection system for central part of the should be compatitive with wired connection system for central part of the should be compatitive with wired connection system for central part of the should be compatitive with wired connection system for central part of the should be compatitive with wired connection system for central part of the should be compatitive with wired connection system for central part of the should be connected by the should be shou | | FHR Chart printing width (mm) | 152 |
| Machine should be compatible with wiredess connection system for central monitoring ves Machine should be compatible with wired connection system for central monitoring ves Machine should be compatible with wired connection system for central monitoring ves Machine should be compatible with wired connection system for central monitoring ves Machine should be compatible with wired connection system for central monitoring ves Machine should be compatible with wired connection system for central monitoring 2 Machine should be compatible with wired connection system for central contral with the system of the central specification to the buyer on demand ves EXEMPTION MACHINE A central with the system of the central central with the system of the central specification to the buyer on demand ves CERTIFICATION \$\frac{2}{2}\$ built to central with the central call with the system of the central call with the system of the central with the sys | | Toco Chart printing width (mm) | 152 |
| monitoring Meshine should be compatible with wired connection system for central monitoring Meshine should be compatible with wired connection system for central monitoring Meshine should be compatible with wired connection system for central monitoring Meshine should be compatible with wired connection system for central Meshine should be compatible with wired connection system for central Meshine should be compatible with wired connection system for central Meshine should be provided on the state of the state of the should be provided on the state of the should be provided on the should be provided on the state of the should be provided on the should be provided on the state of the should be provided on the should be provided on the state of the should be provided on th | | Memory for storage of records (hrs) | 60 |
| FIFE probe (No) 1 1 1 1 1 1 1 1 1 | | | Yes |
| HARRANTY & WARRANTY WARRANCHOOR OF THE THE MINISTER CHAPMEN WARRANTY IS Available throught bidding only, which if opted will supersed en ormal warranty in the catalogue' Whith routine maintenance should be provided UEF rechincal and maintenance manual detailing complete maintaining schedule with routine maintenance manual detailing complete maintaining schedule with routine maintenance manual detailing complete maintaining schedule with routine maintenance manual detailing complete maintaining schedule which is opted will supersed en ormal warranty in the catalogue' which if opted will supersed en ormal warranty in the catalogue' which if o | | | Yes |
| LISTOFACCESSORIES Feel Simulator (No) Frobe belt (No) Probe belt (No) Compatible size of a folded thermal sensitive continuous paper in packets of 150 Compatible size of a folded thermal sensitive continuous paper in packets of 150 Compatible size of a folded thermal sensitive continuous paper in packets of 150 Compatible size of a folded thermal sensitive continuous paper in packets of 150 Compatible size of a folded thermal sensitive continuous paper in packets of 150 Compatible size of a folded thermal sensitive continuous paper in packets of 150 Compatible size of a folded thermal sensitive continuous paper in packets of 150 Compatible size of a folded thermal sensitive continuous paper in packets of 150 Compatible size of a folded thermal sensitive continuous paper in packets of 150 Compatible size of a folded thermal sensitive continuous paper in packets of 150 Compatible size of a folded thermal sensitive continuous paper in packets of 150 Compatible size of a folded thermal sensitive continuous paper in packets of 150 Compatible size of a folded thermal sensitive continuous paper in packets of 150 Compatible size of a folded thermal sensitive continuous paper in packets of 150 Compatible size of a folded thermal sensitive continuous paper in packets of 150 Compatible size of a folded thermal sensitive continuous paper in packets of 150 Compatible size of a folded thermal sensitive continuous paper in packets of 150 Compatible size of a folded thermal sensitive continuous paper in packets of 150 Compatible size of a folded thermal sensitive continuous paper in packets of 150 Compatible size of a folded thermal sensitive sensitive continuous paper in packets of 150 Compatible size of a folded thermal sensitive sensit | | FHR probe (No) | 2 |
| LIST OF ACCESSORIES Feel Simulator (No) Frobe belt (No) Infraound gel (No) Power Cable (No) The product is packed individually in a box with all its accessories in such a way sheets each (Number of Packets) Fenting Mode Environmental CONSIDERATIONS Environmental CONSIDERATIONS Feel Submission of Test Report from Central Govt/NABI/ILAC accredited Lab to prove the conformity to declared specification to the buyer on demand Fertification performance and safety standards specific to the device Ectificate No Ectificate No Ectificate Susing authority Ectificate a Usubmission of all the certifications and test reports to the buyer on demand Installation of machine required and to provide onsite service to end user Thanking Warrany in Years (Option of comprehensive warranty is available through bidding only which if opted will supersed enormal warranty in the catalogue with routine maintenance should be provided For the chical and maintenance should be provided Provided and to provide and the catalogue Thanking only which if opted will supersed enormal warranty in the catalogue Thanking only which if opted will supersed enormal warranty in the catalogue Thanking only which if opted will supersed enormal warranty in the catalogue Thanking only which if opted will supersed enormal warranty in the catalogue Thanking only which if opted will supersed enormal warranty in the catalogue Thanking only which if opted will supersed enormal warranty in the catalogue Thanking only which if opted will supersed enormal warranty in the catalogue Thanking only which if opted will supersed enormal warranty in the catalogue Thanking only which if opted will supersed enormal warranty in the catalogue Thanking only which if opted will supersed enormal warranty in the catalogue Thanking only which if opted will supersed enormal warranty in the catalogue Thanking only which if opted will supersed enormal warranty in the catalogue Thanking only which if opted will supersed enormal warranty in the catalogue Thanking only whi | | TOCO probe (No) | 1 |
| LIST OF ACCESSORIES Probe belt (No) Ultrasound gel (No) Power Cable (No) Compatible size of z folded thermal sensitive continuous paper in packets of 150 sheets each (Number of Packets) The product is packed individually in a box with all its accessories in such a way that there will be no damage during transportation ENVIRONMENTAL CONSIDERATIONS Work or usage environment CONSIDERATIONS Product certification for test Report from Central Govt/NABL/ILAC accredited Lab to prove the conformity to declared specification to the buyer on demand Product certification Four digit number of notified body if product is EU-CE certified Portificate No Certificate No Certificate date Certificate issuing authority Certificate issuing authority Ecution or all the certifications and test reports to the buyer on demand Yes University or declared specification to the provided on the service of the device Certificate on a date of the service of the device Certificate on a date of the service of the device of the devi | | Event Marker (No) | 1 |
| PRCKING MODE The product is packed individually in a box with all its accessories in such a way that there will be no damage during transportation to the buyer on demand to confine confine to the conformity to declared specification to the buyer on demand to confine the confinentity to declared specification to the buyer on demand to certificate date certificate date certification and test reports to the buyer on demand to certification, performance and safety standards specific to the device certification of all the certifications and test reports to the buyer on demand to certification of all the certification and basic maintenance should be provided when the provided to see the conformity to the certification of and the certification of all the certification safety and operation checks before handower the service to end user to some part of more than as service to end user to some part of more than as service to end user to some part of more than as service to end user to some part of more than as service to end user to some part of the service to end user to some part of the service to end user to some part of more than as service to end user to some part of the service to end user t | | Fetal Simulator (No) | 1 |
| POWEr Cable (No) Compatible size of z folded thermal sensitive continuous paper in packets of 150 sheets each (Number of Packets) PACKING MODE The product is packed individually in a box with all its accessories in such a way that there will be no damage during transportation ENVIRONMENTAL CONSIDERATIONS Work or usage environment Work or usage environment Work or usage environment Temperature -10 deg C to 40 deg C, RH not more than 85% Work or usage environment Temperature 5 deg C to 40 deg C, RH not more than 85% ELI-CE Submission of Test Report from Central Gov/NABL/ILAC accredited Lab to prove the conformity to declared specification to the buyer on demand Product certification Four digit number of notified body If product is EU-CE certified Poduct certificate No Certificate No Certificate No Certificate absect Outlook Certificate absect Outlook Certificate absect Outlook Certificate absect Outlook Submission of all the certifications and test reports to the buyer on demand Yes NATALLATION & Taining of users in operation and basic maintenance shall be provided WARRANTY & Warranty in Years (Option of comprehensive warranty is available through bidding only, which if opted will supersede normal warranty in the catalogue) User technical and maintenance manual detailing complete maintaining schedule with routine maintenance should be provided | LIST OF ACCESSORIES | Probe belt (No) | 3 |
| Compatible size of z folded thermal sensitive continuous paper in packets of 150 sheets each (Number of Packets) 20 | | Ultrasound gel (No) | 10 |
| Sheets each (Number of Packets) PACKING MODE The product is packed individually in a box with all its accessories in such a way that there will be no damage during transportation ENURONMENTAL CONSIDERATIONS ENURONMENTAL CONSIDERATIONS ENURONMENTAL CONSIDERATIONS EVERTIFICATIONS & Submission of fest Report from Central Govt/NABL/ILAC accredited Lab to prove the conformity to declared specification to the buyer on demand Product certification Four digit number of notified body if product is EU-CE certified Four digit number of notified body if product is EU-CE certified Four digit number of notified body if product is EU-CE certified Certificate No Certificate date Certificate date Certificate issuing authority Certification, performance and safety standards specific to the device Certification, performance and safety standards specific to the device Submission of all the certifications and test reports to the buyer on demand Yes Supplier to perform installation, safety and operation checks before handover Yes Installation of machine required and to provide onsite service to end user Training of users in operation and basic maintenance shall be provided Warranty in Years (Option of comprehensive warranty is available through bidding) only, which if opted will supersede normal warranty in the catalogue) Warranty in Years (Option of comprehensive warranty is available through bidding) only, which if opted will supersede normal warranty in the catalogue) Warranty in Years (Option of comprehensive warranty is available through bidding) only, which if opted will supersede normal warranty in the catalogue) Warranty in Years (Option of comprehensive warranty is available through bidding) only, which if opted will supersede normal warranty in the catalogue) Warranty in Years (Option of comprehensive warranty is available through bidding) only, which if opted will supersede normal warranty in the catalogue) Warranty in Years (Option of comprehensive warranty is available through bidding) Warra | | Power Cable (No) | 1 |
| that there will be no damage during transportation ENVIRONMENTAL CONSIDERATIONS Storage conditions Work or usage environment Submission of Test Report from Central Govt/NABL/ILAC accredited Lab to prove the conformity to declared specification to the buyer on demand Product certification Four digit number of notified body If product is EU-CE certified Product certificate No Certificate No Certificate a lasuing authority Certificate issuing authority Certificate issuing authority Certification, performance and safety standards specific to the device Submission of all the certifications and test reports to the buyer on demand TRAINING WARRANTY & Warranty in Years (Option of comprehensive warranty is available through bidding only, which if opted will supersede normal warranty in the catalogue) Warranty in Years (Option of comprehensive warranty is available through bidding only, which if opted will supersede normal warranty in the catalogue) Warranty in Years (Option of comprehensive warranty is available through bidding only, which if opted will supersede normal warranty in the catalogue) Warranty in Years (Option of comprehensive warranty is available through bidding only, which if opted will supersede normal warranty in the catalogue) Warranty in Years (Option of comprehensive warranty is available through bidding only, which if opted will supersede normal warranty in the catalogue) Warranty in Years (Option of comprehensive warranty in the catalogue) Warranty in Years (Option of comprehensive warranty in the catalogue) Warranty in Years (Option | | | 20 |
| CONSIDERATIONS Work or usage environment Temperature 5 deg C to 40 deg C, RH not more than 85% Work or usage environment Submission of Test Report from Central Govt/NABL/ILAC accredited Lab to prove the conformity to declared specification to the buyer on demand Product certification Four digit number of notified body If product is EU-CE certified Certificate No Certificate No Certificate date Certificate issuing authority Certificate issuing authority Certificate issuing authority Regal Register(uk) Certificate issuing authority Certification, performance and safety standards specific to the device Submission of all the certifications and test reports to the buyer on demand Yes Supplier to perform installation, safety and operation checks before handover Training of users in operation and basic maintenance shall be provided Warranty in Years (Option of comprehensive warranty is available through bidding only, which if opted will supersede normal warranty in the catalogue) Warranty & MAINTENANCE Warranty in Years (Option of comprehensive warranty is available through bidding only, which if opted will supersede normal warranty in the catalogue) Wes Ves | PACKING MODE | | Yes |
| Submission of Test Report from Central Govt/NABL/ILAC accredited Lab to prove the conformity to declared specification to the buyer on demand Product certification Four digit number of notified body If product is EU-CE certified Portificate No Certificate No Certificate date Certificate issuing authority Certificate issuing authority Certificate issuing authority Certification, performance and safety standards specific to the device Submission of all the certifications and test reports to the buyer on demand Ves INSTALLATION & Training of users in operation and basic maintenance shall be provided WARRANTY & MAINTENANCE WARRANTY & Warranty in Years (Option of comprehensive warranty is available through bidding only, which if opted will supersede normal warranty in the catalogue) Ves Ves Ves Ves Ves Ves Ves V | | Storage conditions | Temperature -10 deg C to 40 deg C, RH not more than 85% |
| the conformity to declared specification to the buyer on demand Product certification EU-CE Four digit number of notified body If product is EU-CE certified Pour digit number of notified body If product is EU-CE certified Pour digit number of notified body If product is EU-CE certified Pour digit number of notified body If product is EU-CE certified Pour digit number of notified body If product is EU-CE certified Pour digit number of notified body If product is EU-CE certified Pour digit number of notified body If product is EU-CE certified Pour digit number of notified body If product is EU-CE certified Pour digit number of notified body If product is EU-CE certified Pour digit number of notified body If product is EU-CE certified Pour digit number of notified body If product is EU-CE certified Pour digit number of notified body If product is EU-CE certified Pour digit number of notified body If product is EU-CE certified Pour digit number of notified body If product is EU-CE certified Pour digit number of notified body If product is EU-CE certified Pour digit number of notified body If product is EU-CE certified Pour digit number of notified body If product is EU-CE certified Pour digit number of notified body If product is EU-CE certified Pour digit number of notified body If product is EU-CE certified Pour digit number of notified body If product is EU-CE certified Pour digit number of notified body If product is EU-CE certified Pour digit number of notified body If product is EU-CE certified Pour digit number of notified body If product is EU-CE certified Pour digit number of notified body If product is EU-CE certified Pour digit number of notified body If product is EU-CE certified Pour digit number of notified body If product is EU-CE certified In EU-CE CE-29592 Pour digit number of notified body If product is EU-CE certified In EU-CE 29592 Pour digit number of notified body If product is EU-CE 29592 Pour digit number of notified body If product is EU-CE 29592 Pour digit n | | Work or usage environment | Temperature 5 deg C to 40 deg C, RH not more than 85% |
| Four digit number of notified body If product is EU-CE certified 9342 Certificate No CE-29592 Certificate date 04/02/2016 Certificate issuing authority Regal Register(uk) Certificate issuing authority CE-29592 Submission of all the certifications and test reports to the device CE-29592 Submission of all the certifications and test reports to the buyer on demand Yes INSTALLATION & Supplier to perform installation, safety and operation checks before handover Yes Installation of machine required and to provide onsite service to end user Yes Training of users in operation and basic maintenance shall be provided Yes Warranty in Years (Option of comprehensive warranty is available through bidding only, which if opted will supersede normal warranty in the catalogue) Warranty & Warranty in Years (Option of comprehensive warranty in the catalogue) User technical and maintenance manual detailing complete maintaining schedule with routine maintenance should be provided Yes | | · · · · · · · · · · · · · · · · · · · | YES |
| CERTIFICATIONS & REPORTS REPORTS Certificate No Certificate date Certificate issuing authority Certificate issuing authority Certificate issuing authority Certification, performance and safety standards specific to the device Submission of all the certifications and test reports to the buyer on demand Yes INSTALLATION & TRAINING Installation of machine required and to provide onsite service to end user Training of users in operation and basic maintenance shall be provided WARRANTY & Warranty in Years (Option of comprehensive warranty is available through bidding only, which if opted will supersede normal warranty in the catalogue) Warranty in Years (Option of comprehensive warranty in the catalogue) Warranty in Years (Option of comprehensive warranty in the catalogue) Warranty in Years (Option of comprehensive warranty in the catalogue) Warranty in Years (Option of comprehensive warranty in the catalogue) Warranty in Years (Option of comprehensive warranty in the catalogue) Warranty in Years (Option of comprehensive warranty in the catalogue) Warranty in Years (Option of comprehensive warranty in the catalogue) Warranty in Years (Option of comprehensive warranty in the catalogue) Warranty in Years (Option of comprehensive warranty in the catalogue) Warranty in Years (Option of comprehensive warranty in the catalogue) Warranty in Years (Option of comprehensive warranty in the catalogue) | | Product certification | EU-CE |
| REPORTS Certificate date Certificate issuing authority Certificate issuing authority Regal Register(uk) Certification, performance and safety standards specific to the device Submission of all the certifications and test reports to the buyer on demand Yes Supplier to perform installation, safety and operation checks before handover INSTALLATION & Training of users in operation and basic maintenance shall be provided Warranty in Years (Option of comprehensive warranty is available through bidding only, which if opted will supersede normal warranty in the catalogue) WARRANTY & MAINTENANCE Warranty in Years (Option of comprehensive warranty in the catalogue) User technical and maintenance manual detailing complete maintaining schedule with routine maintenance should be provided Yes | | Four digit number of notified body If product is EU-CE certified | 9342 |
| Certificate date | | Certificate No | CE-29592 |
| Certification, performance and safety standards specific to the device CE-29592 Submission of all the certifications and test reports to the buyer on demand Yes Supplier to perform installation, safety and operation checks before handover Installation of machine required and to provide onsite service to end user Training of users in operation and basic maintenance shall be provided Warranty in Years (Option of comprehensive warranty is available through bidding only, which if opted will supersede normal warranty in the catalogue) Warranty & User technical and maintenance manual detailing complete maintaining schedule with routine maintenance should be provided Yes Ves Ves Ves Ves Ves Ves Ves | NEI ONIS | Certificate date | 04/02/2016 |
| Submission of all the certifications and test reports to the buyer on demand Yes Supplier to perform installation, safety and operation checks before handover Installation of machine required and to provide onsite service to end user Training of users in operation and basic maintenance shall be provided Warranty in Years (Option of comprehensive warranty is available through bidding only, which if opted will supersede normal warranty in the catalogue) Warranty & Warranty in Years (Option of comprehensive warranty in the catalogue) User technical and maintenance manual detailing complete maintaining schedule with routine maintenance should be provided Yes Ves Yes | | Certificate issuing authority | Regal Register(uk) |
| Supplier to perform installation, safety and operation checks before handover TRAINING Installation of machine required and to provide onsite service to end user Training of users in operation and basic maintenance shall be provided Warranty in Years (Option of comprehensive warranty is available through bidding only, which if opted will supersede normal warranty in the catalogue) User technical and maintenance manual detailing complete maintaining schedule with routine maintenance should be provided Yes Ves Ves Ves Ves Ves Ves Ves | | Certification, performance and safety standards specific to the device | CE-29592 |
| Installation of machine required and to provide onsite service to end user Training of users in operation and basic maintenance shall be provided Warranty in Years (Option of comprehensive warranty is available through bidding only, which if opted will supersede normal warranty in the catalogue) Warranty & User technical and maintenance manual detailing complete maintaining schedule with routine maintenance should be provided Yes Ves | | Submission of all the certifications and test reports to the buyer on demand | Yes |
| TRAINING Installation of machine required and to provide onsite service to end user Yes Training of users in operation and basic maintenance shall be provided Yes Warranty in Years (Option of comprehensive warranty is available through bidding only, which if opted will supersede normal warranty in the catalogue) User technical and maintenance manual detailing complete maintaining schedule with routine maintenance should be provided Yes | | Supplier to perform installation, safety and operation checks before handover | Yes |
| Warranty in Years (Option of comprehensive warranty is available through bidding only, which if opted will supersede normal warranty in the catalogue) WARRANTY & User technical and maintenance manual detailing complete maintaining schedule with routine maintenance should be provided Yes | | Installation of machine required and to provide onsite service to end user | Yes |
| only, which if opted will supersede normal warranty in the catalogue) WARRANTY & MAINTENANCE User technical and maintenance manual detailing complete maintaining schedule with routine maintenance should be provided Yes | | Training of users in operation and basic maintenance shall be provided | Yes |
| MAINTENANCE User technical and maintenance manual detailing complete maintaining schedule with routine maintenance should be provided Yes | | | 3 |
| Contact details of manufacturer, supplier and local service agent to be provided Yes | | | Yes |
| | | Contact details of manufacturer, supplier and local service agent to be provided | Yes |

टिप्पणी|Note:: Seller has given an undertaking that it has made arrangements for getting the stores from an authorized distributor / dealer / channel partner of the OEM of the offered product. At the time of delivery of goods, Seller will provide necessary chain documents (in the form of GST Invoice) to prove that the supplied goods are genuine and are being sourced from an authorized distributor / dealer / channel partner of the OEM. In case of any complaint about genuineness of the supplied products, Seller shall be responsible for providing genuine replacement supplies.

NA

नियम और शर्तें|Terms and Conditions

1. Special terms and conditions- Version: 2 effective from 24-11-2023

1.1 1. Comprehensive warranty:

Comprehensive warranty shall include preventive maintenance including calibration as per technical/ service /operational manual of the manufacturer, service charges and spares,. During the warranty period commencing from date of the successful completion of warranty period, Service personnel shall visit each consignee site as recommended in the manufacturer ��� setchnical/ service /operational manual, at least once in six months. warranty shall not be including the consumables. Further there will be 98% uptime warranty during warranty period on 24 (hrs) X 7 (days) X 365 (days) basis, with penalty, to extend warranty period by double the downtime period.

2. Service centres:

Details of Service outlets in India to render services for equipment to be furnished to buyer/consignees with complete address, telephone numbers, e mails etc at time of making the supplies. It shall be the responsibility of seller to ensure that authorized service centres are available to cater to the areas where supplies are made within reasonable distance from where the service calls can be handled. Details of toll free numbers for service call and online registration of service requests also to be provided buyer/consignee at the time of supplies.

3. Source of supply:

It shall be responsibility of seller to provide Documents regarding source of equipments such as copy of Performa invoice or any other documents to establish that the products supplied are manufactured by OEM indicated and sourced from them.

4. Packing and Marking:

Medical equipments being very delicate and sensitive packing for the goods should be strong and durable enough to withstand transit including transhipment (if any), rough handling, open storage etc. without any damage, deterioration etc. The size, weights and volumes of the packing cases, remoteness of the final destination of the goods, availability or otherwise of transport and handling facilities at all points during transit up to final destination, Quality of packing, the manner of marking within & outside the packages and provision of accompanying documentation shall take in to consideration the type of medical equipments being supplied. The accessories shall be suitably labelled and packed .Each of the package shall be marked on three sides with indelible paint of proper quality: indicating contract number and date, brief description of goods including quantity, Packing list reference number, country of origin of goods and any other relevant details.

5. Spare Parts:

Seller shall provide materials, information etc. pertaining to spare parts manufactured and supplied by the OEM. It shall be ensured that the required spares are available for purchase at least for 10 years from date of supplies. In case due to any reasons the production of the spare parts is discontinued sufficient advance notice should be given to the buyer/consignee before such discontinuation to provide adequate time to purchase the required spare parts etc. Further, OEM and their service centres/dealers shall carry sufficient inventories to assure ex-stock supply of consumables and spares for the equipments so that the same are available.

OEM or reseller shall always accord most favoured client status to the buyer/consignee and shall give the most competitive price for spares and consumables of its machines/equipments supplied

6. Installation, Training, Manuals:

Seller shall be responsible to carry out Installation & commissioning, Supervision and Demonstration of the goods. They shall provide required jigs and tools for assembly, minor civil works for the completion of the installation and Training of Consignee ��� srepresentatives for operating and maintaining the equipment and Supplying required number of operation & maintenance manual for the goods. In case the category parameters are specifying any requirements regarding the installations, training and manuals the same shall also be applicable.

7. Electrical safety checking:

Sellers are required to make sure that they furnish the list of equipments for carrying out routine and preventive maintenance to buyer/consignee. They should make sure to periodically check the electrical safety aspects as per BIS Safety Standards or equivalent. In case they do not have required equipment for such testing should ensure that the equipments checked for electrical safety compliance through labs with facilities for such checking during every preventive maintenance call.

8. Software

All software updates should be provided free of cost during warranty period.

2. General Terms and Conditions-

- 2.1 This contract is governed by the General Terms and Conditions, conditions stipulated to this Product/Service as provided in the Marketplace.
- 2.2 This Contract between the Seller and the Buyer, is for the supply of the Goods and/ or Services, detailed in the schedule above, in accordance with the General Terms and Conditions (GTC) unless otherwise superseded by Goods / Services specific Special Terms and Conditions (STC) and/ or BID/Reverse Auction Additional Terms and Conditions (ATC), as applicable

नोट: यह सिस्टम जनरेटेड फाइल है। कोई हस्ताक्षर की आवश्यकता नहीं है। इस दस्तावेज़ का प्रिट आउट भुगतान/लेनदेन उद्देश्य के लिए मान्य नहीं है।

Note: This is system generated file. No signature is required. Print out of this document is not valid for payment/ transaction purpose.