

अनुबंध | Contract



अनुबंध क्रमांक | Contract No: GEMC-511687730737982

अनुबंध तिथि | Generated Date : 30-Apr-2024

बोली/आरए/पीबीपी संख्या | Bid/RA/PBP No.: [GEM/2023/B/4134927](#)

| संगठन विवरण Organisation Details | खरीदार विवरण Buyer Details |
|--|---|
| प्रकार Type : Central Government मंत्रालय Ministry : Department of Space विभाग Department : Department of Space संगठन का नाम Organisation Name : indian space research organization कार्यालय क्षेत्र Office Zone : Space Applications Centre | पद Designation : Purchase Officer संपर्क नंबर Contact No. : 079-26913053-3053 ईमेल आईडी Email ID : buyer1.isro.ka@gembuyer.in जीएसटीआईएन GSTIN : 2417IND00002ON2 पता Address : Purchase Division, Space Applications Centre, Ambawadi Vistar PO, AHMEDABAD, GUJARAT-380015, India |

| वित्तीय स्वीकृति विवरण Financial Approval Detail | भुगतान प्राधिकरण विवरण Paying Authority Details |
|---|---|
| आईएफडी सहमति IFD Concurrence : No प्रशासनिक अनुमोदन का पदनाम Designation of Administrative Approval : HPS वित्तीय अनुमोदन का पदनाम Designation of Financial Approval : ACCOUNTS OFFICER | Role: PAO भुगतान का तरीका Payment Mode: ISRO पद Designation : Accounts Officer ईमेल आईडी Email ID : ddo2.pmo.mh@gembuyer.in जीएसटीआईएन GSTIN : - पता Address : Accounts Division, Space Applications Centre, Ambawadi Vistar PO, AHMEDABAD CITY, GUJARAT-380015, India |

| विक्रेता विवरण Seller Details |
|--|
| जेम विक्रेता आईडी GeM Seller ID : 1CA8180000090345 कंपनी का नाम Company Name : HLBS TECH PRIVATE LIMITED संपर्क नंबर Contact No. : 09826027444 ईमेल आईडी Email ID : mitesh@hlbstechn.com पता Address : 243-B,,ZONE-1, M.P. NAGAR, Bhopal, MADHYA PRADESH-462016, - एमएसएमई सत्यापित MSME verified : Yes एमएसएमई पंजीकरण संख्या MSME Registration number : UDYAM-MP-10-0004459 एमएसई सामाजिक श्रेणी MSE Social Category : General एमएसई लिंग श्रेणी MSE Gender : Male जीएसटीआईएन GSTIN : 23AABCH5020R1ZL (B) , (M) , (R) |

*जिसके नाम के पक्ष में GST/TAX इनवॉइस पेश किया जाएगा | GST / Tax invoice to be raised in the name of - Consignee

वितरण निर्देश | Delivery Instructions : NA

| उत्पाद विवरण Product Details | | | | | | |
|--|---|-------------------------------|-------------|-------------------------------------|---|---|
| # | आइटम विवरण Item Description | आइटम विवरण Ordered Quantity | इकाई Unit | इकाई मूल्य (INR) Unit Price (INR) | कर विभाजन (INR) Tax Bifurcation (INR) | मूल्य (INR में सभी शुल्क और कर सहित) Price (Inclusive of all Duties and Taxes in INR) |
| 1 | उत्पाद का नाम Product Name : HLBS Workstation With Intel Core i9 12900 Processor 64 GB ब्रांड Brand : HLBS ब्रांड प्रकार Brand Type : Registered Brand कैटलॉग की स्थिति Catalogue Status : OEM verified catalogue कैसे बेचा जा रहा है Selling As : OEM श्रेणी का नाम और चतुर्थांश Category Name & Quadrant : Workstation (Q2) मॉडल Model: HLBS CMW1000T एचएसएन कोड HSN Code: HSN not specified by seller | 1 | pieces | 355,792 | NA | 355,792 |
| कुल ऑर्डर मूल्य Total Order Value (in INR) | | | | | | 355,792 |

| परोक्षी विवरण Consignee Detail | | | | | | |
|----------------------------------|----------------------|--------------|--------------------|-------------------|---|--|
| क्र.सं. S.No | परोक्षी Consignee | वस्तु Item | लॉट नंबर Lot No. | मात्रा Quantity | दिनांक के बाद डिलीवरी शुरू करना है Delivery Start After | वितरण पूरा कब तक करना है Delivery To Be Completed By |
| | पद Designation : - | | | | | |

| | | | | | | |
|---|--|---|---|---|-------------|-------------|
| 1 | ईमेल आईडी Email ID : rsingh@sac.isro.gov.in संपर्क Contact : - जीएसटीआईएन GSTIN : N पता Address : Central Stores, Space Applications Centre, Ambawadi Vistar PO, AHMEDABAD, GUJARAT-380015, India | HLBS Workstation With Intel Core i9 12900 Processor 64 GB | - | 1 | 30-Apr-2024 | 14-Jun-2024 |
|---|--|---|---|---|-------------|-------------|

Product Specification for HLBS Workstation With Intel Core i9 12900 Processor 64 GB

| विनिर्देश Specification | उप-विनिर्देश Sub-Spec | मूल्य Value |
|-----------------------------|--|--------------------------------|
| Type | Form Factor | Desktop |
| Processor | Processor Make | Intel |
| | Processor Generation | 12 |
| | Number of Cores per Processor | 16 |
| | Processor Base Frequency (GHz) | 2.4 |
| | Processor Turbo Frequency (GHz) | 5.1 |
| | Processor Description | Intel Core i9 |
| | Processor Number | Intel Core i9 12900 |
| | Number of sockets available on the motherboard | 1 |
| | Number of Sockets populated with the Processors | 1 |
| | Cache (MB) | 30 |
| | Out of Band Management | NA |
| Motherboard | Chipset Number | Intel W680 |
| | Expansion Slots (PCIe x 1) (Number) | 1 |
| | Expansion Slots (PCIe x 4) (Number) | 0 |
| | Expansion Slots (PCIe x 8) (Number) | 1 |
| | Expansion Slots (PCIe x 16) (Number) | 1 |
| | Expansion Slots (PCI) (Number) | 0 |
| Graphics | Graphics Type | Dedicated/Discrete |
| | Number of Graphic Cards | 1 |
| | Graphic Card Description | NVIDIA RTX A5000 24GB |
| Operating System | Operating System (Factory Pre-Loaded) | Windows 10 Professional 64 bit |
| | Recovery Image Media | NA |
| | OS Certification | Windows |
| Applications | Applications Compatible with the Workstation (Requisite document may be furnished as and when demanded by the buyer) | Adobe After Effects CS/CC |
| Memory | RAM Type | DDR5 |
| | RAM Speed (MHz) | 4800 |
| | Type of Memory | Non ECC |
| | RAM Size (GB) | 64 |
| | Total Numbers of DIMM Slots Available | 4 |
| | Number of DIMM Slots Populated | 2 |
| | RAM Expandability upto using spare DIMM Slots (GB) | 128 |
| Primary Storage /Boot Drive | Type of Drives used to populate the internal Bays | PCIe |
| | Number of Drives | 1 |
| | RAID for Operating System | NA |
| | Capacity of each Drive (GB) | 1024 |
| | Type of Drives used to populate the Internal Bays | PCIe,SATA |
| | Total number of Internal Bays available for SATA Drive | 1 |
| | Number of Internal Bays populated with SATA Drive | 1 |
| | Each SATA Drive Capacity (GB) | 1000 |
| | Speed of each SATA Drive (RPM) | 7200 |
| | Total SATA Drive Capacity (GB) | 1000 |

| | | |
|-------------------|--|--------------------------------|
| Secondary Storage | Total number of Internal Bays available for SAS Drive | 0 |
| | Number of Internal Bays populated with SAS Drive | 0 |
| | Capacity of each SAS Drive (GB) | 0 |
| | Speed of each SAS Drive (RPM) | 0 |
| | Total SAS Drive Capacity (GB) | 0 |
| | Total number of Internal Bays available for SSD | 0 |
| | Number of Internal Bays populated with SSD Drive | 0 |
| | Capacity of each SSD Drive (GB) | 0 |
| | Total SSD Capacity (GB) | 0 |
| | Total number of Internal Bays available for PCIe SSD | 2 |
| | Number of Internal Bays populated with PCIe Drive | 2 |
| | Capacity of each PCIe Drive (GB) | 1024 |
| | Total PCIe Drive Capacity (GB) | 2048 |
| | Class of PCIe Drives | NA |
| RAID | RAID level | 0 |
| | Number of RAID Controller Ports | 4 |
| | Speed of RAID Controller Ports (Gbps) | 6 |
| | RAID Controller Cache (GB) | 0 |
| Connectivity | Type of Ethernet Ports | Single Gigabit NIC 10/100/1000 |
| | Number of Ethernet Ports | 2 |
| | Wireless Connectivity | Yes |
| | If Yes, Type of Wireless Connectivity | Wi-Fi 6 AX200 & BT 5.2 |
| | Bluetooth Connectivity | Yes |
| | If Yes, Version of Bluetooth Available | 5 |
| Ports | Number of USB Version 2 Point 0 Ports | 0 |
| | Number of USB Version 3 point 0 / 3 point 1, Gen 1 Ports | 3 |
| | Number of USB Version 3 point 1, Gen 2 Ports | 3 |
| | Number of USB Type C Ports | 0 |
| | Number of VGA Ports | 0 |
| | Number of HDMI Ports | 0 |
| | Number of Mini DP Ports | 0 |
| | Number of DP Ports | 4 |
| Display | Display Availability | Monitor |
| | Display Size (cm) | 68- 71 |
| | Display Type | Non Touch |
| | Panel Type | Flat |
| | Panel Technology | IPS |
| | Display Resolution (Pixels) | 1920x1080 |
| | LED Backlit | Yes |
| | TCO Compliance for Monitor | NA |
| | Colour Gamut | 72% Color Gamut |
| | Monitor Stand | Height Adjustable |
| Power | Maximum Power (Watts) | 950 |
| | Minimum Power Efficiency (%) | 90 |
| | Power Management Unit | Yes |
| | Redundant Power Supply | No |
| | Mouse Connectivity, If available | Wired |
| | Type of Mouse, If available | Optical Scroll |

| | | |
|----------------------|--|---|
| Input Devices | Keyboard Connectivity, if available | Wired |
| | Type of Keyboard, if available | Standard |
| | Type of Keyboard in case of Mobile Workstation | NA |
| Generic | Optical Drive | NA |
| | Number of External Bays | 1 |
| | Security | H/W Based |
| | Docking Station for Mobile Workstation | No |
| | Availability of Bundled Software | Yes |
| | Type of Bundled Software | Standard Performance Improvement Software |
| | Finger Print Reader in case of Mobile Workstation | NA |
| | Carry Case in case of Mobile Workstation | NA |
| Certification | BIS Registration under CRS of Meity (Requisite certificate may be furnished as and when demanded by the buyer) | Yes |
| | BIS Registration Number and its Validity | R-82000515 |
| | ROHS Compliance | Yes |
| | Other Certification Available (Requisite certificate may be furnished as and when demanded by the buyer) | CE,FCC |
| Operating Conditions | Minimum Operating Temperature (Degree C) | 10 |
| | Maximum Operating Temperature (DEgree C) | 35 |
| | Minimum Operating Humidity (%RH) | 20 |
| | Maximum Operating Humidity (%RH) | 85 |
| Warranty | Battery Warranty in case of Mobile Workstation | 0 |
| | On Site OEM Warranty (Year) | 5 |

उत्पाद का बीआईएस लाइसेंस | BIS license of the product: 82000515

खरीदार परिभाषित अतिरिक्त विशेषता के लिए | Buyer Defined Additional Specification for HLBS Workstation With Intel Core i9 12900 Processor 64 GB

| विनिर्देश Specification | मूल्य Value |
|---------------------------|---|
| *NOTES TO BIDDERS | - Complete Specifications is attached in "Buyer Uploaded ATC Documents". Bidders may please note that only these specifications will prevail and will be used for technical evaluation. Therefore, please refer Specifications mentioned in "Buyer Uploaded ATC Documents" and submit your bid accordingly. |

ईपीबीजी विवरण | ePBG Detail

| | |
|--|----|
| सलाहकार बैंक Advisory Bank : | NA |
| ईपीबीजी प्रतिशत (%) ePBG Percentage(%) : | NA |

नियम और शर्तें | Terms and Conditions

1. General Terms and Conditions-

- 1.1 This contract is governed by the [General Terms and Conditions](#), conditions stipulated to this Product/Service as provided in the Marketplace.
- 1.2 This Contract between the Seller and the Buyer, is for the supply of the Goods and/ or Services, detailed in the schedule above, in accordance with the General Terms and Conditions (GTC) unless otherwise superseded by Goods / Services specific Special Terms and Conditions (STC) and/ or BID/Reverse Auction Additional Terms and Conditions (ATC), as applicable

2. Buyer Added Bid Specific Terms and Conditions-

2.1 Generic.

OPTION CLAUSE: The Purchaser reserves the right to increase or decrease the quantity to be ordered up to 25 percent of bid quantity at the time of placement of contract. The purchaser also reserves the right to increase the ordered quantity by up to 25% of the contracted quantity during the currency of the contract at the contracted rates. Bidders are bound to accept the orders accordingly.

2.2 Generic.

Data Sheet of the product(s) offered in the bid, are to be uploaded along with the bid documents. Buyers can match and verify the Data Sheet with the product specifications offered. In case of any unexplained mismatch of technical parameters, the bid is liable for rejection.

2.3 Buyer Added Bid Specific ATC:

Buyer Added text based ATC clauses

- 1) Bidder has to submit bid as per "BUYER UPLOADED ATC SPECIFICATIONS DOCUMENT" and evaluation will be done only as per the attachment.
- 2) Please do not disclose price related information in the technical bid otherwise your offer will be considered as invalid.
- 3) Please provide point-by-point compliance to all the specifications mentioned therein. Offer without such compliance / partial compliance shall be rejected summarily.
- 4) Signed and stamped copy (confirming point-to-point acceptance) of the Specifications attached in Buyer Added Bid Specific ATC has to be submitted with the bid.
- 5) OEM certificate or valid authorized dealer certificate to be attached.
- 6) The Supplier shall furnish **Performance Security** for 3% of the value of the Purchase Order to ensure Satisfactory Performance of the Contract. The Performance Security shall be executed within 15 days from the date of Purchase Order or any extension thereof. The Security Deposit is to be furnished in the form of Insurance Surety Bond/Account Payee Demand Draft or Fixed Deposit Receipt or Bank Guarantee from Nationalized Bank/Scheduled Bank approved by RBI. The Security Deposit shall be executed on a Non-Judicial Stamp Paper of appropriate value and shall be valid for a period of 60 days beyond the date of completion of warranty period. In case the Contractor fails to furnish the Security Deposit within 15 days or any extension thereof the Purchase Order shall be Cancelled or Terminated and appropriate penal action shall be initiated. Any breach of the Terms and Conditions of the PO including Delivery Period, Performance Security shall be forfeited at the Supplier's risk, cost and liability. The Performance Security will not carry any interest and shall be returned after completion of Contract in all respect. Adherence to this clause is compulsory or otherwise, the offer will be rejected.
- 7) Our GSTIN/UIN: - 2417IND00002ON2.
- 8) For Bid/ Purchase order related queries, please contact on: E-mail: psob@sac.isro.gov.in, Phone: 079-26913057/58/53.

2.4 Buyer Added Bid Specific ATC:

Buyer uploaded ATC document [Click here to view the file](#).

नोट: यह सिस्टम जनरेटेड फाइल है। कोई हस्ताक्षर की आवश्यकता नहीं है। इस दस्तावेज़ का प्रिंट आउट भुगतान/लेनदेन उद्देश्य के लिए मान्य नहीं है।

Note: This is system generated file. No signature is required. Print out of this document is not valid for payment/ transaction purpose.