



1	ईमेल आईडी   Email ID : santhosh.373085@kerala.gov.in संपर्क   Contact : 0481-2535562- जीएसटीआईएन   GSTIN : 32AAAGG4483Q1Z1 पता   Address : Govt. Industrial Training Institute, Ettumanoor PO Kerala, 686631, KOTTAYAM, KERALA-686631, India	MITUTOYO Graduated Scale for Vernier / Dial type Calipers Display Calipers	-	5	02-May-2024	17-May-2024
---	---	---	---	---	-------------	-------------

### Product Specification for MITUTOYO Graduated Scale for Vernier / Dial type Calipers Display Calipers

विनिर्देश   Specification	उप-विनिर्देश   Sub-Spec	मूल्य   Value
TYPE / MATERIAL	Caliper Type	Vernier Calipers
	Jaw Type	Type B - With jaws on one side for external and internal measurements
	Provided with blade for depth measurement	Yes
	Provided with Step-Measuring Faces	No
PERFORMANCE	External Measurement Range (mm)	0-150
	Minimum ID Measurement	0 millimeter
	Least Count / Resolution	0.02 millimeter
	Accuracy (Maximum error in reading) at 20 deg C (±)	0.02 millimeter
	Jaw Length	40 millimeter
	Length of Faces (Knife edge ) for Internal measurement	21.5 millimeter
	Range Per Revolution of the Dial, in case of Dial Caliper (mm)	NA for Vernier / Digital type Calipers
DISPLAY / DATA OUTPUT	Type of Display	Graduated Scale for Vernier / Dial type Calipers
	"Number of Digits in Display(May indicate '0' for Veriner / Dial type calipers)	0
	"Display digit Size(May indicate '0' for Veriner / Dial type calipers)	0 millimeter
	Data Output to other devices	No
BATTERY	Power Source	NA for Vernier / Dial type Calipers
	Battery Size, if Non Rechargeable Battery	NA for Vernier / Dial type Calipers
	Battery Chemistry	NA for Vernier / Dial type Calipers
	Number of Batteries required for operation (May Indicate '0' for Vernier / Dial type Calipers )	0
	Number of Batteries supplied (May Indicate '0' for Vernier / Dial type Calipers )	0
	Battery Life (Approx) under normal use (May Indicate '0' for Analog type micrometer)"	2.5 year
SALIENT FEATURES / FUNCTIONS	salient Features / Functions	Locking Screw,Thumb Roller
ACCESSORIES	Standard accessories inclusive in the scope of supply	Carrying case,instruction booklet
GENERIC	Material of the main parts of Callipers such as beam, sliding jaw and depth measuring blade	Hardened Stainless Steel
	Quality of the main parts of Callipers such as beam, sliding jaw and depth measuring blade	Generally conforming to IS: 3651 (latest) for metallic parts
	Finish	Polished
	Weight	300 gram
	Dimensions (mm x mm x mm)	229x40x16
	Additional features, if any	NA
	List of Items and Quantity of each item included in the offer	NA
OPERATING CONDITIONS / INGRESS PROTECTION	Minimum Operating Temperature	0 degree Celsius
	Maximum Operating Temperature	70 degree Celsius
	Maximum Operating Humidity at 40 deg C (Rh)	95 percent
	Ingress Protection	NA
WARRANTY	Warranty	1 year
CALIBRATION	Calibration Certificate for each Micrometer Provided to the buyer along with supplies	Yes
	Calibration Certificate issuing authority	OEM Certificate

**टिप्पणी | Note::** Seller has given an undertaking that it has made arrangements for getting the stores from an authorized distributor / dealer / channel partner of the OEM of the offered product. At the time of delivery of goods, Seller will provide necessary chain documents (in the form of GST Invoice) to prove that the supplied goods are genuine and are being sourced from an authorized distributor / dealer / channel partner of the OEM. In case of any complaint about genuineness of the supplied products, Seller shall be responsible for providing genuine replacement supplies.

## ईपीबीजी विवरण | ePBG Detail

NA

## नियम और शर्तें | Terms and Conditions

### 1. General Terms and Conditions-

- 1.1 This contract is governed by the [General Terms and Conditions](#), conditions stipulated to this Product/Service as provided in the Marketplace.
- 1.2 This Contract between the Seller and the Buyer, is for the supply of the Goods and/ or Services, detailed in the schedule above, in accordance with the General Terms and Conditions (GTC) unless otherwise superseded by Goods / Services specific Special Terms and Conditions (STC) and/ or BID/Reverse Auction Additional Terms and Conditions (ATC), as applicable

नोट: यह सिस्टम जनरेटेड फाइल है। कोई हस्ताक्षर की आवश्यकता नहीं है। इस दस्तावेज़ का प्रिंट आउट भुगतान/लेनदेन उद्देश्य के लिए मान्य नहीं है।

Note: This is system generated file. No signature is required. Print out of this document is not valid for payment/ transaction purpose.