

अनुबंध | Contract



अनुबंध क्रमांक | Contract No: GEMC-511687708702617

अनुबंध तिथि | Generated Date : 03-May-2024

संगठन विवरण Organisation Details	खरीदार विवरण Buyer Details
प्ररूप Type : State Government मंत्रालय Ministry : - विभाग Department : Education Department Gujarat संगठन का नाम Organisation Name : University Library Veer Narmad South Gujarat University कार्यालय क्षेत्र Office Zone : Estate	पद Designation : In Charge Assistant Registrar संपर्क नंबर Contact No. : 0261-2203042-1042 ईमेल आईडी Email ID : buycon5.vnsgu.surat@gembuyer.in जीएसटीआईएन GSTIN : - पता Address : VEER NARMAD SOUTH GUJARAT UNIVERSITY, Udhna Magdalla Road, Surat, SURAT, GUJARAT-395007, India

वित्तीय स्वीकृति विवरण Financial Approval Detail	भुगतान प्राधिकरण विवरण Paying Authority Details
आईएफडी सहमति IFD Concurrence : No प्रशासनिक अनुमोदन का पदनाम Designation of Administrative Approval : Registrar वित्तीय अनुमोदन का पदनाम Designation of Financial Approval : I/C. CAO	Role: PAO भुगतान का तरीका Payment Mode: Offline पद Designation : CHIEF ACCOUNT OFFICER ईमेल आईडी Email ID : pao1.ulvnsgu.gj@gembuyer.in जीएसटीआईएन GSTIN : N पता Address : VEER NARMAD SOUTH GUJARAT UNIVERSITY, Udhna Magdalla Road, Surat, SURAT CITY, GUJARAT-395007, India

विक्रेता विवरण Seller Details
जेम विक्रेता आईडी GeM Seller ID : QOX8220005011909 कंपनी का नाम Company Name : RAJ IMPORT EXPORT संपर्क नंबर Contact No. : 09825027753 ईमेल आईडी Email ID : RAJIMPORTEEXPORT24@GMAIL.COM पता Address : 4/4014 B PAIKI, 5 5H FLOOR,, HATIM PALACE ,, NAGARDAS NI SHERI,, NAVAPURA, SURAT, Surat, GUJARAT-395003, - एमएसएमई पंजीकरण संख्या MSME Registration number : UDYAM-GJ-22-0058075 एमएसई सामाजिक श्रेणी MSE Social Category : General एमएसई लिंग श्रेणी MSE Gender : Male जीएसटीआईएन GSTIN : 24CRHPP5402K1ZP (R), (M)

*जिसके नाम के पक्ष में GST/TAX इनवॉइस पेश किया जाएगा | GST / Tax invoice to be raised in the name of - Buyer

वितरण निर्देश | Delivery Instructions : NA

उत्पाद विवरण Product Details						
#	आइटम विवरण Item Description	आइटम विवरण Ordered Quantity	इकाई Unit	इकाई मूल्य (INR) Unit Price (INR)	कर विभाजन (INR) Tax Bifurcation (INR)	मूल्य (INR में सभी शुल्क और कर सहित) Price (Inclusive of all Duties and Taxes in INR)
1	उत्पाद का नाम Product Name : Unbranded Polyester Blended With Viscose Woven Track Suits - Sports ब्रांड Brand : NA ब्रांड प्रकार Brand Type : Unbranded कैटलॉग की स्थिति Catalogue Status : Catalogue not verified by OEM कैसे बेचा जा रहा है Selling As : Reseller not verified by OEM श्रेणी का नाम और चतुर्थांश Category Name & Quadrant : Track Suit - Sports (Q3) मॉडल Model : VIPSON TRACKSUIT 028 एचएसएन कोड HSN Code : HSN not specified by seller	120	pieces	487.24	NA	58,468.8
कुल ऑर्डर मूल्य Total Order Value (in INR)						58,468.8

परोक्षी विवरण Consignee Detail						
क्र.सं. S.No	परोक्षी Consignee	वस्तु Item	लॉट नंबर Lot No.	मात्रा Quantity	दिनांक के बाद डिलीवरी शुरू करना है Delivery Start After	वितरण पूरा कब तक करना है Delivery To Be Completed By
	पद Designation : In Charge Assistant Registrar ईमेल आईडी Email ID : buycon5.vnsgu.surat@gembuyer.in					

1	संपर्क Contact : 0261-2203042-1042 जीएसटीआईएन GSTIN : - पता Address : VEER NARMAD SOUTH GUJARAT UNIVERSITY, Udhna Magdalla Road, Surat, SURAT, GUJARAT-395007, India	Unbranded Polyester Blended With Viscose Woven Track Suits - Sports	-	120	03-May-2024	18-May-2024
---	--	--	---	-----	-------------	-------------

Product Specification for Unbranded Polyester Blended With Viscose Woven Track Suits – Sports

विनिर्देश Specification	उप-विनिर्देश Sub-Spec	मूल्य Value
UTILITY	UTILITY	Unisex
COMPONENTS	Components	Complete Set consisting of Upper and Lower
MATERIAL	Fabric (Composition)	Polyester Blended With Viscose
	Percentage of Blending (in case of Blended Fabric)	Polyester 65 % and Viscose 35 %
	Mass (gram per square mtrs)	120 gram
	Fabric Construction	Woven
	Weave (In case of Woven Fabric)	Not Applicable
	Any other weave as per buyer's requirements (in case weave is other than already mentioned above)	-
	Knitting (In case of knitted Fabric)	Not Applicable
	Ends per dm	-
	Picks per dm	-
	Courses per dm	-
	Wales per dm	-
	Count of knitting yarn	-
	Raising at inner side of Main Fabric	No
	Upper Lining	No
	Lower Lining	No
	Lining Material	100% Polyester Mesh
	Mass of Lining (Gram per Square Meter)	Not Applicable
	Netting mesh No of holes on base & bias within 625 Square millimeter	Not Applicable
	Technical Requirements of Slide Fastener for Upper Closing	Medium special duty Open End as per IS 14181 Latest
	Technical Requirements of Slide Fastener for Pocket Closing (For Pockets with Slide Fastner for closing)	Medium special duty Open End as per IS 14181 Latest
	Slide Fastners are BIS Marked	Yes
	Width of Tape Elastic at Waist of Trouser	4.0 cm
	Width of Tape Elastic at Bottom of Upper	4.0 cm
	Technical Requirements of Waist Band	No
	Waist Draw Cord	Polypropylene Cord of 4mm dia
	Draw Cord Ends	Fused
	Breaking Strength of Draw Cord	340 N minimum
Sleeve Ends (Cuff)	Rib Knitted Fabric	
Upper provided with Piping	No	
Lower provided with Piping	No	
Piping Fabric- Composition	100 percent Polyester	
Piping Fabric- Any other material as per buyer's requirements (Other than mentioned above)	-	
Piping Fabric Mass (gram per square mtrs)	90	
Embroidery Thread	Not Applicable	
SIZE	Size	Large (L)
DIMENSIONS OF	Width Across Chest 25 mm below under arm	55.0 cm (Large)
	Width Across Bottom Opening (relaxed)	48 cm (Large)
	Length at front from top of collar to bottom	68 cm (Large)
	Sleeve length (from center of back to bottom of sleeve)	87 cm (Large)

UPPER	Sleeve opening relaxed (Cuff) Width	11 centimeter
	Front Neck Drop	9 centimeter
	Back Neck Drop	2 centimeter
	Length of Slide Fastener	66 cm(Large)
DIMENSIONS OF LOWER	Side Seam Length	107 cm (Large)
	Waist relaxed (Width Across)	45.5 cm (Large)
	Waist stretched (Width Across)	55 cm (Large)
	Seat/ Hip (15 cm below waist band)	55 cm (Large)
	Thigh (at Crotch) (Width Across)	37 cm (Large)
	Bottom Opening (Width Across)	23 centimeter
	Front rise including waist band	29 cm (Large)
	Back rise including waist band	39 cm (Large)
	Length of Waist Tying Cord	160 centimeter
	Bottom Fold (Hem) with full turn in(cm)	2.0
POCKETS	Number of Pockets (Upper)	2 Side Pockets
	Size of Side Pockets-Upper (Length X Width) (cm)	Not Applicable
	Size of Inside Pocket at Chest- Upper	Not Applicable
	Side Pocket opening - Upper	15.0 cm
	Side Pocket Closure with Slide Fastener -Upper	Yes
	Number of Pockets (Lower)	2 Side Pockets
	Size of Side Pockets - Lower (Length X Width) (cm)	18 cm X 20 cm
	Side Pocket Opening- Lower	15 centimeter
	Pocket Closure with Slide Fastener - Lower	Side Pockets with Slide Fastener
	Material of Pockets	Main Basic Fabric
COLLAR	Collar Type	Stand and Fall Type, Made of two layers of self material
	Collar Reinforcement	With Canvas Reinforcement
SLEEVE	Sleeve Type	Set In Sleeve
PIPING	Position and Dimensions of Piping on Upper	-
	Position and Dimensions of Piping on Lower	-
STITCHING	Sewing Thread	145 d tex X 3, Polyester
	Raw edges, if any shall be bound by overlock stitching	Yes
	Waist band stitching of Upper	Stitched in single rows with chain stitch on the elastic
	Sleeve Bottom (Cuff) Stitching	Stitched in two rows with chain stitch on the elastic
	Waist band stitching of Lower	Stitched in single rows with chain stitch on the elastic
	Lining seams	Inverted
	Bartack Stitching (Reinforcement Stitching) at stress bearing areas	No
	Tunnel at Waist Band for Lower	Two holes stitched to allow the draw cord with insertion free movement
Stitches per dm (min)	36	
COLOUR/ PRINT	Colour	Multicolour/ Contrasting Pannels / Any other colour as per buyer's requirements
	Multicolour/ Contrasting Pannels / Any other colour as per buyer's requirements	-
	Sublimation Printing (for 100 % polyester only)	Without
	Sublimation Print as per buyer's requirements	-
	Colourfastness to Light (IS 2454)	5
	Colourfastness to Washing (IS/ ISO 105-C10, Test- C (3))	Change in Colour- 4; Staining of Adjacent Fabric- 3-4
	Colourfastness to Rubbing (IS 766)	Dry- 4 / Wet- 3

	Colourfastness to perspiration (IS 971)	4
	Colour of Mesh Lining	Not Applicable
	Any other colour of Mesh Lining as per buyer's requirements	-
	Colourfastness to Washing (IS/ISO 105-C10, Test- C (3))- Mesh Lining	Change in Colour- 4; Staining of Adjacent Fabric- 3-4
	Colourfastness to perspiration (IS 971)- Mesh Lining	4
	Colour of Piping Material	Any other colour as per buyer's requirements
	Any other colour as per buyer's requirements	-
OTHER REQUIREMENTS	Pilling Resistant [after 5 hours Test as per IS 10971 (Part 1)], min	4
	Dimensional stability to washing, Shrinkage or Elongation Percentage, max (IS 2977 latest), in lengthwise and widthwise direction	2
LOGO AND MARKING	Logo/ Totem Marking	As per buyer's requirements
	Type of Logo	Printed
	Number of Logos on Upper	1
	Number of Logos on Lower	Not Applicable
	Size, Design and Location of Logo as per buyer's requirement	-
TEST REPORT	Availability of Test Report from designated AHSP/ NABL/ ILAC accredited or Central Government Lab to prove conformity of products to the specification	No
	Test Report No	-
	Test Report Date	-
	Name of the Lab	-
	Address of the Lab	-
	Test reports to be furnished to buyer on demand, if claimed to be available	Not applicable
ADVANCE SAMPLE	Agree to provide Advance Sample(s) for buyer's approval before commencement of supply	Yes
<p>टिप्पणी Note: Seller has given an undertaking that it has made arrangements for getting the stores from an authorized distributor / dealer / channel partner of the OEM of the offered product. At the time of delivery of goods, Seller will provide necessary chain documents (in the form of GST Invoice) to prove that the supplied goods are genuine and are being sourced from an authorized distributor / dealer / channel partner of the OEM. In case of any complaint about genuineness of the supplied products, Seller shall be responsible for providing genuine replacement supplies.</p>		
<p>ईपीबीजी विवरण ePBG Detail</p>		
<p>NA</p>		
<p>नियम और शर्तें Terms and Conditions</p>		
<p>1. General Terms and Conditions-</p>		
<p>1.1 This contract is governed by the General Terms and Conditions, conditions stipulated to this Product/Service as provided in the Marketplace.</p>		
<p>1.2 This Contract between the Seller and the Buyer, is for the supply of the Goods and/ or Services, detailed in the schedule above, in accordance with the General Terms and Conditions (GTC) unless otherwise superseded by Goods / Services specific Special Terms and Conditions (STC) and/ or BID/Reverse Auction Additional Terms and Conditions (ATC), as applicable</p>		
<p>नोट: यह सिस्टम जनरेटेड फाइल है। कोई हस्ताक्षर की आवश्यकता नहीं है। इस दस्तावेज़ का प्रिंट आउट भुगतान/लेनदेन उद्देश्य के लिए मान्य नहीं है।</p>		
<p>Note: This is system generated file. No signature is required. Print out of this document is not valid for payment/ transaction purpose.</p>		