

अनुबंध | Contract



अनुबंध नाम | Schedule Name: Schedule 1, Schedule 2, Schedule 5, Schedule 3, Schedule 4

अनुबंध क्रमांक | Contract No: GEMC-511687733086100

अनुबंध तिथि | Generated Date : 04-May-2024

बोली/आरए/पीबीपी संख्या | Bid/RA/PBP No.: [GEM/2023/B/4370509](#)

संगठन विवरण Organisation Details		खरीदार विवरण Buyer Details
प्ररूप Type :	Central PSU	पद Designation : PK CHINARA SO MM
मंत्रालय Ministry :	Ministry of Coal	संपर्क नंबर Contact No. : 06760-265357-
विभाग Department :	COAL INDIA LIMITED	ईमेल आईडी Email ID : so-mm-hina.mcl@nic.in
संगठन का नाम Organisation Name :	Mahanadi Coalfields Limited	जीएसटीआईएन GSTIN : 21AABCM5188P1Z3
कार्यालय क्षेत्र Office Zone:	MCL Sambalpur Odisha	पता Address : GM Office Hingula AreA PO: N.S. NagarDist: Angul, Odisha, ANGUL, ODISHA-759148, India

वित्तीय स्वीकृति विवरण Financial Approval Detail	भुगतान प्राधिकरण विवरण Paying Authority Details
आईएफडी सहमति IFD Concurrence : Yes	Role: PAO
प्रशासनिक अनुमोदन का पदनाम Designation of Administrative Approval: GENERAL MANAGER HINGULA AREA	भुगतान का तीरीका Payment Mode: Offline
वित्तीय अनुमोदन का पदनाम Designation of Financial Approval : AREA FINANCE MANAGER, HINGULA AREA	पद Designation : AREA FINANCE MANAGER
	ईमेल आईडी Email ID : so-fin-hina.mcl@coalindia.in
	जीएसटीआईएन GSTIN : 21AABCM5188P1Z3
	पता Address: GM Office Hingula AreA PO: N.S. NagarDist: Angul, Odisha, Angul, ODISHA-759148, India

विक्रेता विवरण Seller Details
जेम विक्रेता आईडी GeM Seller ID : 3CA0180000645119
कंपनी का नाम Company Name : TRIPATHY ENGINEERING WORKS
संपर्क नंबर Contact No. : 09438356593
ईमेल आईडी Email ID : srikanta.1100@rediffmail.com
पता Address : jagannathpur,jagannathpur,jagannathpur,talcher, Angul, ODISHA-759104, -
एमएसई पंजीकरण संख्या MSME Registration number : UDYAM-OD-01-0000233
एमएसई सामाजिक श्रेणी MSE Social Category : General
एमएसई लिंग श्रेणी MSE Gender : Female
जीएसटीआईएन GSTIN: 21ADIP7013R3Z2 (B), (R)

*जिसके नाम के पक्ष में GST/TAX इनवॉइस पेश किया जाएगा | GST / Tax invoice to be raised in the name of - Consignee

वितरण निर्देश | Delivery Instructions : NA

उत्पाद विवरण | Product Details

#	आइटम विवरण Item Description	आइटम विवरण Ordered Quantity	इकाई Unit	इकाई मूल्य (INR) Unit Price (INR)	कर विभाजन (INR) Tax Bifurcation (INR)	मूल्य (INR में सभी शुल्क और कर सहित) Price (Inclusive of all Duties and Taxes in INR)
1	उत्पाद का नाम Product Name : MUNEET C1393E 3 Pole and Neutral Switch Fuse Unit 415 volts ब्रांड Brand : MUNEET ब्रांड प्रकार Brand Type : Registered Brand कैटलॉग की स्थिति Catalogue Status: OEM verified catalogue कैसे बेचा जा रहा है Selling As : OEM verified Reseller श्रेणी का नाम और चतुर्भाँश Category Name & Quadrant : Switch Fuse Unit (Q3) मॉडल Model: MTPN32 एचएसएन कोड HSN Code: HSN not specified by seller	15	pieces	1,235	जीएसटी GST (18%) : 2,825.847 जीएसटी उपकर 1 GST Cess 1 (0%) : 0 जीएसटी उपकर 2 GST Cess 2 (0 per accounting unit) : 0 जीएसटी पर इनपुट टैक्स क्रेडिट (आईटीसी) Input Tax Credit (ITC) on GSTI (100%) : 2,825.847 जीएसटी उपकर पर आईटीसी 1 ITC on GST Cess 1 (0%) : 0 जीएसटी उपकर पर आईटीसी 2 ITC on GST Cess 2 (0%) : 0	18,525
2	उत्पाद का नाम Product Name : MUNEET C1393E 3 Pole and Neutral Switch Fuse Unit 415 volts ब्रांड Brand : MUNEET ब्रांड प्रकार Brand Type : Registered Brand कैटलॉग की स्थिति Catalogue Status: OEM verified catalogue कैसे बेचा जा रहा है Selling As : OEM verified Reseller श्रेणी का नाम और चतुर्भाँश Category Name & Quadrant : Switch Fuse Unit (Q3) मॉडल Model: MTPN200 एचएसएन कोड HSN Code: HSN not specified by seller	7	pieces	7,130	जीएसटी GST (18%) : 7,613.39 जीएसटी उपकर 1 GST Cess 1 (0%) : 0 जीएसटी उपकर 2 GST Cess 2 (0 per accounting unit) : 0 जीएसटी पर इनपुट टैक्स क्रेडिट (आईटीसी) Input Tax Credit (ITC) on GSTI (100%) : 7,613.39 जीएसटी उपकर पर आईटीसी 1 ITC on GST Cess 1 (0%) : 0 जीएसटी उपकर पर आईटीसी 2 ITC on GST Cess 2 (0%) : 0	49,910
	उत्पाद का नाम Product Name : MUNEET C1393E 3 Pole and Neutral Switch Fuse Unit 415 volts				जीएसटी GST (18%) : 25,750.678 जीएसटी उपकर 1 GST Cess 1 (0%) : 0	

3	ब्रांड Brand : MUNEET ब्रांड प्रकार Brand Type : Registered Brand कैटलॉग की स्थिति Catalogue Status: OEM verified catalogue कैसे बेचा जा रहा है Selling As : OEM verified Reseller श्रेणी का नाम और चतुर्धारा Category Name & Quadrant : Switch Fuse Unit (Q3) मॉडल Model: MTPN100 एचएसएन कोड HSN Code: HSN not specified by seller	34	pieces	4,965	जीएसटी उपकर 2 GST Cess 2 (0 per accounting unit) : 0 जीएसटी पर इनपुट टैक्स क्रेडिट (आईटीसी) Input Tax Credit (ITC) on GSTI (100%) : 25,750.678 जीएसटी उपकर पर आईटीसी 1 ITC on GST Cess 1 (0%) : 0 जीएसटी उपकर पर आईटीसी 2 ITC on GST Cess 2 (0%) : 0	168,810
4	उत्पाद का नाम Product Name : MUNEET C1393E 3 Pole and Neutral Switch Fuse Unit 415 volts ब्रांड Brand : MUNEET ब्रांड प्रकार Brand Type : Registered Brand कैटलॉग की स्थिति Catalogue Status: OEM verified catalogue कैसे बेचा जा रहा है Selling As : OEM verified Reseller श्रेणी का नाम और चतुर्धारा Category Name & Quadrant : Switch Fuse Unit (Q3) मॉडल Model: MTPN63 एचएसएन कोड HSN Code: HSN not specified by seller	19	pieces	2,730	जीएसटी GST (18%) : 7,912.373 जीएसटी उपकर 1 GST Cess 1 (0%) : 0 जीएसटी उपकर 2 GST Cess 2 (0 per accounting unit) : 0 जीएसटी पर इनपुट टैक्स क्रेडिट (आईटीसी) Input Tax Credit (ITC) on GSTI (100%) : 7,912.373 जीएसटी उपकर पर आईटीसी 1 ITC on GST Cess 1 (0%) : 0 जीएसटी उपकर पर आईटीसी 2 ITC on GST Cess 2 (0%) : 0	51,870
5	उत्पाद का नाम Product Name : MUNEET C1393E 2 Pole Switch Fuse Unit 240 volts ब्रांड Brand : MUNEET ब्रांड प्रकार Brand Type : Registered Brand कैटलॉग की स्थिति Catalogue Status: OEM verified catalogue कैसे बेचा जा रहा है Selling As : OEM verified Reseller श्रेणी का नाम और चतुर्धारा Category Name & Quadrant : Switch Fuse Unit (Q3) मॉडल Model: MDP32 एचएसएन कोड HSN Code: HSN not specified by seller	60	pieces	835	जीएसटी GST (18%) : 7,642.373 जीएसटी उपकर 1 GST Cess 1 (0%) : 0 जीएसटी उपकर 2 GST Cess 2 (0 per accounting unit) : 0 जीएसटी पर इनपुट टैक्स क्रेडिट (आईटीसी) Input Tax Credit (ITC) on GSTI (100%) : 7,642.373 जीएसटी उपकर पर आईटीसी 1 ITC on GST Cess 1 (0%) : 0 जीएसटी उपकर पर आईटीसी 2 ITC on GST Cess 2 (0%) : 0	50,100

कुल ऑर्डर मूल्य | Total Order Value (in INR)

339,215

परेष्ठी विवरण | Consignee Detail

क्र.सं. S.No	परेष्ठी Consignee	वस्तु Item	लॉट नंबर Lot No.	मात्रा Quantity	दिनांक के बाद डिलीवरी शुरू करना है Delivery Start After	वितरण पूरा कब तक करना है Delivery To Be Completed By
1	पद Designation : - ईमेल आईडी Email ID : depot-off-hina.mcl@coalindia.in संपर्क Contact : 877806859- जीएसटीआईएन GSTIN : 21AABCM5188P1Z3 पता Address : Office of the Depot Officer, Regional Stores, Hingula Area , AT/P.O/P.S - Gopal Prasad, ANGUL, ODISHA-759103, India	MUNEET C1393E 3 Pole and Neutral Switch Fuse Unit 415 volts	-	15	04-May-2024	03-Jun-2024
		MUNEET C1393E 3 Pole and Neutral Switch Fuse Unit 415 volts	-	7	04-May-2024	03-Jun-2024
		MUNEET C1393E 3 Pole and Neutral Switch Fuse Unit 415 volts	-	34	04-May-2024	03-Jun-2024
		MUNEET C1393E 3 Pole and Neutral Switch Fuse Unit 415 volts	-	19	04-May-2024	03-Jun-2024
		MUNEET C1393E 2 Pole Switch Fuse Unit 240 volts	-	60	04-May-2024	03-Jun-2024

Product Specification for MUNEET C1393E 3 Pole and Neutral Switch Fuse Unit 415 volts

विवरण Specification	उप-विवरण Sub-Spec	मूल्य Value
RATINGS	Rated operational Voltage (in Volt)	415
	Rated frequency (in Hz)	50
	Number of Pole	3 Pole and Neutral
	Current rating (in Ampere)	32
	Rated insulation voltage (in Volt)	440
	Rated impulse withstand voltage (in KV)	3
	Rated short circuit breaking capacity, Minimum (in KA, r.m.s.)	3
	Conformity to the specification	as per IS/IEC:60947-3:1999 latest
GENERIC	Whether product ISI Marked (Select 2 for ISI Marked product, Select 1 for Non ISI Marked product)	2
	BIS License Number (CM/L Number) - Must declare (If Non ISI Marked write N/A)	9517183

	Switch Fue Unit contains	Fuse units- Rewirable
	Utilisation category	AC-22A
	Warranty (in Years)	1
CONSTRUCTION	Type of enclosure	Surface Mounted
	Material of enclosure	CRCA Sheet, 2 mm thick
	Knock-outs at enclosure cable entry	Top and bottom
	Mounting holes for fixing the enclosure	Yes
	Door interlocking facility	Yes
	Degree of protection	IP54
	Mechanical Endurance, Minimum (in No.of cycles)	10000
	Fixing accessories for mounting of enclosures	Yes
FUSE UNIT	Type of fuse	Rewirable Porcelain Fuse units
	Material of terminals	Silver Plated
	Material of contactors	Electrolytic copper
CERTIFICATIONS	Availability of Type test report from Central Government/NABL/ILAC accredited laoratory to prove conformity to the specification	Yes
	Test report number and date - Must declare	LSCM/1272
	Name of lab and address - Must declare	ERDA
	Agreed to furnish all the test reports and certificates r to the buyer/consignee on demand	Yes

खरीदार परिभ्राष्टि अतिरिक्त विशेषता के लिए | Buyer Defined Additional Specification for MUNEET C1393E 3 Pole and Neutral Switch Fuse Unit 415 volts

विवरण Specification	मूल्य Value
Conformity to the specification	as per IS/IEC:60947-3:1999 latest
Enclosure	Type of Enclosure: Surface Mounted, Knock-outs at enclosure cable entry: Top and bottom,
Door Interlocking Facility	Yes
Material	Contactors: Electrolytic copper, terminals: Silver Plated
Mounting holes for fixing the enclosure	Yes

Product Specification for MUNEET C1393E 3 Pole and Neutral Switch Fuse Unit 415 volts

विवरण Specification	उप-विवरण Sub-Spec	मूल्य Value
RATINGS	Rated operational Voltage (in Volt)	415
	Rated frequency (in Hz)	50
	Number of Pole	3 Pole and Neutral
	Current rating (in Ampere)	200
	Rated Insulation voltage (in Volt)	660
	Rated impulse withstand voltage (in KV)	4
	Rated short circuit breaking capacity, Minimum (in KA, r.m.s.)	3
GENERIC	Conformity to the specification	as per IS/IEC:60947-3:1999 latest
	Whether product ISI Marked (Select 2 for ISI Marked product, Select 1 for Non ISI Marked product)	1
	BIS License Number (CM/L Number) - Must declare (If Non ISI Marked write N/A)	9517183
	Switch Fue Unit contains	Enclosure with door,Fuse units- Rewirable,Terminals,Contactors,Operating handle
	Utilisation category	AC-22A
	Warranty (in Years)	1
	Type of enclosure	Surface Mounted
	Material of enclosure	CRCA Sheet, 2 mm thick

CONSTRUCTION	Knock-outs at enclosure cable entry	Top and bottom
	Mounting holes for fixing the enclosure	Yes
	Door interlocking facility	Yes
	Degree of protection	IP54
	Mechanical Endurance, Minimum (in No.of cycles)	10000
	Fixing accessories for mounting of enclosures	Yes
FUSE UNIT	Type of fuse	Rewirable Porcelain Fuse units
	Material of terminals	Silver Plated
	Material of contactors	Electrolytic copper
CERTIFICATIONS	Availability of Type test report from Central Government/NABL/ILAC accredited laboratory to prove conformity to the specification	Yes
	Test report number and date - Must declare	MECO/TR/011
	Name of lab and address - Must declare	MECO
	Agreed to furnish all the test reports and certificates to the buyer/consignee on demand	Yes

खरीदार परिभ्राष्टि अतिरिक्त विशेषता के लिए | Buyer Defined Additional Specification for MUNEET C1393E 3 Pole and Neutral Switch Fuse Unit 415 volts

विवरण Specification	मूल्य Value
Material	Contactors: Electrolytic copper, terminals: Silver Plated
Conformity to the specification	as per IS/IEC:60947-3:1999 latest
Enclosure	Type of Enclosure: Surface Mounted, Knock-outs at enclosure cable entry: Top and bottom,
Mounting holes for fixing the enclosure	Yes
Door interlocking facility	Yes

Product Specification for MUNEET C1393E 3 Pole and Neutral Switch Fuse Unit 415 volts

विवरण Specification	उप-विवरण Sub-Spec	मूल्य Value
RATINGS	Rated operational Voltage (in Volt)	415
	Rated frequency (in Hz)	50
	Number of Pole	3 Pole and Neutral
	Current rating (in Ampere)	100
	Rated insulation voltage (in Volt)	440
	Rated impulse withstand voltage (in KV)	3
	Rated short circuit breaking capacity, Minimum (in KA, r.m.s.)	3
GENERIC	Conformity to the specification	as per IS/IEC:60947-3:1999 latest
	Whether product ISI Marked (Select 2 for ISI Marked product, Select 1 for Non ISI Marked product)	2
	BIS License Number (CM/L Number) - Must declare (If Non ISI Marked write N/A)	9517183
	Switch Fuse Unit contains	Enclosure with door, Fuse units- Rewirable, Terminals, Contactors, Operating handle
	Utilisation category	AC-22A
	Warranty (in Years)	1
CONSTRUCTION	Type of enclosure	Surface Mounted
	Material of enclosure	CRCA Sheet, 2 mm thick
	Knock-outs at enclosure cable entry	Top and bottom
	Mounting holes for fixing the enclosure	Yes
	Door interlocking facility	Yes
	Degree of protection	IP54
	Mechanical Endurance, Minimum (in No.of cycles)	10000
	Fixing accessories for mounting of enclosures	Yes

FUSE UNIT	Type of fuse	Rewirable Porcelain Fuse units
	Material of terminals	Silver Plated
	Material of contactors	Electrolytic copper
CERTIFICATIONS	Availability of Type test report from Central Government/NABL/ILAC accredited laboratory to prove conformity to the specification	Yes
	Test report number and date - Must declare	LSCM/1264
	Name of lab and address - Must declare	ERDA
	Agreed to furnish all the test reports and certificates to the buyer/consignee on demand	Yes

खरीदार परिभाषित अतिरिक्त विशेषता के लिए | Buyer Defined Additional Specification for MUNEET C1393E 3 Pole and Neutral Switch Fuse Unit 415 volts

विवरण Specification	मूल्य Value
Material	Contactors: Electrolytic copper, terminals: Silver Plated
Enclosure	Type of Enclosure: Surface Mounted, Knock-outs at enclosure cable entry: Top and bottom,
Conformity to the specification	as per IS/IEC:60947-3:1999 latest
Mounting holes for fixing the enclosure	Yes
Door interlocking facility	Yes

Product Specification for MUNEET C1393E 3 Pole and Neutral Switch Fuse Unit 415 volts

विवरण Specification	उप-विवरण Sub-Spec	मूल्य Value
RATINGS	Rated operational Voltage (in Volt)	415
	Rated frequency (in Hz)	50
	Number of Pole	3 Pole and Neutral
	Current rating (in Ampere)	63
	Rated insulation voltage (in Volt)	500
	Rated impulse withstand voltage (in KV)	3
	Rated short circuit breaking capacity, Minimum (in KA, r.m.s.)	3
GENERIC	Conformity to the specification	as per IS/IEC:60947-3:1999 latest
	Whether product ISI Marked (Select 2 for ISI Marked product, Select 1 for Non ISI Marked product)	2
	BIS License Number (CM/L Number) - Must declare (If Non ISI Marked write N/A)	9517183
	Switch Fuse Unit contains	Enclosure with door, Fuse units- Rewirable, Terminals, Contactors, Operating handle
	Utilisation category	AC-22A
	Warranty (in Years)	1
CONSTRUCTION	Type of enclosure	Surface Mounted
	Material of enclosure	CRCA Sheet, 2 mm thick
	Knock-outs at enclosure cable entry	Top and bottom
	Mounting holes for fixing the enclosure	Yes
	Door interlocking facility	Yes
	Degree of protection	IP54
	Mechanical Endurance, Minimum (in No. of cycles)	10000
	Fixing accessories for mounting of enclosures	Yes
FUSE UNIT	Type of fuse	Rewirable Porcelain Fuse units
	Material of terminals	Silver Plated
	Material of contactors	Electrolytic copper
CERTIFICATIONS	Availability of Type test report from Central Government/NABL/ILAC accredited laboratory to prove conformity to the specification	Yes
	Test report number and date - Must declare	LSCM/1268
	Name of lab and address - Must declare	ERDA

Agreed to furnish all the test reports and certificates to the buyer/consignee on demand		Yes	
खरीदार परिभाषित अतिरिक्त विशेषता के लिए Buyer Defined Additional Specification for MUNEET C1393E 3 Pole and Neutral Switch Fuse Unit 415 volts			
विवरण Specification		मूल्य Value	
Material		Contactors: Electrolytic copper, terminals: Silver Plated	
Enclosure		Type of Enclosure: Surface Mounted, Knock-outs at enclosure cable entry: Top and bottom,	
Conformity to the specification		as per IS/IEC:60947-3:1999 latest	
Mounting holes for fixing the enclosure		Yes	
Door interlocking facility		Yes	
Product Specification for MUNEET C1393E 2 Pole Switch Fuse Unit 240 volts			
विवरण Specification		उप-विवरण Sub-Spec	
		मूल्य Value	
RATINGS	Rated operational Voltage (in Volt)		240
	Rated frequency (in Hz)		50
	Number of Pole		2 Pole
	Current rating (in Ampere)		32
	Rated Insulation voltage (in Volt)		440
	Rated impulse withstand voltage (in KV)		3
	Rated short circuit breaking capacity, Minimum (in KA, r.m.s.)		3
GENERIC	Conformity to the specification		as per IS/IEC:60947-3:1999 latest
	Whether product ISI Marked (Select 2 for ISI Marked product, Select 1 for Non ISI Marked product)		2
	BIS License Number (CM/L Number) - Must declare (If Non ISI Marked write N/A)		9517183
	Switch Fuse Unit contains		Enclosure with door,Fuse units-Rewirable,Terminals,Contactors,Operating handle
	Utilisation category		AC-22A
	Warranty (in Years)		1
CONSTRUCTION	Type of enclosure		Surface Mounted
	Material of enclosure		CRCA Sheet, 2 mm thick
	Knock-outs at enclosure cable entry		Top and bottom
	Mounting holes for fixing the enclosure		Yes
	Door interlocking facility		Yes
	Degree of protection		IP54
	Mechanical Endurance, Minimum (in No.of cycles)		10000
	Fixing accessories for mounting of enclosures		Yes
FUSE UNIT	Type of fuse		Rewirable Porcelain Fuse units
	Material of terminals		Silver Plated
	Material of contactors		Electrolytic copper
CERTIFICATIONS	Availability of Type test report from Central Government/NABL/ILAC accredited laboratory to prove conformity to the specification		Yes
	Test report number and date - Must declare		LSCM/1286
	Name of lab and address - Must declare		ERDA
	Agreed to furnish all the test reports and certificates to the buyer/consignee on demand		Yes
खरीदार परिभाषित अतिरिक्त विशेषता के लिए Buyer Defined Additional Specification for MUNEET C1393E 2 Pole Switch Fuse Unit 240 volts			
विवरण Specification		मूल्य Value	
Material		Contactors: Electrolytic copper, terminals: Silver Plated	
Conformity to the specification		as per IS/IEC:60947-3:1999 latest	

Enclosure	Type of Enclosure: Surface Mounted, Knock-outs at enclosure cable entry: Top and bottom,
Mounting holes for fixing the enclosure	Yes
Door interlocking facility	Yes

मूल्य द्विभाजन एक्सेल फ़ाइल विवरण | Price Bifurcation Excel File details: [Techno-Commercial Documents to be uploaded for Qualification](#)

ईपीबीजी विवरण | ePBG Detail

सलाहकार बैंक Advisory Bank :	State Bank of India
ईपीबीजी प्रतिशत (%) ePBG Percentage(%):	10.00
बोती लगाने वाले को बोती के नियमों और शर्तों के अनुसार लागू ईपीबीजी प्रस्तुत करना होगा The bidder shall furnish ePBG as applicable as per bid's terms and conditions	

आरसीएम/एफसीएम के संबंध में सामान्य खंड | General Clauses w.r.t RCM/FCM

- Where ever RCM is applicable, for sellers (Regular GST registered seller who opted out of FCM as per notifications of GST like GTA , unregistered seller), Buyer have liability of paying the GST and GST cess to the government on the specified rate mentioned by them in this contract. Seller will invoice buyer with Zero GST and GST cess.
- For Registered sellers as per FCM, rates will be inclusive of prescribed rate of GST and GST cess. ITC available to buyer as shown in the bid document have been applied while evaluating the bids. Seller has liability of paying the GST and GST cess to the govt and same will be charged from buyer while invoice.
- For Registered sellers who opted for RCM while quoting for specified category under section 9(3) like GTA rates will be exclusive of GST and GST cess. GST and GST cess as indicated by the buyer in the bid document payment of GST and GST Cess will be the liability of buyer.
- For Unregistered sellers Liability of payment of GST and GST cess is in Buyers scope. GST and GST cess as indicated by the buyer in the bid document will be the liability of buyer . Unregistered seller will invoice buyer with zero GST and Zero GST cess.
- For sellers under Composition Scheme: There is no liability of payment of GST and GST cess in Buyers scope. Seller will invoice Zero GST and GST cess in the invoice to buyer.

नियम और शर्तें| Terms and Conditions

1. General Terms and Conditions-

- 1.1 This contract is governed by the [General Terms and Conditions](#), conditions stipulated to this Product/Service as provided in the Marketplace.
- 1.2 This Contract between the Seller and the Buyer, is for the supply of the Goods and/ or Services, detailed in the schedule above, in accordance with the General Terms and Conditions (GTC) unless otherwise superseded by Goods / Services specific Special Terms and Conditions (STC) and/ or BID/Reverse Auction Additional Terms and Conditions (ATC), as applicable

2. Buyer Added Bid Specific Terms and Conditions-

2.1 Generic

OPTION CLAUSE: The Purchaser reserves the right to increase or decrease the quantity to be ordered up to 25 percent of bid quantity at the time of placement of contract. The purchaser also reserves the right to increase the ordered quantity by up to 25% of the contracted quantity during the currency of the contract at the contracted rates. Bidders are bound to accept the orders accordingly.

2.2 Scope of Supply:

Scope of supply (Bid price to include all cost components) : Only supply of Goods

2.3 Buyer Added Bid Specific ATC:

Buyer Added text based ATC clauses

FOR TECHNICAL QUALIFICATION:

1. Test Certificate to be submitted along with the bid.

FOR COMMERCIAL QUALIFICATION

III. Bidder has to upload all the tender related documents asked in the Buyer Added Bid specific A T C i.e.

- Lowest Price certificate (as per Annexure C)
- Banned/ Delisted/ Debarred/ 'Put on Holiday' Certificate(as per Annexure D)
- Declaration of HSN Code and GST Rate(as per Annexure E)
- Local Content Certificate (as per Annexure F)
- Undertaking for fully satisfactory performance of orders(as per Annexure G)
- Undertaking for filling GSTR 1 & GSTR 3B Regularly(as per Annexure H)
- Undertaking for accepting all terms & conditions(as per Annexure I)

Bidder need to upload all the documents for techno-commercial acceptance of their offer.

2.4 Buyer Added Bid Specific ATC:

Buyer uploaded ATC document [Click here to view the file.](#)

2.5 Warranty:

Warranty period of the supplied products shall be 1 years from the date of final acceptance of goods or after completion of installation, commissioning & testing of goods (if included in the scope of supply), at consignee location. OEM Warranty certificates must be submitted by Successful Bidder at the time of delivery of Goods. The seller should guarantee the rectification of goods in case of any break down during the guarantee period. Seller should have well established Installation, Commissioning, Training, Troubleshooting and Maintenance Service group in INDIA for attending the after sales service. Details of Service Centres near consignee destinations are to be uploaded along with the bid.

2.6 Forms of EMD and PBG:

Bidders can also submit the EMD with Account Payee Demand Draft in favour of

MAHANADI COALFIELDS LIMITED, HINGULA AREA

payable at

TALCHER

Bidder has to upload scanned copy / proof of the DD along with bid and has to ensure delivery of hardcopy to the Buyer within 5 days of Bid End date / Bid Opening date.

2.7 Forms of EMD and PBG:

Bidders can also submit the EMD with Banker's Cheque in favour of

MAHANADI COALFIELDS LIMITED, HINGULA AREA

payable at

TALCHER

Bidder has to upload scanned copy / proof of the BC along with bid and has to ensure delivery of hardcopy to the Buyer within 5 days of Bid End date / Bid Opening date.

2.8 Forms of EMD and PBG:

Bidders can also submit the EMD with Payment online through RTGS / internet banking in Beneficiary name

MAHANADI COALFIELDS LIMITED, HINGULA AREA

Account No.

11094460922

IFSC Code

SBIN0012068

Bank Name

STATE BANK OF INDIA

Branch address

Hingula Area, Mahendrapur, BALARAM TOWNSHIP, PO- NEHRU SATABDI NAGAR, BHARATPUR, DIST-ANGUL, ODISHA, 759148

Bidder to indicate bid number and name of bidding entity in the transaction details field at the time of on-line transfer. Bidder has to upload scanned copy / proof of the Online Payment Transfer along with bid.

2.9 Forms of EMD and PBG:

Successful Bidder can submit the Performance Security in the form of Payment online through RTGS / internet banking also (besides PBG which is allowed as per GeM GTC). On-line payment shall be in Beneficiary name

MAHANADI COALFIELDS LIMITED, HINGULA AREA

Account No.

11094460922

IFSC Code

SBIN0012068

Bank Name

STATE BANK OF INDIA

Branch address

Hingula Area, Mahendrapur, BALARAM TOWNSHIP, PO- NEHRU SATABDI NAGAR, BHARATPUR, DIST-ANGUL, ODISHA, 759148

. Successful Bidder to indicate Contract number and name of Seller entity in the transaction details field at the time of on-line transfer. Bidder has to upload scanned copy / proof of the Online Payment Transfer in place of PBG within 15 days of award of contract.

2.10 Certificates:

Bidder's offer is liable to be rejected if they don't upload any of the certificates / documents sought in the Bid document, ATC and Corrigendum if any.

नोट: यह सिस्टम जनरेटेड फाइल है। कोई हस्ताक्षर की आवश्यकता नहीं है। इस दस्तावेज़ का प्रिंट आउट भुगतान/लेनदेन उद्देश्य के लिए मान्य नहीं है।

Note: This is system generated file. No signature is required. Print out of this document is not valid for payment/ transaction purpose.