

अनुबंध | Contract



अनुबंध क्रमांक | Contract No: GEMC-511687720254648

अनुबंध तिथि | Generated Date : 04-May-2024

संगठन विवरण Organisation Details		खरीदार विवरण Buyer Details	
प्रकार Type :	State Autonomous	पद Designation :	PACS CHAIRMAN
मंत्रालय Ministry :	-	संपर्क नंबर Contact No. :	-
विभाग Department :	Co-operative Department Bihar	ईमेल आईडी Email ID :	buycon2257.cd.bh@gembuyer.in
संगठन का नाम Organisation Name :	Co-operative Department	जीएसटीआईएन GSTIN :	-
कार्यालय क्षेत्र Office Zone:	Chainpur Kaimur Bhabua	पता Address :	VILL MAJHUA CHAINPUR KAIMUR, KAIMUR (BHABUA), BIHAR-821106, India

वित्तीय स्वीकृति विवरण Financial Approval Detail		भुगतान प्राधिकरण विवरण Paying Authority Details	
आईएफडी सहमति IFD Concurrence :	No	Role:	PAO
प्रशासनिक अनुमोदन का पदनाम	PACS MANAGEMENT	भुगतान का तरीका	Offline
Designation of Administrative Approval:	PACS MANAGEMENT	Payment Mode:	PACS MANAGER
वित्तीय अनुमोदन का पदनाम	PACS MANAGEMENT	ईमेल आईडी Email ID :	pao2818.cd.bh@gembuyer.in
Designation of Financial Approval :		जीएसटीआईएन GSTIN :	-
		पता Address:	VILL MAJHUA CHAINPUR KAIMUR, Kaimur (bhabua), BIHAR-821106, India

विक्रेता विवरण Seller Details	
जेम विक्रेता आईडी GeM Seller ID :	FTPT200001811635
कंपनी का नाम Company Name :	PUNJAB AGRICULTURAL IMPLEMENTS PRIVATE LIMITED
संपर्क नंबर Contact No. :	09412233669
ईमेल आईडी Email ID :	suryathreshers@gmail.com
पता Address :	6,,Punjab Agricultural Implements Pvt. Ltd.,Railway Road,Near Bus Stand, Saharanpur, UTTAR PRADESH-247001, -
एमएसएपई पंजीकरण संख्या MSME Registration number :	UDYAM-UP-64-0002810
एमएसई सामाजिक श्रेणी MSE Social Category :	General
एमएसई लिंग श्रेणी MSE Gender :	Male
जीएसटीआईएन GSTIN:	09AABCP3298B1ZG (R) , (M)

*जिसके नाम के पक्ष में GST/TAX इनवॉइस पेश किया जाएगा | GST / Tax invoice to be raised in the name of - Buyer

वितरण निर्देश | Delivery Instructions : NA

उत्पाद विवरण | Product Details

#	आइटम विवरण Item Description	आइटम विवरण Ordered Quantity	इकाई Unit	इकाई मूल्य (INR) Unit Price (INR)	कर विभाजन (INR) Tax Bifurcation (INR)	मूल्य (INR में सभी शुल्क और कर सहित) Price (Inclusive of all Duties and Taxes in INR)
1	उत्पाद का नाम Product Name : SARDAR REAPER Multi Speed Agriculture rotavator ब्रांड Brand : SARDAR REAPER ब्रांड प्रकार Brand Type : Registered Brand कैटलॉग की वित्तीय Catalogue Status: Catalogue not verified by OEM कैसे बेचा जा रहा है Selling As : Reseller not verified by OEM श्रेणी का नाम और चतुर्भाँश Category Name & Quadrant : Agriculture rotavator (Q3) मॉडल Model: SARDAR ROTAVATOR एचएसएन कोड HSN Code: HSN not specified by seller	1	pieces	130,758	NA	130,758
कुल ऑर्डर मूल्य Total Order Value (in INR)						130,758

परेषिती विवरण | Consignee Detail

क्र.सं. S.No	परेषिती Consignee	वस्तु Item	लॉट नंबर Lot No.	मात्रा Quantity	दिनांक के बाद डिलीवरी शुरू करना है Delivery Start After	वितरण पूरा कब तक करना है Delivery To Be Completed By
1	पद Designation : PACS CHAIRMAN ईमेल आईडी Email ID : buycon2257.cd.bh@gembuyer.in संपर्क Contact : - जीएसटीआईएन GSTIN : - पता Address : VILL MAJHUA CHAINPUR KAIMUR,	SARDAR REAPER Multi Speed Agriculture rotavator	-	1	04-May-2024	19-May-2024

Product Specification for SARDAR REAPER Multi Speed Agriculture rotavator

विवरण Specification	उप-विवरण Sub-Spec	मूल्य Value
Performance Parameters	Purpose	It is used to as primary cum secondary tillage implement which help to conserve previous soil moisture and pulverises soil up-to 6 inches of depth or more.
	Facility of tractor PTO operated mechanism for Rotavator	Yes
	Type of hitch attachment/Linkage	3-point linkage
	Power range which can be utilized to operate Rotavator	50 hp to 60 hp
	Type of gear box used	Multi Speed
	Type of Side Transmission Drive	Chain Drive
	Types of gear used	Spur,Helical,Double Helical
	Number of chain drive used	2
	Availability of chain/Gear cover part for safety	Yes
	PTO speed required in rpm	540
	Rotor Speed in rpm (with ± 10 rpm tolerance)	300
	Shape of Cutting Blade	L-Shape
	Type of cutting edge of blade	Plane
	Hardness of Edge portion	40 to 55 HRC
	Hardness on Shank portion	37 to 45 HRC
	Total number of blade on rotor	42
	Number of blade per Flange	3
	Cutter Blade should be Dynamically balanced	Yes
	Number of flange in rotor shaft	5
	Types of bearing used	Ball
	Make of bearing	NBC
	Agriculture Rotavator shall be capable to tillage both wet and dry soil land	Yes
	Availability of Adjustable Depth Skids	Yes
	Availability of Offset Adjustable frame	Yes
	Safety clutch/Device (Shear Bolt) in PTO shaft shall be provided	Yes
	Rotavator Stand shall be provided	Yes
	Rotavator Shield to prevent flying of mud & stone shall be provided	Yes
	Facility Side Disc assembly	Yes
	Guard over propeller shaft shall be provided	Yes
	Availability of lubrication system	Yes
	Rotavator primary reduction gear/gearbox,Secondary reduction gear/gearbox, Rotary axle bearing shall be with effective sealing to protect from dust &Water(No ingress of mud & Water into them)	Yes
	Marking/labeling of rotavator shall be mention	Yes
	Warranty in years	3
	Rotavator should have minimum vibration during operation	Yes
	Noise level of rotavator in db on full load	60
	Number of Spare Blades for Rotavator	5
	Rotavator frame and Blades must be Rust Proof	Yes
	Product instruction manual shall be supplied	Yes
	Standard Tool Kit for maintainance and Trouble Shooting to be provided with Machine	Yes
	Demonstration of equipment and training to be provided after completing supplies before Acceptance	Yes
	Material of frame of rotavator	MS
	Diameter of rotar shaft in mm (with ± 2 mm tolerance)	80

Material and Dimensional Parameters	Rotor Diameter (including flange & blade mounted on flange) in mm	400
	Material for Cutting Blade	HCS
	Cutting Blade thickness in mm	8
	Cutting blade width in mm	70
	Orientation of blade in degree	35
	Length of blade along the flange in mm	150
	Length of blade along the rotor shaft in mm	110
	Distance between consecutive flanges in mm(with ± 2 mm tolerance)	235
	Working width by rotavator in inches	48
	Working depth by rotavator in inches	5
	Depth of puddle in wet land operation in mm	130
	Dimensions of 3-point attachment of rotavator as per IS:4468 (part-1) 1997 Standard	Yes
	Dimensions of power input connection (PIC) of implement as per IS:4931-1995 Standard	Yes
	Size of rotavator (Lx W x H) in inches	30.5 X 70.8X 42.8
	Weight of Rotavator in Kg	110
Reports	Availability of ISO certification of manufacturer	No
	ISO certification Number & issued date, If ISO certificate not available then put NA	NA
	Certifications to be furnished to buyer on demand at time of supplies	NA

टिप्पणी|Note:: Seller has given an undertaking that it has made arrangements for getting the stores from an authorized distributor / dealer / channel partner of the OEM of the offered product. At the time of delivery of goods, Seller will provide necessary chain documents (in the form of GST Invoice) to prove that the supplied goods are genuine and are being sourced from an authorized distributor / dealer / channel partner of the OEM. In case of any complaint about genuineness of the supplied products, Seller shall be responsible for providing genuine replacement supplies.

ईपीबीजी विवरण | ePBG Detail

NA

नियम और शर्तें| Terms and Conditions

1. General Terms and Conditions-

- 1.1 This contract is governed by the [General Terms and Conditions](#), conditions stipulated to this Product/Service as provided in the Marketplace.
- 1.2 This Contract between the Seller and the Buyer, is for the supply of the Goods and/ or Services, detailed in the schedule above, in accordance with the General Terms and Conditions (GTC) unless otherwise superseded by Goods / Services specific Special Terms and Conditions (STC) and/ or BID/Reverse Auction Additional Terms and Conditions (ATC), as applicable

नोट: यह सिस्टम जनरेटेड फाइल है। कोई हस्ताक्षर की आवश्यकता नहीं है। इस दस्तावेज़ का प्रिंट आउट भुगतान/लेनदेन उद्देश्य के लिए मान्य नहीं है।

Note: This is system generated file. No signature is required. Print out of this document is not valid for payment/ transaction purpose.