

अनुबंध | Contract



अनुबंध क्रमांक | Contract No: GEMC-511687797633200

अनुबंध तिथि | Generated Date : 06-May-2024

बोली/आरए/पीबीपी संख्या | Bid/RA/PBP No.: [GEM/2024/B/4834031](#)

संगठन विवरण Organisation Details	खरीदार विवरण Buyer Details
प्रकार Type : Central Government मंत्रालय Ministry : Ministry of Railways विभाग Department : Indian Railways संगठन का नाम Organisation Name : Southern Railway कार्यालय क्षेत्र Office Zone : Southern Railway	पद Designation : SrDMMSA संपर्क नंबर Contact No. : 111-2345678- ईमेल आईडी Email ID : amm@sa.railnet.gov.in जीएसटीआईएन GSTIN : 33AAAGM0289C1ZQ पता Address : Office of the Sr. Divisional Materials Manager DRM Office SALEM, TAMIL NADU-636005, India

वित्तीय स्वीकृति विवरण Financial Approval Detail	भुगतान प्राधिकरण विवरण Paying Authority Details
आईएफडी सहमति IFD Concurrence : No प्रशासनिक अनुमोदन का पदनाम Designation of Administrative Approval : DSC/SA वित्तीय अनुमोदन का पदनाम Designation of Financial Approval : DSC/SA	Role: BUYER भुगतान का तरीका Payment Mode: Railways पद Designation : SrDMMSA ईमेल आईडी Email ID : amm@sa.railnet.gov.in जीएसटीआईएन GSTIN : 33AAAGM0289C1ZQ पता Address : Office of the Sr. Divisional Materials Manager DRM Office SALEM, TAMIL NADU-636005, India

विक्रेता विवरण Seller Details
जेम विक्रेता आईडी GeM Seller ID : 6B53190000904595 कंपनी का नाम Company Name : THE JASMINE PEARL संपर्क नंबर Contact No. : 09810651505 ईमेल आईडी Email ID : surajaggarwal2001@yahoo.com पता Address : Khasra No-107/4, GF, Pole No-MDKM340,Gali No-1 Swarn Park,Mundka,Mundka, West Delhi, DELHI-110041, - एमएसएमई सत्यापित MSME verified : Yes एमएसएमई पंजीकरण संख्या MSME Registration number : UDYAM-DL-11-0012989 एमएसएमई सामाजिक श्रेणी MSE Social Category : General एमएसएमई लिंग श्रेणी MSE Gender : Male जीएसटीआईएन GSTIN: 07ACTPA9248F1ZC (R) , (M)

*जिसके नाम के पक्ष में GST/TAX इनवॉइस पेश किया जाएगा | GST / Tax invoice to be raised in the name of - Consignee

वितरण निर्देश | Delivery Instructions : Material to be delivered to Mr. Saurav Kumar (Office of the Divisional Security Commissioner Salem - RPF Salem Division SALEM, 636005, SALEM, TAMIL NADU - 636005) Contact No. 9095767528. 9894571417.

#	आइटम विवरण Item Description	आइटम विवरण Ordered Quantity	इकाई Unit	इकाई मूल्य (INR) Unit Price (INR)	कर विभाजन (INR) Tax Bifurcation (INR)	मूल्य (INR में सभी शुल्क और कर सहित) Price (Inclusive of all Duties and Taxes in INR)
1	उत्पाद का नाम Product Name : THE JASMINE PEARL Executive Table with One side pedestal ब्रांड Brand : THE JASMINE PEARL ब्रांड प्रकार Brand Type : Registered Brand कैटलॉग की स्थिति Catalogue Status: OEM verified catalogue कैसे बेचा जा रहा है Selling As : OEM श्रेणी का नाम और चतुर्थांश Category Name & Quadrant : Executive Table (V2) (Q3) मॉडल Model: TJP EXECUTIVE TABLE(V2) एचएसएन कोड HSN Code: HSN not specified by seller	12	pieces	8,844	NA	106,128
कुल ऑर्डर मूल्य Total Order Value (in INR)						106,128

क्र.सं. S.No	परोक्षिती Consignee	वस्तु Item	लॉट नंबर Lot No.	मात्रा Quantity	दिनांक के बाद डिलीवरी शुरू करना है Delivery To Be

					Delivery Start After	Completed By
1	<p>पद Designation :- ईमेल आईडी Email ID : dsc@sa.railnet.gov.in संपर्क Contact :- जीएसटीआईएन GSTIN :- पता Address : Office of the Divisional Security Commissioner Salem - RPF Salem Division SALEM, 636005, SALEM, TAMIL NADU-636005, India</p>	THE JASMINE PEARL Executive Table with One side pedestal unit	-	12	06-May-2024	20-Jun-2024

Product Specification for THE JASMINE PEARL Executive Table with One side pedestal unit

विनिर्देश Specification	उप-विनिर्देश Sub-Spec	मूल्य Value
GENERIC	Structure /Frame of table	Gable end and modesty panel
	Frame type	Freestanding
	Accessories /Optional requirement for table	Internet point
	The type of Storage provided	One side pedestal unit
	Keyboard tray	Not provided
	Footrest	Provided
	Mode of supply	Assembled Ready To Use
MATERIAL	Tabletop Material	Prelaminated particle board(Wood Product) of grade II type II of IS 12823/Lates
	Thickness of table top material (± 1 mm)	19 mm
	Gable end material	Prelaminated particles board(wood product) of grade II type III of IS 12823/Latest
	The thickness of the gable end	19 mm
	Modesty panel material	Three Layer Prelaminated particles board(wood product) of grade II type III of IS 12823/Latest
	The thickness of the modesty panel material	18 mm
	Gable end and modesty panel plain side	Edge to be banded with PVC tape 2 mm thick with the help of hot melt glue
	Table top edges	Edge to be banded with PVC tape 2 mm thick with the help of hot melt glue
	Leg Material	NA
	The thickness of the Leg material	NA
	Beam Material	NA
	Number of buffers provided	NA
DIMENSION	Width of tabletop ±10 mm	1200 mm
	Depth of table ±10 mm	600 mm
	Height of table ±10 mm	750 mm
	Size (L x W) /diameter of leg material ± 5 mm	NA
EXTENDED RETURN UNIT	ERU unit consists of	No ERU
	ERU top material	NA
	ERU top material thickness ± 2 mm	NA
	Width of ERU unit ± 10 mm	NA
	Depth of ERU unit ± 5 mm	NA
	Height of ERU unit ± 5 mm	NA
	ERU side panel material	NA
	ERU side panel Thickness ± 2 mm	NA
	Number of lockable castors at the bottom	NA
	Size of lockable castors ± 2 mm	NA
	Type of storage lock system	NA
	Drawer /storage shutter pull-up mechanism	NA
ERU outer Surface Finish	NA	

	ERU shade	NA
PEDESTAL UNIT	Total Number of drawers /storage in Pedestal units	Three drawers
	Complete body fascia and drawer material in Pedestal Unit	Three layers of Prelaminated particle board(Wood Product) of grade II type II of IS 12823/Latest
	Thickness of the complete body fascia & drawer material	19 mm
	Material for back panel in pedestal unit	Three layers of Prelaminated particle board(Wood Product) of grade II type II of IS 12823/Latest
	Back Panel Thickness in Pedestal Unit	18 mm
	Drawer Bottom Material	Three layers of Prelaminated particle board(Wood Product) of grade II type II of IS 12823/Latest
	Drawer Bottom Material Thickness	18 mm
	Provision of Castor in Pedestal unit	Without
	Lock provided (for pedestal unit)	Individual lock
	Pedestal handle material	Mazak
	Pedestal outer finish	Laminate in color with swede finish 0.6 - 0.8 mm thickness of type S, F or P having index no.3.2.3 conforming to IS 2046/Latest with having balancing laminate of 0.5 mm thick on another side
	Pedestal shade	Natural shade
	Width of Pedestal unit in mm (± 10 mm)	600 mm
	Depth of pedestal unit ± 10 mm	400 mm
Height of pedestal unit ± 5 mm	255 mm	
KEYBOARD TRAY	Material of keyboard tray and Right angle L-type supporting bracket	NA
	Material thickness of keyboard tray ± 1 mm	NA
	Fixing of supporting bracket	NA
	Length of telescopic channel ± 10 mm	NA
	Keyboard height ± 10 mm	NA
	Keyboard front width ± 10 mm	NA
	Keyboard depth ± 10 mm	NA
FOOTREST	Material of footrest	Three layer Prelaminated particles board(wood product)conforming to grade II type III of IS 12823/Latest
	Material thickness of footrest ± 2 mm	15 mm
	Height of footrest ± 10 mm	125 mm,75 mm
	Width of footrest ± 10 mm	450 mm
	Depth of footrest ± 10 mm	300 mm
COLOUR AND FINISH	Table top finish	Laminate in color with matt finish 0.6-0.8mm thickness of type S, F or P having index no.3.2.3 conforming to IS 2046/Latest with having balancing laminate of 0.5mm thick on another side
	Tabletop shade	Natural Shade
	Table /ERU /Pedestal Panel Plain Side	All exposed edges sealed with 2 mm PVC edge banding tape and all unexposed edges sealed with 0.6mm edge banding tape pressed at 200 degrees C with hot melt glue
WARRANTY	Warranty period	1 Year
CERTIFICATION	Test reports to be furnished to the buyer on demand	No
	The product has BIFMA certification	Yes
	OEM of the offered product is ISO 9001:2015 certified	Yes
	OEM of the offered product is ISO 14001:2015 certified	Yes
	OEM of the offered product is ISO 45001:2018 certified	Yes
	The product has GREENGUARD certification	No
	The product has Green Pro certification	No

खरीदार परिभाषित अतिरिक्त विशिष्टता के लिए | Buyer Defined Additional Specification for THE JASMINE PEARL Executive Table with One side pedestal unit

विनिर्देश Specification	मूल्य Value
Warranty period	12 Month(S) from the date supply,

ईपीबीजी विवरण | ePBG Detail

सलाहकार बैंक Advisory Bank :	NA
ईपीबीजी प्रतिशत (%) ePBG Percentage(%):	NA

नियम और शर्तें | Terms and Conditions

1. General Terms and Conditions-

- 1.1 This contract is governed by the [General Terms and Conditions](#), conditions stipulated to this Product/Service as provided in the Marketplace.
- 1.2 This Contract between the Seller and the Buyer, is for the supply of the Goods and/ or Services, detailed in the schedule above, in accordance with the General Terms and Conditions (GTC) unless otherwise superseded by Goods / Services specific Special Terms and Conditions (STC) and/ or BID/Reverse Auction Additional Terms and Conditions (ATC), as applicable

2. Buyer Added Bid Specific Terms and Conditions-

2.1 *Generic*

OPTION CLAUSE: The Purchaser reserves the right to increase or decrease the quantity to be ordered up to 25 percent of bid quantity at the time of placement of contract. The purchaser also reserves the right to increase the ordered quantity by up to 25% of the contracted quantity during the currency of the contract at the contracted rates. Bidders are bound to accept the orders accordingly.

2.2 *Scope of Supply:*

Scope of supply (Bid price to include all cost components) : Only supply of Goods

2.3 *Purchase Preference (Centre):*

Purchase preference to Micro and Small Enterprises (MSEs): Purchase preference will be given to MSEs as defined in Public Procurement Policy for Micro and Small Enterprises (MSEs) Order, 2012 dated 23.03.2012 issued by Ministry of Micro, Small and Medium Enterprises and its subsequent Orders/Notifications issued by concerned Ministry. If the bidder wants to avail the Purchase preference, the bidder must be the manufacturer of the offered product in case of bid for supply of goods. Traders are excluded from the purview of Public Procurement Policy for Micro and Small Enterprises. In respect of bid for Services, the bidder must be the Service provider of the offered Service. Relevant documentary evidence in this regard shall be uploaded along with the bid in respect of the offered product or service. If L-1 is not an MSE and MSE Seller (s) has/have quoted price within L-1+ 15% of margin of purchase preference /price band defined in relevant policy, such Seller shall be given opportunity to match L-1 price and contract will be awarded for percentage of 25% of total value.

2.4 *Certificates:*

Bidder's offer is liable to be rejected if they don't upload any of the certificates / documents sought in the Bid document, ATC and Corrigendum if any.

2.5 *Certificates:*

Material Test Certificate Should Be Sent Along with The Supply. The Material Will Be Checked by Buyer's Lab & the Results of the Lab will be the Sole Criteria for Acceptance of the Item.

2.6 *Certificates:*

The bidder is required to upload, along with the bid, all relevant certificates such as BIS licence, type test certificate, approval certificates and other certificates as prescribed in the Product Specification given in the bid document.

2.7 *Certificates:*

To be eligible for award of contract, Bidder / OEM must possess following Certificates / Test Reports on the date of bid opening (to be uploaded with bid):

Bidder to provide OEM authorization/dealership certificate along with bid. Failing which offer wont be considered.

2.8 *Warranty:*

Warranty period of the supplied products shall be 1 years from the date of final acceptance of goods or after completion of installation, commissioning & testing of goods (if included in the scope of supply), at consignee location. OEM Warranty certificates must be submitted by Successful Bidder at the time of delivery of Goods. The seller should guarantee the rectification of goods in case of any break down during the guarantee period. Seller should have well established Installation, Commissioning, Training, Troubleshooting and Maintenance Service group in INDIA for attending the after sales service. Details of Service Centres near consignee destinations are to be uploaded along with the bid.

2.9 *Buyer Added Bid Specific ATC:*

Buyer Added text based ATC clauses

(I) Bidder to provide OEM authorization/dealership certificate along with Supply.

(II) Bidder to attach photo of the offered product. Failing which offer wont be considered.

(III) Bidder to provide detailed product sheet with Supply.

(IV) For delivery period extensions or any amendments request for purchase order please mail to [a mm@sa.railnet.gov.in](mailto:mm@sa.railnet.gov.in)

(V) For technical clarification, bill payments and delivery location contact office of the DSC/SALEM S outhern railway Contact No, 9095767528.

नोट: यह सिस्टम जनरेटेड फाइल है। कोई हस्ताक्षर की आवश्यकता नहीं है। इस दस्तावेज़ का प्रिंट आउट भुगतान/लेनदेन उद्देश्य के लिए मान्य नहीं है।

Note: This is system generated file. No signature is required. Print out of this document is not valid for payment/ transaction purpose.