

अनुबंध | Contract



अनुबंध क्रमांक | Contract No: GEMC-511687726164631

अनुबंध तिथि | Generated Date : 06-May-2024

बोली/आरए/पीबीपी संख्या | Bid/RA/PBP No.: [GEM/2024/B/4848028](#)

संगठन विवरण Organisation Details		खरीदार विवरण Buyer Details						
प्ररूप Type : मंत्रालय Ministry : विभाग Department : संगठन का नाम Organisation Name : कार्यालय क्षेत्र Office Zone:		Central Government Ministry of Railways Indian Railways Southern Railway Southern Railway		पद Designation : संपर्क नंबर Contact No. : ईमेल आईडी Email ID : जीएसटीआईएन GSTIN : पता Address :				
		DMM MAS 044-25352269- dmmmas@mas.railnet.gov.in 33AAAGM0289C1ZQ Office of the Senior Divisional Material Manager Divisional Railway Manager Office Chennai Division Park Town,Chennai-600003, CHENNAI, TAMIL NADU-600003, India						
वित्तीय स्वीकृति विवरण Financial Approval Detail				भुगतान प्राधिकरण विवरण Paying Authority Details				
आईएफडी सहमति IFD Concurrence : प्रशासनिक अनुमोदन का पदनाम Designation of Administrative Approval: वित्तीय अनुमोदन का पदनाम Designation of Financial Approval :				No SR.DCM/MAS (CONTACT PERSON- MR. ARAVIND, CELL NO. 90031 61975) SR.DFM/MAS				
				Role: CONSIGNEE				
विक्रेता विवरण Seller Details								
जेम विक्रेता आईडी GeM Seller ID : कंपनी का नाम Company Name : संपर्क नंबर Contact No. : ईमेल आईडी Email ID :		B78F180000091056 DURIAN INDUSTRIES LIMITED 07506007703 marketing@durian.in 401,susheel kumar bansal,susheel kumar bansal,Durian Industries Ltd 401 the summit, W.E Highway, Hanuman Road,,VILE PARLE (EAST), Mumbai, Maharashtra-400057, - No UDYAM-MH-19-0013829 General Male 27AAACD1698N1Z6 (B) , 21AAACD1698N1ZI (B) , 20AAACD1698N1ZK (B) , 27AAACD1698N1Z6 (B) , 20AAACD1698N1ZK (B) , 27AAACD1698N1Z6 (M) , 10AAACD1698N1ZL (B) , 07AAACD1698N1Z8 (B) , (B) , 27AAACD1698N1Z6 (M) , 34AAACD1698N1ZB (B) , 33AAACD1698N1ZD (B) , 27AAACD1698N1Z6 (B) , (B) , (R) , 24AAACD1698N1ZC (B) , 05AAACD1698N1ZC (B) , 33AAACD1698N1ZD (B) , 09AAACD1698N2Z3 (B) , 06AAACD1698N1ZA (B) , 23AAACD1698N2ZD (B) , 03AAACD1698N1ZG (B) , 20AAACD1698N1ZK (B) , 24AAACD1698N1ZC (B) , 23AAACD1698N2ZD (B) , 20AAACD1698N1ZK (B) , 03AAACD1698N1ZG (B) , 07AAACD1698N1Z8 (B) , 03AAACD1698N1ZG (B) , 23AAACD1698N2ZD (B) , 19AAACD1698N2Z2 (B) , (B) , 33AAACD1698N1ZD (B) , 07AAACD1698N1Z8 (B) , 29AAACD1698N2Z1 (B) , 33AAACD1698N1ZD (B) , 18AAACD1698N4Z2 (B) , 19AAACD1698N2Z2 (B) , 03AAACD1698N1ZG (B) , 07AAACD1698N1Z8 (B) , 27AAACD1698N1Z6 (B) , 24AAACD1698N1ZC (B) , 01AAACD1698N1ZK (B) , 24AAACD1698N1ZC (B) , 27AAACD1698N1Z6 (B) , (B) , 10AAACD1698N1ZL (B) , 20AAACD1698N1ZK (B) , 29AAACD1698N2Z1 (B) , 07AAACD1698N1Z8 (B) , 08AAACD1698N1Z6 (B) , 23AAACD1698N2ZD (B) , 29AAACD1698N2Z1 (B) , 27AAACD1698N1Z6 (B)						
जीएसटीआईएन GSTIN:								
*जिसके नाम के पक्ष में GST/TAX इनवॉइस पेश किया जाएगा GST / Tax invoice to be raised in the name of - Consignee								
वितरण निर्देश Delivery Instructions : 02 SULLURUPETA RAILWAY STATION, 02 TIRUTTANI RAILWAY STATION, 02 GUINDY RAILWAY STATION and 03 ST THOMAS MOUNT RAILWAY STATION.								
उत्पाद विवरण Product Details								
#	आइटम विवरण Item Description			आइटम विवरण Ordered Quantity	इकाई Unit	इकाई मूल्य (INR) Unit Price (INR)	कर विभाजन (INR) Tax Bifurcation (INR)	मूल्य (INR में सभी शुल्क और कर सहित) Price (Inclusive of all Duties and Taxes in INR)
1	उत्पाद का नाम Product Name : DURIAN Almirah Steel shelving cabinets ब्रांड Brand : DURIAN ब्रांड प्रकार Brand Type : Registered Brand कैटलॉग की स्थिति Catalogue Status: OEM verified catalogue कैसे बेचा जा रहा है Selling As : OEM श्रेणी का नाम और चतुर्थांश Category Name & Quadrant : Almirah Steel (V2) (Q3) मॉडल Model: Garner एचएसएन कोड HSN Code: 9403			9	pieces	23,500	NA	211,500
कुल ऑर्डर मूल्य Total Order Value (in INR)								211,500

परेषिती विवरण Consignee Detail						
क्र.सं. S.No	परेषिती Consignee	वस्तु Item	लॉट नंबर Lot No.	मात्रा Quantity	दिनांक के बाद डिलीवरी शुरू करना है Delivery Start After	वितरण पूरा कब तक करना है Delivery To Be Completed By
1	पद Designation : - ईमेल आईडी Email ID : srdcm@mas.railnet.gov.in संपर्क Contact : 044-25355475- जीएसटीआईएन GSTIN : - पता Address : Office of the Senior Divisional Commercial Manager Divisional Railway Managers Office Park Town Chennai-600003, CHENNAI, TAMIL NADU-600003, India	DURIAN Almirah Steel shelving cabinets	-	9	06-May-2024	21-May-2024
Product Specification for DURIAN Almirah Steel shelving cabinets						
विनिर्देश Specification	उप-विनिर्देश Sub-Spec		मूल्य Value			
GENERAL REQUIREMENT	Technical specification of Almirah steel		Generally conforming to BIS specification IS: 3312:2021 (with latest amendment)			
	Type of Almirah steel		Almirah Steel shelving cabinets			
	Construction type		Riveted			
	Installation		Free standing			
	Pedestal		Yes			
	Pedestal fitted with		3 mm Teflon Bush			
	Pedestal height (± 5 mm)		100 mm			
	Locker required		Yes			
	Door type		Hinged			
	Number of door		2			
	Number of hinges (for each door)		2			
	Door stiffener up to full door height provided		No			
	Mirror fitted		No mirror			
	Number of drawers required		No Drawer			
	Shelves required		Fixed			
	Number of shelves		4			
	Uniformly distributed load (UDL) for shelves		60 Kgs.			
	Wardrobe by style		Full size			
	Tie Hanger		No			
	Colour of finish		As per Buyer's Requirement (to be indicated during bid creation)			
MATERIAL	Steel sheet material		CRCA sheets conforming to grade CRI of IS 513(part-1):2016 (with latest amendment)			
	Sheet rounds and flats		N.A			
	Screws		Conforming to IS 1365			
	Hanging rod material		No hanging rod			
	Mirror frame made out of (if provided)		No mirror frame			
	Tie hanger made out of		N.A			
	Stiffener material		No stiffener			
	Almirah height(excluding the height of pedestal) ± 5 mm		1980 mm			
	Almirah width ± 5 mm		910 mm			
	Almirah depth ± 5 mm		480 mm			
	Locker inside height ± 5 mm		No locker			
	Locker inside width ± 5 mm		N.A			
	Locker inside depth ± 5 mm		N.A			
	Drawer height		N.A			

DIMENSION	Drawer width	N.A
	Drawer depth	N.A
	Mirror sizes	N.A
	Shelves lipped flange	N.A
	Side sheet thickness	0.8 mm
	Back sheet thickness	0.8 mm
	Top sheet thickness	0.8 mm
	Bottom sheet thickness	0.8 mm
	Shelves sheet thickness	0.8 mm
	Shelves supporting bracket thickness	N.A
	Door metal stiffener thickness	0.8 mm
	Pedestal sheet thickness	1.2 mm
	Hinges sheet thickness	1.6 mm
	locker door sheet thickness	N.A
	Drawer sheet thickness	N.A
	Hanging rod wall thickness	N.A
	Hanging rod diameter ±2 mm	N.A
	Mirror frame sheet thickness	N.A
	Mirror frame border width	N.A
	Tie hanger sheet thickness	N.A
	Width of stiffener	N.A
	Stiffener sheet thickness	0.6 mm
	Number of glass sheet fixed	N.A
	Handle size	12 cm
LOCKS AND LOCKING ARRANGEMENT	Steel Almirah lock/locker lock	Cam lock with lock lever
	Material of lock	MAZAK Zinc plated
	Duplicate keys (for each)	Yes
	Keys material (for each lock)	Steel
	Steel Almirah locking mechanism	A three way bolting device controlled by a lock
	Door handle material for almirah lock	Nickel-chromium plated cast iron
	Handle material for locker	N.A
	Lockers locking mechanism	N.A
	Drawer lock	N.A
FINISH	All the mild steel parts shall be given phosphating treatment	N.A
	The process of application of phosphate coating	N.A
	Finish coat with enamels	N.A
	Powder coating	With 50 micron thickness minimum
TESTING AND CERTIFICATION	Availability of Test Report from Designated AHSP / NABL / ILAC accredited or Central Government Lab to prove conformity of products to the specification	Yes
	Test Report Number and Date	-
	Name and Address of the Lab	-
	Test reports to be furnished to buyer on demand, if claimed to be available	Yes
ईपीबीजी विवरण ePBG Detail		
सलाहकार बैंक Advisory Bank :		NA
ईपीबीजी प्रतिशत (%) ePBG Percentage(%):		NA

नियम और शर्तें | Terms and Conditions

1. General Terms and Conditions-

- 1.1 This contract is governed by the [General Terms and Conditions](#), conditions stipulated to this Product/Service as provided in the Marketplace.
- 1.2 This Contract between the Seller and the Buyer, is for the supply of the Goods and/ or Services, detailed in the schedule above, in accordance with the General Terms and Conditions (GTC) unless otherwise superseded by Goods / Services specific Special Terms and Conditions (STC) and/ or BID/Reverse Auction Additional Terms and Conditions (ATC), as applicable

2. Buyer Added Bid Specific Terms and Conditions-

2.1 Generic

OPTION CLAUSE: The Purchaser reserves the right to increase or decrease the quantity to be ordered up to 25 percent of bid quantity at the time of placement of contract. The purchaser also reserves the right to increase the ordered quantity by up to 25% of the contracted quantity during the currency of the contract at the contracted rates. Bidders are bound to accept the orders accordingly.

2.2 Scope of Supply:

Scope of supply (Bid price to include all cost components) : Only supply of Goods

2.3 Buyer Added Bid Specific ATC:

Buyer Added text based ATC clauses

INDENT/DEMAND NO: SR-021015-24-00043/90245899

CONSIGNEE: Sr. DCM/MAS

CONTACT PERSON: Mr. ARAVIND CELL NO. 90031 61975

QTY: 9 Nos

REQUIRED DESCRIPTION: Almirah Steel shelving cabinets (details of specification and warranty are enclosed in documents (annexure I)

Special Conditions

Sr.N o.	Condition
1.	Special Instructions
0.1	Acceptable Make - DURIAN, GODREJ, FEATHERLITE, METHODEX. The successful bidder has to supply one number of samples to the consignee for approval before effecting bulk delivery.
0.2	Special-Instructions DELIVERY LOCATION- 02Nos OF ALMIRAH STEEL SHELVING CABINETS to be delivered at SULLURUPETA RAILWAY STATION, 02 Nos OF ALMIRAH STEEL SHELVING CABINETS to be delivered at TIRUTTANI RAILWAY STATION, 02 OF ALMIRAH STEEL SHELVING CABINETS to be delivered at GUINDY RAILWAY STATION and 03 Nos OFALMIRAH STEEL SHELVING CABINETS to be delivered at ST THOMAS MOUNT RAILWAY STATION.
2.	Other Conditions
0.4	Details of specification and warranty are enclosed in documents (annexure I)

WARRANTY : 5 YEARS

PLEASE QUOTE AS PER BID WITH ABOVE REQUIREMENTS AND AT C ONLY

2.4 Buyer Added Bid Specific ATC:

Buyer uploaded ATC document [Click here to view the file](#).

नोट: यह सिस्टम जनरेटेड फाइल है। कोई हस्ताक्षर की आवश्यकता नहीं है। इस दस्तावेज़ का प्रिंट आउट भुगतान/लेनदेन उद्देश्य के लिए मान्य नहीं है।

Note: This is system generated file. No signature is required. Print out of this document is not valid for payment/ transaction purpose.

--