

## अनुबंध | Contract



अनुबंध क्रमांक | Contract No: GEMC-511687718818552

अनुबंध तिथि | Generated Date : 07-May-2024

बोली/आरए/पीबीपी संख्या | Bid/RA/PBP No.: [GEM/2024/B/4855621](#)

संगठन विवरण   Organisation Details	खरीदार विवरण   Buyer Details
प्रकार   Type : Central Government मंत्रालय   Ministry : Ministry of Railways विभाग   Department : Indian Railways संगठन का नाम   Organisation Name : North Western Railway कार्यालय क्षेत्र   Office Zone : North Western Railway	पद   Designation : ADMM/Jaipur/NWR संपर्क नंबर   Contact No. : 0000-0000000- ईमेल आईडी   Email ID : admm@jp.railnet.gov.in जीएसटीआईएन   GSTIN : 08AAAGM0289C1ZJ पता   Address : DRM OFFICE, JAIPUR, JAIPUR, RAJASTHAN-302006, India

वित्तीय स्वीकृति विवरण   Financial Approval Detail	भुगतान प्राधिकरण विवरण   Paying Authority Details
आईएफडी सहमति   IFD Concurrence : No प्रशासनिक अनुमोदन का पदनाम   Designation of Administrative Approval: SR.DME C&W JP( CONSIGNEE CONTACT NO 90011 99417) वित्तीय अनुमोदन का पदनाम   Designation of Financial Approval: SR.DFM/JP	Role: BUYER भुगतान का तरीका   Payment Mode: Railways पद   Designation : ADMM/Jaipur/NWR ईमेल आईडी   Email ID : admm@jp.railnet.gov.in जीएसटीआईएन   GSTIN : 08AAAGM0289C1ZJ पता   Address: DRM OFFICE, JAIPUR, JAIPUR (WEST), RAJASTHAN-302006, India

विक्रेता विवरण   Seller Details
जेम विक्रेता आईडी   GeM Seller ID : 6C29190000899125 कंपनी का नाम   Company Name : GOYAL AUTOPARTS संपर्क नंबर   Contact No. : 09836858877 ईमेल आईडी   Email ID : lhilag@gmail.com पता   Address : Room No.8-C,Bhagat Chambers,12-A, N.S. Road,,Dalhousie, Kolkata, WEST BENGAL-700001, - एमएसएमई सत्यापित   MSME verified : No एमएसएमई पंजीकरण संख्या   MSME Registration number : UDYAM-WB-10-0049184 एमएसएमई सामाजिक श्रेणी   MSE Social Category : General एमएसएमई लिंग श्रेणी   MSE Gender : Male जीएसटीआईएन   GSTIN: 19ABBPL5782G1ZF (R)

\*जिसके नाम के पक्ष में GST/TAX इनवॉइस पेश किया जाएगा | GST / Tax invoice to be raised in the name of - Consignee

वितरण निर्देश | Delivery Instructions : NA

उत्पाद विवरण   Product Details						
#	आइटम विवरण   Item Description	आइटम विवरण   Ordered Quantity	इकाई   Unit	इकाई मूल्य (INR)   Unit Price (INR)	कर विभाजन (INR)   Tax Bifurcation (INR)	मूल्य (INR में सभी शुल्क और कर सहित)   Price (Inclusive of all Duties and Taxes in INR)
1	उत्पाद का नाम   Product Name : JK TYRE Pneumatic Tyres for Commercial Vehicles as per IS 15636 With Tube Radial 20 10.00R20 ब्रांड   Brand : JK TYRE ब्रांड प्रकार   Brand Type : Registered Brand कैटलॉग की स्थिति   Catalogue Status: OEM verified catalogue कैसे बेचा जा रहा है   Selling As : OEM verified Reseller श्रेणी का नाम और चतुर्थांश   Category Name & Quadrant : Automotive Vehicles - Pneumatic Tyres for Commercial Vehicles - Diagonal and Radial Ply as per IS 15636 (Q2) मॉडल   Model: 10.00-R-20 16PR Radial Tubetype Tyre (Rib Pattern) एचएसएन कोड   HSN Code: HSN not specified by seller	4	pieces	22,636	NA	90,544
कुल ऑर्डर मूल्य   Total Order Value (in INR)						90,544

परोक्षी विवरण   Consignee Detail						
क्र.सं.   S.No	परोक्षी   Consignee	वस्तु   Item	लॉट नंबर   Lot No.	मात्रा   Quantity	दिनांक के बाद डिलीवरी शुरू करना है   Delivery Start After	वितरण पूरा कब तक करना है   Delivery To Be Completed By
	पद   Designation : -					

1	ईमेल आईडी   Email ID : ssecnw@jp.railnet.gov.in संपर्क   Contact : 0141-2206272- जीएसटीआईएन   GSTIN : 08AAAGM0289C1Z] पता   Address : DRM OFFICE, JAIPUR, JAIPUR, RAJASTHAN-302006, India	JK TYRE Pneumatic Tyres for Commercial Vehicles as per IS 15636 With Tube Radial 20 10.00R20	-	4	07-May-2024	22-May-2024
---	---	---	---	---	-------------	-------------

**Product Specification for JK TYRE Pneumatic Tyres for Commercial Vehicles as per IS 15636 With Tube Radial 20 10.00R20**

विनिर्देश   Specification	उप-विनिर्देश   Sub-Spec	मूल्य   Value
Generic	Category Of Pneumatic Tyres	Diagonal, Radial and Reinforced ply pneumatic tyres for commercial vehicles- Diagonal and radial ply as per IS 15636
	Conformity to Indian Standard IS 15636	Yes
	Manufactures Name and Trade Name	JK TYRE INDUSTRIES LIMITED
	Type of Tyre	With Tube
	Tyre Structure	Radial
	Tyre Useage	On-Road
	Category of Vehicles	Truck, Bus and Trailers Tyre
	Tyre Rim Size in Diameter in Inches	20
Tyre-Size Designations	10.00R20	
Dimensions and Other Features	Outer Diameter (mm)	1049 millimeter
	Section Height (mm)	270 millimeter
	Side Wall (mm)	262 millimeter
	Overall Width (mm)	283 millimeter
	Section Width (mm)	278 millimeter
	Nominal Aspect Ratio(mm)	100 millimeter
	Load Index	146/143(3000/2725)
	Maximum Load Rating (Mass/Kg)	3000 kilogram
	Speed Category (Km/hr)	110
	Warranty Time	3 year
Certifications	Availability of Type Test Report covering complete test parameters as per relevant BIS specification latest for Tyre type, from any ILAC/NABL accredited/Central Gov LAB	Yes
	Test Report Number	CIRT/1/A/112880
	Test Report Date	24.04.2014
	Name and Address of the Lab	CIRT
	Test Report to be Furnished as per Buyers Requirement	Yes

उत्पाद का बीआईएस लाइसेंस | BIS license of the product: 4416354

**ईपीबीजी विवरण | ePBG Detail**

सलाहकार बैंक   Advisory Bank :	NA
ईपीबीजी प्रतिशत (%)   ePBG Percentage(%):	NA

**नियम और शर्तें | Terms and Conditions**

**1. General Terms and Conditions-**

- 1.1 This contract is governed by the [General Terms and Conditions](#), conditions stipulated to this Product/Service as provided in the Marketplace.  
1.2 This Contract between the Seller and the Buyer, is for the supply of the Goods and/ or Services, detailed in the schedule above, in accordance with the General Terms and Conditions (GTC) unless otherwise superseded by Goods / Services specific Special Terms and Conditions (STC) and/ or BID/Reverse Auction Additional Terms and Conditions (ATC), as applicable

**2. Buyer Added Bid Specific Terms and Conditions-**

**2.1 Generic**

OPTION CLAUSE: The Purchaser reserves the right to increase or decrease the quantity to be ordered up to 25 percent of bid quantity at the time of placement of contract. The purchaser also reserves the right to increase the ordered quantity by up to 25% of the contracted quantity during the currency of the contract at the contracted rates. Bidders are bound to accept the orders accordingly.

**2.2 Generic**

Bidders are advised to check applicable GST on their own before quoting. Buyer will not take any responsibility in this regards. GST reimbursement will be as per actuals or as per

applicable rates (whichever is lower), subject to the maximum of quoted GST %.

**2.3 Certificates:**

Bidder's offer is liable to be rejected if they don't upload any of the certificates / documents sought in the Bid document, ATC and Corrigendum if any.

**2.4 Buyer Added Bid Specific ATC:**

Buyer Added text based ATC clauses

Buyer Added text based ATC clauses

1. Bidder will authorization, otherwise bid offer will not be considered.

2. During representation only bid documents/quoted terms & conditions clarification will be accepted. No documents will be accepted during representation after opening of technical bid.

3. Past Performance: The Bidder or its OEM (themselves or through re-seller(s)) should have supplied same or similar Category Products for 20% of bid quantity, in at least one of the last three Financial years before the bid opening date to any Central / State Govt Organization / PSU / Public Listed Company. Copies of relevant contracts along with the proof of supply like consignee receipt and acceptance certificate , receipt note, performance certificate etc (proving supply of cumulative order quantity in any one financial year) to be submitted along with bid in support of quantity supplied in the relevant Financial year.

4. Seller will provide reports and certificates to buyer/ consignee on demand.

**5. Additional Specifications**

**Generic**

Category Of Pneumatic Tyres	Diagonal, Radial and Reinforced ply pneumatic tyres for commercial vehicles- Diagonal and radial ply as per IS 15636
Conformity to Indian Standard IS 15636	Yes
Manufactures Name and Trade Name	CEATLIMITED
Type of Tyre	With Tube
Tyre Structure	Radial
Tyre Usage	On-Road
Category of Vehicles	Truck, Bus and Trailers Tyre
Tyre Rim Size in Diameter in Inches	20
Tyre-Size Designations	10.00R20

**Dimensions and Other Features**

Outer Diameter (mm)	1053 millimeter
Section Height (mm)	272.4 millimeter
Side Wall (mm)	279 millimeter
Overall Width (mm)	279 millimeter
Section Width (mm)	279 millimeter

Nominal Aspect Ratio(mm)	98 millimeter
Load Index	146/143
Maximum Load Rating (Mass/Kg)	120 kilogram
Speed Category (Km/hr)	130
Warranty Time	3 year

## Certifications

Test Report to be Furnished as per Buyers Requirement	Yes

नोट: यह सिस्टम जनरेटेड फाइल है। कोई हस्ताक्षर की आवश्यकता नहीं है। इस दस्तावेज़ का प्रिंट आउट भुगतान/लेनदेन उद्देश्य के लिए मान्य नहीं है।

Note: This is system generated file. No signature is required. Print out of this document is not valid for payment/ transaction purpose.