

## अनुबंध | Contract



अनुबंध क्रमांक | Contract No: GEMC-511687780950675

अनुबंध तिथि | Generated Date : 08-May-2024

संगठन विवरण   Organisation Details		खरीदार विवरण   Buyer Details				
प्ररूप   Type :	State Government	पद   Designation :	SECTION OFFICER			
मंत्रालय   Ministry :	-	संपर्क नंबर   Contact No. :	-			
विभाग   Department :	Personnel Administrative Reforms and Raj Bhasha Department Jharkhand	ईमेल आईडी   Email ID :	amar.topno@jharkhandmail.gov.in			
संगठन का नाम   Organisation Name :	N/A	जीएसटीआईएन   GSTIN :	-			
कार्यालय क्षेत्र   Office Zone:	STATE COMMISSION FOR BAKWARD CLASSES	पता   Address :	STATE COMMISSION FOR BACKWARD CLASSES, JHARKHAND, RANCHI, QR.NO.- E/10, SEC-II, DHURWA,RANCHI, RANCHI, JHARKHAND-834004, India			
वित्तीय स्वीकृति विवरण   Financial Approval Detail		भुगतान प्राधिकरण विवरण   Paying Authority Details				
आईएफडी सहमति   IFD Concurrence :	No	Role:	PAO			
प्रशासनिक अनुमोदन का पदनाम   Designation of Administrative Approval:	Member Secretary	भुगतान का तरीका   Payment Mode:	Offline			
वित्तीय अनुमोदन का पदनाम   Designation of Financial Approval :	Member Secretary	पद   Designation :	UNDER SECRETARY			
		ईमेल आईडी   Email ID :	mazhar.hussain69@jharkhandmail.gov.in			
		जीएसटीआईएन   GSTIN :	-			
		पता   Address:	STATE COMMISSION FOR BACKWARD CLASSES, JHARKHAND, RANCHI, QR.NO.- E/10, SEC-II, DHURWA,RANCHI, Ranchi, JHARKHAND-834004, India			
विक्रेता विवरण   Seller Details						
जेम विक्रेता आईडी   GeM Seller ID :	D9AF180000093742					
कंपनी का नाम   Company Name :	M/S INTELLIUM					
संपर्क नंबर   Contact No. :	09934049541					
ईमेल आईडी   Email ID :	nasir.intellium@gmail.com					
पता   Address :	GROUND FLOOR,INTELLIUM,JAISWAL VILLA GROUND FLOOR ANANTPUR,ANANTPUR, Ranchi, Jharkhand-834001, -					
एमएसएमई पंजीकरण संख्या   MSME Registration number :	UDYAM-JH-20-0003825					
एमएसई सामाजिक श्रेणी   MSE Social Category :	General					
एमएसई लिंग श्रेणी   MSE Gender :	Male					
जीएसटीआईएन   GSTIN:	20AFYPK9764J2ZO (B) , (R) , (S) , (M)					
*जिसके नाम के पक्ष में GST/TAX इनवॉइस पेश किया जाएगा   GST / Tax invoice to be raised in the name of - Consignee						
वितरण निर्देश   Delivery Instructions : NA						
उत्पाद विवरण   Product Details						
#	आइटम विवरण   Item Description	आइटम विवरण   Ordered Quantity	इकाई   Unit	इकाई मूल्य (INR)   Unit Price (INR)	कर विभाजन (INR)   Tax Bifurcation (INR)	मूल्य (INR में सभी शुल्क और कर सहित)   Price (Inclusive of all Duties and Taxes in INR)
1	उत्पाद का नाम   Product Name : CP PLUS 2MP DOME CAMERA ब्रांड   Brand : CP PLUS ब्रांड प्रकार   Brand Type : Registered Brand कैटलॉग की स्थिति   Catalogue Status: OEM verified catalogue कैसे बेचा जा रहा है   Selling As : OEM verified Reseller श्रेणी का नाम और चतुर्थांश   Category Name & Quadrant : Camera for CCTV System (Q2) मॉडल   Model: CP-USC-DA24L2-V5 एचएसएन कोड   HSN Code: HSN not specified by seller	1	pieces	2,600	NA	2,600
कुल ऑर्डर मूल्य   Total Order Value (in INR)						2,600
परोक्षी विवरण   Consignee Detail						
क्र.सं.   S.No	परोक्षी   Consignee	वस्तु   Item	लॉट नंबर   Lot No.	मात्रा   Quantity	दिनांक के बाद डिलीवरी शुरू करना है   Delivery Start After	वितरण पूरा कब तक करना है   Delivery To Be Completed By
	पद   Designation : SECTION OFFICER ईमेल आईडी   Email ID : amar.topno@jharkhandmail.gov.in संपर्क   Contact : -					

1	जीएसटीआईएन   GSTIN : - पता   Address : STATE COMMISSION FOR BACKWARD CLASSES, JHARKHAND, RANCHI, QR.NO.- E/10, SEC-II, DHURWA,RANCHI, RANCHI, JHARKHAND-834004, India	CP PLUS 2MP DOME CAMERA	-	1	08-May-2024	23-May-2024
Product Specification for CP PLUS 2MP DOME CAMERA						
विनिर्देश   Specification	उप-विनिर्देश   Sub-Spec			मूल्य   Value		
IMAGE SENSOR	Image Sensor Type			CMOS		
	Image Sensor Size			0.37 inch		
	Camera Image Sensing capacity (Picture Mode)			2MP		
	Resolution			1080P ( 1920 x 1080 )		
	Day/Night Capable			Yes		
	IR illumination Range(mtr)			20		
CAMERA TYPE	Type of Camera Housing			DOME CAMERA		
	IP Camera			No		
	PTZ Camera			No		
OPTICS	Lens Type			Fixed		
	Focal Length(mm)			3.6		
	Iris Control			Fixed iris		
	Focus Mode			NA		
VIDEO	Frame Rate (fps)			25		
	Video Compression			H.264,H.265+		
	Video Streaming			Dual compressed stream		
PAN / TILT / ZOOM	Panning Range			NA		
	Pan Speed (deg/sec)			NA		
	Tilt Range below horizontal (deg)			NA		
	Tilt Range above horizontal (deg)			NA		
	Tilt Speed (deg/sec)			NA		
	Optical Zoom			NA		
	Digital Zoom			NA		
AUDIO	Audio Support			No		
	Audio Compression			NA		
	Audio Streaming			NA		
	Number of Audio Input Channel			NA		
	Number of Audio Output Channel			NA		
	External Microphone Support			No		
ALARM	Alarm Support			No		
	Number of Alarm Digital Input			NA		
	Number of Alarm Relay Output			NA		
	Pre/Post Alarm Buffer			No		
SECURITY	Multi Level User ID/Password			Yes		
	IP Address Filtering			No		
	Encrypted Data Transmission			HTTPS (SSL/TSL)		
PERFORMANCE	Minimum Illumination for Capturing Color Image			0.02 lux		
	Electronic Shutter Speed(sec)			1/25 to 1/100,000		
	WDR (Wide Dynamic Range)			DWDR		
	SNR (Signal to Noise Ratio)			40-50		
	Auto Exposure			Auto Level Control		
	White Balance ( Indoor/Out door/Manual Selectable)			Yes		
	Auto Gain Control (On/Off selectable)			Yes		

FEATURES	Back Light Compensation	Yes
	Remote Administration (Remote configuration and status using web based tool)	Yes
	Remote System Update Over Network	Yes
	PC Client (PC application client with a channel recording feature support)	Yes
	Web Client (Viewer through HTTP system configuration)	Yes
	On Screen Display in English	Yes
	ONVIF Support	Yes
	Presets	0
	Group Touring	0
	Privacy Zones	1
NETWORK AND INTERFACE	Supported Protocols	NA
	IP Support	NA
	Signal Processing	Digital Signal Process
	IPv6 ready	No
	Wireless	No
	Simultaneous Connections	2
STORAGE	On Board SD Card Support	No
	SD Card Memory(GB)	NA
HOUSING	Installation Type	Indoor
	Material of the Housing construction	Plastic
	Protection	IP67
	Vandal Resistant Housing	No
	If Yes, IK rating	NA
	Mounting bracket	Ceiling Mounted
	Weight	170 gram
	Dimensions (mm x mm x mm)	97mm × 79.3mm
POWER SUPPLY	Power Input	12 V DC
	Power Consumption	3.3 Watt
	Suitable Adapter Shall be Supplied to Make the Equipment Work on 230 V (+/- 10 %), 50 Hz	NA
OPERATING CONDITIONS	Operating Temperature Range	- 40 to +60 deg C
	Relative Humidity Non Condensing (%)	90
WARRANTY / SERVICES	Warranty	1 year
	Time for Replacement of Defective Product During Warranty Period	36 hour
	Supply of Compatible drivers and software included	No
ENVIRONMENTAL / CERTIFICATION	Availability of facility & infrastructure for verification of all parameters, features, and capability with Seller	No
	Availability of facility to test signal to noise ratio of camera at 0-01 lux	No
	Conformity to Dry Heat test at 55 degree C for 16 hours as per IS :9000 latest	Yes
	Conformity to Damp heat at 40 degree C - 95% RH (cyclic test): two cycles of 16+8 hours as per IS: 9000 latest	Yes
	Conformity to Cold test at -10 / -20 degree C for 4 hours as per IS: 9000 latest, as applicable	Yes
	BIS Registration for safety general requirements as per IS 13252 (Part 1):latest	Yes
	Availability of Type Test Report from Central Govt /NABL/ILAC accredited lab to prove conformity to specification	No
	Test Report Number and Date	@time of supply
	Name and Address of Test Lab	@time of supply
	Certification	FCC,CE
उत्पाद का बीआईएस लाइसेंस   BIS license of the product: 66000299		
ईपीबीजी विवरण   ePBG Detail		

NA

## नियम और शर्तें | Terms and Conditions

### 1. General Terms and Conditions-

- 1.1 This contract is governed by the [General Terms and Conditions](#), conditions stipulated to this Product/Service as provided in the Marketplace.
- 1.2 This Contract between the Seller and the Buyer, is for the supply of the Goods and/ or Services, detailed in the schedule above, in accordance with the General Terms and Conditions (GTC) unless otherwise superseded by Goods / Services specific Special Terms and Conditions (STC) and/ or BID/Reverse Auction Additional Terms and Conditions (ATC), as applicable

नोट: यह सिस्टम जनरेटेड फाइल है। कोई हस्ताक्षर की आवश्यकता नहीं है। इस दस्तावेज़ का प्रिंट आउट भुगतान/लेनदेन उद्देश्य के लिए मान्य नहीं है।

Note: This is system generated file. No signature is required. Print out of this document is not valid for payment/ transaction purpose.