# अनुबंध|Contract



अनुबंध क्रमांक|Contract No: GEMC-511687769839197 अनुबंध तिथि|Generated Date: 09-May-2024

संगठन विवरण|Organisation Details

प्ररूप|Type : State Local Bodies

मंत्रालय|Ministry :

Rural Development and Panchayat Raj Department विभाग | Department :

Maharashtra

संगठन का नाम|Organisation

Name :

कार्यालय क्षेत्र|Office Zone: panchayat samiti warud

खरीदार विवरण|Buyer Details

पद|Designation : SACHIV

संपर्क नंबर|Contact No.: -

ईमेल आईडी|Email ID : buycon7078.rdprdm.mh@gembuyer.in

जीएसटीआईएन|GSTIN: -

पता|Address : GRAMPANCHAYAT KACHURNA TA WARUD DIST AMRAVATI,

AMRAVATI, MAHARASHTRA-444906, India

वित्तीय स्वीकृति विवरण|Financial Approval Detail

आईएफडी सहमति|IFD Concurrence : No

प्रशासनिक अनुमोदन का पदनाम|

 $Designation\ of\ Administrative\ Approval:$ 

वित्तीय अनुमोदन का पदनाम|

Designation of Financial Approval :

Role: BUYER

भुगतान का तरीका| Payment Mode: पद|Designation : SACHIV

ईमेल आईडी|Email ID: buycon7078.rdprdm.mh@gembuyer.in

भुगतान प्राधिकरण विवरण|Paying Authority Details

जीएसटीआईएन|GSTIN: -

पता|Address: GRAMPANCHAYAT KACHURNA TA WARUD DIST AMRAVATI,

Amravati, MAHARASHTRA-444906, India

विक्रैता विवरण|Seller Details

जेम विक्रैता आईडी|GeM Seller ID : GC10210002089568 कंपनी का नाम|Company Name : Galaxy Multiservices संपर्क नंबर|Contact No. : 09420411001

ईमेल आईडी|Email ID : snehalshrirao11@gmail.com पता| Address : 135,tirupati nagar,akoli road,amravati,

प्रमान Audress . Amravati, MAHARASHTRA-444601, -एमएसएमई पंजीकरण संख्या|MSME Registration number : UDYAM-MH-03-0019263

एमएसई सामाजिक श्रेणी|MSE Social Category : OBC

एमएसई लिग श्रेणी|MSE Gender : Male

जीएसटीआईएन|GSTIN: 27DYYPS5400R2Z7 (R)

\*जिसके नाम के पक्ष में GST/TAX इनवॉइस पेश किया जाएगा|GST / Tax invoice to be raised in the name of - Buyer

Sarpanch Grampanchayat Kachurna

Sarpanch Grampanchayat Kachurna

वितरण निर्देश | Delivery Instructions : NA

#### उत्पाद विवरण|Product Details

| #  | # आइटम विवरण Item Description   | आइटम<br>विवरण <br>Ordered<br>Quantity | इकाई  <br>Unit | इकाई मूल्य<br>(INR) <br>Unit Price<br>(INR) | कर विभाजन (INR) <br>Tax Bifurcation<br>(INR) | मूल्य<br>(INR में सभी<br>शुल्क और कर<br>सहित) <br>Price<br>(Inclusive of<br>all Duties and<br>Taxes in INR) |
|----|---|---------------------------------------|----------------|---|--|---|
| 1  | उत्पाद का नाम  Product Name : Unbranded Executive Table with One side pedestal unit and E.R.U ब्रांड Brand : NA ब्रांड प्रकार Brand Type : Unbranded कैटलॉग की स्थिति Catalogue Status: Catalogue not verified by OEM कैसे बेचा जा रहा है Selling As : Reseller not verified by OEM श्रेणी का नाम और चतुर्थाश Category Name & Quadrant : Executive Table (V2) (Q3) मॉडल Model: Executive Table एचएसएन कोड HSN Code: HSN not specified by seller | 2                                     | pieces         | 7,900                                       | NA   | 15,800  |
| कु | कुल ऑर्डर मूल्य  Total Order Value (in INR)   |                                       |                |   |  |   |

### परेषिती विवरण|Consignee Detail

| क्र.सं. S.No | परेषिती Consignee   | वस्तु Item          | लॉट नंबर <br>Lot No. | मात्रा Quantity | दिनांक के बाद<br>डिलीवरी शुरू<br>करना हैं <br>Delivery Start<br>After | वितरण पूरा कब<br>तक करना है <br>Delivery To<br>Be<br>Completed<br>By |
|--------------|---|---------------------|----------------------|-----------------|---|--|
|              | पद  Designation : SACHIV<br>ईमेल आईडी Email ID : buycon7078.rdprdm.mh@gembuyer.in<br>संपर्क Contact : - | Unbranded Executive |                      |                 |   |  |

| AMRAVATI,               | s : GRAMPANCHAYAT KACHURNA TA WAR                     | Table with One side - 2 09-May-2024 23-Jun-2024 pedestal unit and E.R.U   |  |  |  |  |
|-------------------------|---|---|--|--|--|--|
| Product Specificat      | ion for Unbranded Executive Tal                       | ble with One side pedestal unit and E.R.U                                 |  |  |  |  |
| विनिर्देश Specification | 1   | मूल्य Value   |  |  |  |  |
|                         | Structure /Frame of table                             | Gable end and modesty panel   |  |  |  |  |
|                         | Frame type  | Freestanding  |  |  |  |  |
|                         | Accessories /Optional requrement for table            | Internet point  |  |  |  |  |
| GENERIC                 | The type of Storage provided                          | One side pedestal unit and E.R.U  |  |  |  |  |
|                         | Keyboard tray   | Not provided  |  |  |  |  |
|                         | Footrest  | Not Provided  |  |  |  |  |
|                         | Mode of supply  | Assembled Ready To Use  |  |  |  |  |
|                         | Tabletop Material                                     | Commercial Block Board MR Grade Conforming to IS 1659                     |  |  |  |  |
|                         | Thickness of table top material (± 1 mm)              | 19 mm   |  |  |  |  |
|                         | Gable end material                                    | Commercial Block Board MR Grade Conforming to IS 1659                     |  |  |  |  |
|                         | The thickness of the gable end                        | 15 mm   |  |  |  |  |
|                         | Modesty panel material                                | Commercial Block Board MR Grade Conforming to IS 1659                     |  |  |  |  |
| MATERIAL                | The thickness of the modesty panel material           | 19 mm   |  |  |  |  |
|                         | Gable end and modesty panel plain side                | Edge to be banded with PVC tape 2 mm thick with the help of hot melt glue |  |  |  |  |
|                         | Table top edges                                       | Edge to be banded with PVC tape 2 mm thick with the help of hot melt glue |  |  |  |  |
|                         | Leg Material  | NA NA   |  |  |  |  |
|                         | The thickness of the Leg material                     | NA  |  |  |  |  |
|                         | Beam Material   | NA  |  |  |  |  |
|                         | Number of buffers provided                            | NA  |  |  |  |  |
|                         | Width of tabletop ±10 mm                              | 3300 mm   |  |  |  |  |
|                         | Depth of table ±10 mm                                 | 1200 mm   |  |  |  |  |
| DIMENSION               | Height of table ±10 mm                                | 750 mm  |  |  |  |  |
|                         | Size (L x W) /diameter of leg material ± 5 mm         | NA NA   |  |  |  |  |
|                         | ERU unit consists of                                  | 2 storage units with shutter  |  |  |  |  |
|                         | ERU top material                                      | MDF and veneer with PU finish having scratch resistance of 2H             |  |  |  |  |
|                         | ERU top material thickness ± 2 mm                     | 19 mm   |  |  |  |  |
|                         | Width of ERU unit ± 10 mm                             | 1500 mm   |  |  |  |  |
|                         | Depth of ERU unit ± 5 mm                              | 450 mm  |  |  |  |  |
|                         | Height of ERU unit ± 5 mm                             | 750 mm  |  |  |  |  |
|                         | ERU side panel material                               | MDF and veneer with PU finish having scratch resistance of 2H             |  |  |  |  |
| EXTENDED RETURN<br>UNIT | ERU side panel Thickness ± 2 mm                       | 18 mm   |  |  |  |  |
|                         | Number of lockable castors at the bottom              | NA NA   |  |  |  |  |
|                         | Size of lockable castors ± 2 mm                       | NA  |  |  |  |  |
|                         | Type of storage lock system                           | Independent lock  |  |  |  |  |
|                         | Drawer /storage shutter pull-up<br>mechanism          | Chrome plated handle  |  |  |  |  |
|                         | ERU outer Surface Finish                              | Teak laminate/ply with polish   |  |  |  |  |
|                         | ERU shade   | Teak Veneer/teak wood with melamine polish (walnut)                       |  |  |  |  |
|                         | Total Number of drawers /storage in<br>Pedestal units | Three drawers   |  |  |  |  |
|                         | Complete body facia and drawer                        | Commercial Block Board MR Grade Conforming to IS 1659                     |  |  |  |  |

| 1                 | material in Pedestal Unit   |  |
|-------------------|---|--|
|                   | Thickness of the complete body fascia & drawer material             | 18 mm  |
|                   | Material for back panel in pedestal unit                            | Commercial Block Board MR Grade Conforming to IS 1659  |
|                   | Back Panel Thickness in Pedestal Unit                               | 18 mm  |
|                   | Drawer Bottom Material  | Commercial Block Board MR Grade Conforming to IS 1659  |
| PEDESTAL UNIT     | Drawer Bottom Material Thickness                                    | 18 mm  |
|                   | Provision of Castor in Pedestal unit                                | Without  |
|                   | Lock provided (for pedestal unit)                                   | Individual lock  |
|                   | Pedestal handle material  | Chrome plated  |
|                   | Pedestal outer finish   | Teak laminate/ply with melamine finish   |
|                   | Pedestal shade  | Teak Veneer/teak wood with melamine polish (walnut)  |
|                   | Width of Pedestal unit in mm (±10 mm)                               | 600 mm   |
|                   | Depth of pedestal unit ±10mm  | 560 mm   |
|                   | Height of pedestal unit ±5mm  | 550 mm   |
|                   | Material of keyboard tray and Right angle L-type supporting bracket | NA NA  |
|                   | Material thickness of keyboard tray<br>±1mm                         | NA NA  |
| KENDOADD TDAV     | Fixing of supporting bracket  | NA NA  |
| KEYBOARD TRAY     | Length of telescopic channel ± l0 mm                                | NA NA  |
|                   | Keyboard height±10mm  | NA NA  |
|                   | Keyboard front width±10mm   | NA NA  |
|                   | Keyboard depth±10mm   | NA NA  |
|                   | Material of footrest  | NA NA  |
|                   | Material thickness of footrest ±2mm                                 | NA .   |
| FOOTREST          | Height of footrest ±10mm  | NA .   |
|                   | Width of footrest ±10mm   | NA .   |
|                   | Depth of footrest ±10mm   | NA NA  |
|                   | Table top finish  | Laminate in color with swede finish 0.6-0.8mm thickness of type S, F or P having index no.3.2.3 conforming to IS 2046/Latest with having balancing laminate of 0.5mm thick on another side |
| COLOUR AND FINISH | Tabletop shade  | Dark walnut  |
|                   | Table /ERU /Pedestal Panel Plain Side                               | CP Teak Wood Lipping   |
| WARRANTY          | Warranty period   | 1 Year   |
|                   | Test reports to be furnished to the buyer on demand                 | No   |
|                   | The product has BIFMA certification                                 | No   |
|                   | OEM of the offered product is ISO 9001:2015 certified               | No   |
| CERTIFICATION     | OEM of the offered product is ISO 14001:2015 certified              | No   |
|                   | OEM of the offered product is ISO<br>45001:2 018 certified          | No   |
|                   | The product has GREENGUARD certification                            | No   |
|                   | The product has Green Pro certification                             | No   |
|                   |   |  |

বিজ্ঞা Note:: Seller has given an undertaking that it has made arrangements for getting the stores from an authorized distributor / dealer / channel partner of the OEM of the offered product. At the time of delivery of goods, Seller will provide necessary chain documents (in the form of GST Invoice) to prove that the supplied goods are genuine and are being sourced from an authorized distributor / dealer / channel partner of the OEM. In case of any complaint about genuineness of the supplied products, Seller shall be responsible for providing genuine replacement supplies.

## ईपीबीजी विवरण | ePBG Detail

| N | 1 | ١. | ۸ |
|---|---|----|---|

## नियम और शर्तें|Terms and Conditions

- 1. General Terms and Conditions-
- 1.1 This contract is governed by the General Terms and Conditions, conditions stipulated to this Product/Service as provided in the Marketplace.
- 1.2 This Contract between the Seller and the Buyer, is for the supply of the Goods and/ or Services, detailed in the schedule above, in accordance with the General Terms and Conditions (GTC) unless otherwise superseded by Goods / Services specific Special Terms and Conditions (STC) and/ or BID/Reverse Auction Additional Terms and Conditions (ATC), as applicable

नोट: यह सिस्टम जनरेटेड फाइल है। कोई हस्ताक्षर की आवश्यकता नहीं है। इस दस्तावेज़ का प्रिट आउट भुगतान/लेनदेन उद्देश्य के लिए मान्य नहीं है।

Note: This is system generated file. No signature is required. Print out of this document is not valid for payment/ transaction purpose.