

अनुबंध | Contract



अनुबंध क्रमांक | Contract No: GEMC-511687715319222

अनुबंध तिथि | Generated Date : 10-May-2024

बोली/आरए/पीबीपी संख्या | Bid/RA/PBP No.: [GEM/2024/B/4743916](#)

संगठन विवरण Organisation Details	खरीदार विवरण Buyer Details
प्रकार Type : Central Government मंत्रालय Ministry : Ministry of Railways विभाग Department : Indian Railways संगठन का नाम Organisation Name : West Central Railway कार्यालय क्षेत्र Office Zone : West Central Railway	पद Designation : SrDMM Kota संपर्क नंबर Contact No. : 0744-2467006- ईमेल आईडी Email ID : js.meena80@gov.in जीएसटीआईएन GSTIN : - पता Address : DRM Office, KOTA, RAJASTHAN-324002, India

निरीक्षण का प्रकार Type of Inspection: Pre Dispatch

गुणवत्ता आश्वासन योजना के लिए कृपया बोली देखें | For Quality Assurance Plan please refer to the bid GEM/2024/B/4743916

निरीक्षण एजेंसी / प्राधिकरण | Inspection Agency/ Authority: RITES

वित्तीय स्वीकृति विवरण Financial Approval Detail	भुगतान प्राधिकरण विवरण Paying Authority Details
आईएफडी सहमति IFD Concurrence : No प्रशासनिक अनुमोदन का पदनाम Designation of Administrative Approval: CMS WCR Kota वित्तीय अनुमोदन का पदनाम Designation of Financial Approval: Sr.DFM WCR Kota	Role: BUYER भुगतान का तरीका Payment Mode: Railways पद Designation : SrDMM Kota ईमेल आईडी Email ID : js.meena80@gov.in जीएसटीआईएन GSTIN : - पता Address: DRM Office, Kota, RAJASTHAN-324002, India

विक्रेता विवरण Seller Details
जेम विक्रेता आईडी GeM Seller ID : CBF5180000096028 कंपनी का नाम Company Name : S. K. overseas संपर्क नंबर Contact No. : 09810410381 ईमेल आईडी Email ID : superpowercompressor@gmail.com पता Address : 9907,GALI NO 1,WEST GORAKH PARK,SHAHDARA, SHAHDARA, DELHI-110032, - एमआईआई स्थिति MII Status : True एमएसएमई सत्यापित MSME verified : No एमएसएमई पंजीकरण संख्या MSME Registration number : UDYAM-DL-07-0003413 एमएसई सामाजिक श्रेणी MSE Social Category : General एमएसई लिंग श्रेणी MSE Gender : Male जीएसटीआईएन GSTIN: 07ACEPT5314Q1Z2 (R)

*जिसके नाम के पक्ष में GST/TAX इनवॉइस पेश किया जाएगा | GST / Tax invoice to be raised in the name of - Buyer

वितरण निर्देश | Delivery Instructions : NA

उत्पाद विवरण | Product Details

#	आइटम विवरण Item Description	आइटम विवरण Ordered Quantity	इकाई Unit	इकाई मूल्य (INR) Unit Price (INR)	कर विभाजन (INR) Tax Bifurcation (INR)	मूल्य (INR में सभी शुल्क और कर सहित) Price (Inclusive of all Duties and Taxes in INR)
1	उत्पाद का नाम Product Name : Genuine Medica Trolley Mounting Anaesthesia Workstation with TFT Monitor ब्रांड Brand : Genuine Medica ब्रांड प्रकार Brand Type : Registered Brand कैटलॉग की स्थिति Catalogue Status : OEM verified catalogue कैसे बेचा जा रहा है Selling As : OEM verified Reseller श्रेणी का नाम और चतुर्थांश Category Name & Quadrant : Anaesthesia Workstation (Q3) मॉडल Model: PRIMA Plus एचएसएन कोड HSN Code: HSN not specified by seller	1	pieces	1,012,880	NA	1,012,880

कुल ऑर्डर मूल्य | Total Order Value (in INR) 1,012,880

निरीक्षण अधिकारी | Inspection Officer:
नाम | Name: Northern Region Inspection Officer, 12TH FLOOR, CORE-2, SCOPE MINAR, LAXMI NAGAR DELHI-110092
ईमेल | E-mail: nrinspn@rites.com
संपर्क | Phone: +9188000018691

Place of Inspection:

पता|Address: consignee place

नाम|person name: MILK

संपर्क नंबर|contact number: 9211908389

परोषिती विवरण|Consignee Detail

क्र.सं. S.No	परोषिती Consignee	वस्तु Item	लॉट नंबर Lot No.	मात्रा Quantity	दिनांक के बाद डिलीवरी शुरू करना है Delivery Start After	वितरण पूरा कब तक करना है Delivery To Be Completed By
1	पद Designation :- ईमेल आईडी Email ID : dheeraj.goyal18@gov.in संपर्क Contact : 0744-2467060- जीएसटीआईएन GSTIN :- पता Address : CHIEF MEDICAL SUPERINTENDENT, DIVISION HOSPITAL , RAILWAY COLONY, KOTA, RAJASTHAN-324002, India	Genuine Medica Trolley Mounting Anaesthesia Workstation with TFT Monitor	-	1	10-May-2024	24-Jun-2024

Product Specification for Genuine Medica Trolley Mounting Anaesthesia Workstation with TFT Monitor

विनिर्देश Specification	उप-विनिर्देश Sub-Spec	मूल्य Value
Standards	Conformity to standards (In case of EU CE/CE European certification from notified body)	BIS
	Certification date and number	951245123 DATE 23.06.2021
	Certification of manufactures	ISO 9001 & ISO 13485
	ISO certification number and date	110584 DATE 01.04.2012
	Conformity to medical electrical safety standards	IEC60601-2-13 and BS EN 6060-1-1
Performance Parameters	Purpose of anesthesia workstation	Anesthetic machine in used to provide an accurate and continuous supply of medical gases mixed with an accurate concentration of anaesthetic vapour and deliver this to the patient at a safe pressure and flow.
	Components of Anesthesia workstation	Anesthesia machine , Inbuilt ventilator , vaporisor , Gas delivery system , Multi para monitor
	Type of mounting for the Anesthesia workstation	Trolley Mounting
	Material used for Anesthesia workstation	rust-proof ABS plastic with metal reinforcements
	Mode of integrated scavenging system with pressure relief valve	Active
	Minimum Battery backup for anesthesia workstation	1 hour
	Minimum Battery backup for Ventilator	1 hour
	Minimum Battery backup for monitor	2 hour
	Facility of manual ventillation in case of electricity and battery failure	Yes
	Facility of gas and agent delivery in case of electricity and battery failure	Yes
	All the components likes anesthesia machine, integrated ventilator, vaporizer from the same manufacturer	Yes
	Patient monitor from same manufacturer	No
	Workstation should have minimum of two drawers to keep accessories, good mobility, anti static caster wheels with locking facility & conveniently placed handles for easy movement of the machine	Yes
	All software updates should be provided free of cost during Warranty period	Yes
	The anesthesia machine can be used safely up to 1000 gauss line while being used with MRI	No
	Should have Air/N ₂ O interlock	Yes
	Inspiratory time in sec	0.2 to 3 sec
	Expiratory time	0.5 to 6 sec
Flow rate in lpm	0.2 to 6 lpm	
Pressure relief	05 to 75 cm H20	
Warranty in years	3	
Availability of Pin index yokes for gases	Oxygen and Nitrous oxide	

Gas Delivery System	Availability of Separate Pin index yokes for gases	Oxygen , Nitrous oxide , Air
	Availability of cascading type flow meters for O2, N2O and air	Yes
	Mode of gas mixing	Pneumatic
	Availability of rotameter control guards in anesthesia workstation	Yes
	Availability of pressure gauges for cylinder and pipelines in anesthesia workstation	Yes
	Availability of audible and visual oxygen failure alarms	Yes
	Minimum emergency oxygen flow in liter per minute	35-70
	Type of hypoxic guard with automatic cutoff of N2O	Mechanical
Vaporizer	Number of quick mount type vaporizer for easy interchangeability at a time	2
	Number of selectable back bar	2
	Facility of interlock for vaporizer	Yes
	Volume percentage of delivery range	0 to 10
	Minimum agent capacity for free volatile anesthetic agent in ml	225
	Sensor connection shall be internal to prevent disconnection	Yes
	Vaporizer compatible to gases	Isoflurane
	The vaporizer design should be maintenance free	Yes
	Vaporizer calibration requirement	After every 5 years
Breathing System	Breathing system should have fresh gas de-coupled / compensation , closed circle absorber system	Yes
	Range of pressure relief valve in mbar of breathing system	5 to 75
	Number of steps in change over from spontaneous to bag ventilation	single step
	Number of reusable autoclavable closed silicone circuit supplied	2 for adult and 2 for pediatric
	Number of bair circuit (adult) supplied with workstation	10
	Number of Jackson Rees circuit for pediatric patients supplied with workstation	10
	Volume capacity of breathing system in liters	1.5
	Breathing system should have leak and compliance test	Yes
Anesthesia Ventilator	Available modes of operating ventilator	Manual/spont, volume controlled , pressure controlled , SIMV/PS
	Ventilator should be capable to pressure support	Yes
	Integrated ventilator shall not require bellows to be change for adults and infants	Yes
	Tidal volume of ventilator in ml	20 to 1400 ml
	PEEP of ventilator in mbar	0 to 20 mbar
	Breathing frequency in BPM	4 to 60 BPM
	Inspiratory pause percentage of Ti	0-50%
	Screen size of Ventilator monitor in inches	8
	Integrated ventilator shall be able to provide facility to monitor ETCO2 , Automatic identification of agents	No
	Ventilator should be able to ventilate with atmospheric air if total gas supply failure	No
	Type of monitor	TFT
	Size of monitor in inches	12
	Monitor should not require lengthy start up procedure or calibration for display of parameters	Yes
	The graphical and numerical trend with split screen duration	24 hours
	Patient multipara monitor shall be able to display parameters	HR, SpO2, NIBP, ECG, Temp
	NMT to be displayed	No
	Dual temperature to be displayed	Yes
	BIS/ENTROPY to be displayed	No
	Capnography to be displayed	Yes

Monitor	EtCO2 to be displayed	Yes
	IBP1 and IBP2 to be displayed	Yes
	CO(cardiac output) to be displayed	No
	ECG monitoring with standard lead configuration, I,II,III, avL, avF&V filters so that it is protected against defibrillator, electro surgery potentials, arrhythmia analysis and ST segment analysis with trends	Yes
	NIBP should be determine with oscillometric method, should read systolic, diastolic and mean arterial pressure and pulse rate	Yes
	Pulse oximetry with sensors suitable for adults, pediatric& neonate	Yes
	ETCO2 measurement should be by infra -red absorption technique, measuring mode should be side stream or main stream and response time should be less than 3 seconds	Yes
	Monitor should be able to monitor and display all parameters in single screen	Yes
	Make of monitor if monitor provided is not from the same OEM and if from same OEM put NA	OEM
	System to be supplied with oxygen monitor	No
Alarms	Number of alarms	8
	Alarms shall be adjustable to high / low limits with audio and visual alarms	Yes
Power supply	Length of main cable in meter with power socket of standard indian make to be provided	5
	Power supply	220-240V AC, 50 Hz single phase
Additional Accessories	Transparent re-usable silicon face mask size 0,1, 2, 3, 4 & 5	2 each
	Breathing bag 2 Litre & 500 ml	2 each
	3/5 ECG lead	2
	Nasopharyngeal/rectal and skinTemperatureprobes should be Provided	2
	Re usable adult cuffs, reusable Paediatric cuff and sets of Disposables cuff for neonatal	2
	ETCO2 line and adapters	15 each
	Mox regulator with 3 meter high Pressure tubing	1
	Provision for laryngoscopes	Not Provided
	Reusable patient circuits	1
	Reusable masks	2
	SPO ₂ sensor provided	1
	NIBP cuff	1
	Skin and nasopharyngeal temperature probe	1
	ETCO2 sample lines	1
	Reusable IBP interface cables	1
	Disposable IBP transducers	10
BIS sensors	Not provided	
Accessories for wall mounting	NA (If trolley mounting)	

ईपीबीजी विवरण | ePBG Detail

सलाहकार बैंक Advisory Bank :	State Bank of India
ईपीबीजी प्रतिशत (%) ePBG Percentage(%):	3.00
बोली लगाने वाले को बोली के नियमों और शर्तों के अनुसार लागू ईपीबीजी प्रस्तुत करना होगा The bidder shall furnish ePBG as applicable as per bid's terms and conditions	

नियम और शर्तें | Terms and Conditions

1. Special terms and conditions- Version:2 effective from 21-10-2022

1. All Provisions of Order and Conditions Act 1940 and Rules made there under as amended till date will always be applicable. This will include all notifications issued by

- 1.1
- All PROVISIONS OF DRUGS AND COSMETICS ACT, 1940 AND RULES MADE THERE UNDER AS AMENDED till date will always be applicable. THIS WILL INCLUDE ALL NOTIFICATIONS ISSUED BY Central Drugs Standard Control Organisation (CDSCO), Ministry of Health & Family Welfare (MoHFW) and Department of Pharmaceuticals (DOP), Ministry of Chemicals & Fertilizers time to time in this regard.
 - The sellers are registered on GeM based on self-declaration of valid Drug License, product certification, test reports etc. However, buyers must check and validate the details at their end for all applicable licenses and certifications e.g., validity and authenticity/genuineness of drug license, product certification, manufacturer certification/licenses, test reports etc.
 - The price offered by the seller shall not, in any case exceed the DPCO controlled price, if any, fixed by the Central/State Government, the Maximum Retail Price (MRP) and the selling price. The seller must reduce the prices if there is any reduction in DPCO ceiling price, if any.
 - Comprehensive warranty: Comprehensive warranty shall include preventive maintenance including calibration as per technical/ service /operational manual of the manufacturer, service charges and spares. During the warranty period commencing from date of the successful completion of warranty period, Service personnel shall visit each consignee site as recommended in the manufacturer's technical/ service /operational manual, at least once in six months. warranty shall not be including the consumables. Further there will be 98% uptime warranty during warranty period on 24 (hrs) X 7 (days) X 365 (days) basis, with penalty, to extend warranty period by double the downtime period.
 - Service centres: Details of Service outlets in India to render services for equipment to be furnished to buyer/consignees with complete address, telephone numbers, e mails etc at time of making the supplies. It shall be the responsibility of seller to ensure that authorized service centres are available to cater to the areas where supplies are made within reasonable distance from where the service calls can be handled. Details of toll-free numbers for service call and online registration of service requests also to be provided buyer/consignee at the time of supplies.
 - Source of supply: It shall be responsibility of seller to provide Documents regarding source of equipments such as copy of Performa invoice or any other documents to establish that the products supplied are manufactured by OEM indicated and sourced from them.
 - Packing and Marking: Medical equipments being very delicate and sensitive packing for the goods should be strong and durable enough to withstand transit including transshipment (if any), rough handling, open storage etc. without any damage, deterioration etc. .The size, weights and volumes of the packing cases, remoteness of the final destination of the goods, availability or otherwise of transport and handling facilities at all points during transit up to final destination,. Quality of packing, the manner of marking within & outside the packages and provision of accompanying documentation shall take into consideration the type of medical equipments being supplied. The accessories shall be suitably labelled and packed. Each of the package shall be marked on three sides with indelible paint of proper quality: indicating contract number and date, brief description of goods including quantity, Packing list reference number, country of origin of goods and any other relevant details.
 - Spare Parts: Seller shall provide materials, information etc. pertaining to spare parts manufactured and supplied by the OEM. It shall be ensured that the required spares are available for purchase at least for 10 years from date of supplies. In case due to any reasons the production of the spare parts is discontinued sufficient advance notice should be given to the buyer/consignee before such discontinuation to provide adequate time to purchase the required spare parts etc. Further, OEM and their service centres/dealers shall carry sufficient inventories to assure ex-stock supply of consumables and spares for the equipments so that the same are available. OEM or reseller shall always accord most favoured client status to the buyer/consignee and shall give the most competitive price for spares and consumables of its machines/equipments supplied.
 - Installation, Training, Manuals: Seller shall be responsible to carry out Installation & commissioning, Supervision and Demonstration of the goods. They shall provide required jigs and tools for assembly, minor civil works for the completion of the installation and Training of Consignee's representatives for operating and maintaining the equipment and supplying required number of operation & maintenance manual for the goods. In case the category parameters are specifying any requirements regarding the installations, training and manuals the same shall also be applicable.
 - Electrical safety checking: Sellers are required to make sure that they furnish the list of equipments for carrying out routine and preventive maintenance to buyer/consignee .They should make sure to periodically check the electrical safety aspects as per BIS Safety Standards or equivalent .In case they do not have required equipment for such testing should ensure that the equipments checked for electrical safety compliance through labs with facilities for such checking during every preventive maintenance call.
 - Software: All software updates should be provided free of cost during warranty period.
 - Any other Terms and Conditions which is not included or at variance with the conditions specified in STC/GTC, may be added by the buyer through Additional Terms and Conditions in the bid to ensure items are procured from authentic/validated source with appropriate and applicable quality. The above terms and conditions are in reverse order of precedence i.e. ATC shall supersede specific STC which shall supersede General Terms and Conditions ("GTC"), whenever there are any conflicting provisions.

2. General Terms and Conditions-

- 2.1 This contract is governed by the [General Terms and Conditions](#), conditions stipulated to this Product/Service as provided in the Marketplace.
- 2.2 This Contract between the Seller and the Buyer, is for the supply of the Goods and/ or Services, detailed in the schedule above, in accordance with the General Terms and Conditions (GTC) unless otherwise superseded by Goods / Services specific Special Terms and Conditions (STC) and/ or BID/Reverse Auction Additional Terms and Conditions (ATC), as applicable

3. Buyer Added Bid Specific Terms and Conditions-

3.1 Generic

OPTION CLAUSE: The Purchaser reserves the right to increase or decrease the quantity to be ordered up to 25 percent of bid quantity at the time of placement of contract. The purchaser also reserves the right to increase the ordered quantity by up to 25% of the contracted quantity during the currency of the contract at the contracted rates. Bidders are bound to accept the orders accordingly.

3.2 Generic

Actual delivery (and Installation & Commissioning (if covered in scope of supply)) is to be done at following address

Divisional Railway Hospital Kota Rajasthan 324002

.
. .
. .
. .
. .

3.3 Generic

Bidders are advised to check applicable GST on their own before quoting. Buyer will not take any responsibility in this regards. GST reimbursement will be as per actuals or as per applicable rates (whichever is lower), subject to the maximum of quoted GST %.

3.4 Inspection.

Nominated Inspection Agency: On behalf of the Buyer organization, any one of the following Inspection Agency would be conducting inspection of stores before acceptance: Pre-dispatch Inspection at Seller Premises (applicable only if pre-dispatch inspection clause has been selected in ATC):

RITES

Post Receipt Inspection at consignee site before acceptance of stores:

Consignee

3.5 Forms of EMD and PBG:

Successful Bidder can submit the Performance Security in the form of Fixed Deposit Receipt also (besides PBG which is allowed as per GeM GTC). FDR should be made out or pledged in the name of

Sr.DFM WCR Kota

A/C (Name of the Seller). The bank should certify on it that the deposit can be withdrawn only on the demand or with the sanction of the pledgee. For release of Security Deposit, the FDR will be released in favour of bidder by the Buyer after making endorsement on the back of the FDR duly signed and stamped along with covering letter. Successful Bidder has to upload scanned copy of the FDR document in place of PBG and has to ensure delivery of hard copy of Original FDR to the Buyer within 15 days of award of contract.

3.6 Warranty:

Timely Servicing / rectification of defects during warranty period: After having been notified of the defects / service requirement during warranty period, Seller has to complete the required Service / Rectification within 7 days time limit. If the Seller fails to complete service / rectification with defined time limit, a penalty of 0.5% of Unit Price of the product shall be charged as penalty for each week of delay from the seller. Seller can deposit the penalty with the Buyer directly else the Buyer shall have a right to recover all such penalty amount from the Performance Security (PBG). Cumulative Penalty cannot exceed more than 10% of the total contract value after which the Buyer shall have the right to get the service / rectification done from alternate sources at the risk and cost of the Seller besides forfeiture of PBG. Seller shall be liable to re-imburse the cost of such service / rectification to the Buyer.

3.7 Scope of Supply:

Scope of supply (Bid price to include all cost components) : Supply Installation Testing and Commissioning of Goods

नोट: यह सिस्टम जनरेटेड फाइल है। कोई हस्ताक्षर की आवश्यकता नहीं है। इस दस्तावेज़ का प्रिंट आउट भुगतान/लेनदेन उद्देश्य के लिए मान्य नहीं है।

Note: This is system generated file. No signature is required. Print out of this document is not valid for payment/ transaction purpose.